



Power of Desire







ZAMEEN SE JUDEY









Somany Ceramics Limited: Noida: F-36, Sector-6; Ph.: 0120-4627900. Ahmedabad: 601 to 606, 6th floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad, Gujarat-382481. Ph.: 079-27661103 / 27661104 Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913 www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)









Find us at:







300X 600mm

WALL CLADDING TILES
RUSTIC COLLECTION



Infuse your interiors with the pristine and ingenious charm of nature with cladding tiles that not just clad the walls, but elevate the elegance of the ambiance.











WALL CLADDING | 300x RUSTIC COLLECTION | 600mm

RUSTIC FINISH














Anticato Beige









Anticato Beige

05

The Veil of Enchantment

Let your walls spread earthy vibes and rustic harmony with the collection that keeps you rooted in the glory of nature.



Frassino Natural

Add Textures of Beauty Around You

A collection compiled to craft an alluring ambiance. The playfulness of the design will surely energize your senses with a positive aura.

Frassino Natural





CLADOR

WALL CLADDING | 300x RUSTIC COLLECTION | 600mm

RUSTIC FINISH













V1



WALL CLADDING | 300x RUSTIC COLLECTION | 600mm

RUSTIC FINISH








V1








Frassino Gris

09

A Whole New Perspective To Design

Designs with depth create an appealing illusion making the ambiance look classy and beautiful.



Zirconio Brown

Make Dreams Possible

A touch of luxury with the promise of everlasting strength and allure is here to uplift the outlook of your ambiance.

Zirconio Brown





CLADOR

WALL CLADDING | 300x RUSTIC COLLECTION | 600mm

RUSTIC FINISH











V1



WALL CLADDING | 300x RUSTIC COLLECTION | 600mm

RUSTIC FINISH












Jupiter Natural





V2





Jupiter Natural

The Heightened View of Vibrancy

Take the beauty of your walls a notch higher and make them animated and lively with a refreshing and smart combination of designs.



Jupiter Gris

Make a Tall Claim in Magnificence

Add cheerfulness to your ambiance and make your decor look charmingly fresh, forever.

Jupiter Gris





CLADOR

WALL CLADDING | 300x RUSTIC COLLECTION | 600mm

RUSTIC FINISH





WALL CLADDING | 300x RUSTIC COLLECTION | 600mm

RUSTIC FINISH












Jupiter Beige





V2





Jupiter Beige

Designs That Reflect Your Style

Invoke rustic elegance to your ambiance with earthy tones of brown and create your nook of nature in an urban jungle.



Jupiter Olive

18

Nature Re-Imagined In Stones

Redefine the concept of wall cladding luxuriously and lavishly with Somany Clador. A collection that manifests nature's magnificence most appealingly.

Jupiter Olive





CLADOR

WALL CLADDING | 300x RUSTIC COLLECTION | 600mm

RUSTIC FINISH







WALL CLADDING | 300x RUSTIC COLLECTION | 600mm

RUSTIC FINISH









Marte Olive





V1






Marte Olive

Majestic Avatar of Nature

Create a wallscape that is stylish, functional, and naturally elegant. Explore the enchanting world of colors, textures, and designs to transform your space.



Basalto Beige

A Fresh Outlook of Awesomeness

Sturdy to the core and stylish on the top. Trust Somany Clador to enhance the appeal of your outdoors and make it look ethereal and enigmatic.

Basalto Beige





CLADOR

WALL CLADDING | 300x RUSTIC COLLECTION | 600mm

RUSTIC FINISH











V2



WALL CLADDING | 300x RUSTIC COLLECTION | 600mm

RUSTIC FINISH











Basalto Brown





V2





Basalto Brown

Rustic Charm. Robust Appeal.

Cladding tiles that clad the wall give them a distinctive identity and simultaneously add long-lasting lusciousness to your ambiance.



Basalto Natural

The Craft of Enchantment

When authentic craftsmanship meets ingenious imagination, the result is one superlative collection where each design has its own identity and style.

Basalto Natural





CLADOR

WALL CLADDING | 300x RUSTIC COLLECTION | 600mm

RUSTIC FINISH









V2



WALL CLADDING | 300x RUSTIC COLLECTION | 600mm

RUSTIC FINISH











Barite Brown











Barite Brown

Ascent to Aesthetic Elegance

An endearing amalgamation of deepest browns and rustic red with a tinge of grey in between collectively comes together to uplift the grace and grandeur of your cladding.





Barite Cotto

A Forever Stylish Classic

Some choices are evergreen, like this refreshing and beautiful combination that invokes the old-world charm of bricks through the feisty fusion of red and grey.

Barite Cotto





CLADOR

WALL CLADDING | 300x RUSTIC COLLECTION | 600mm

RUSTIC FINISH











V1



WALL CLADDING | 300x RUSTIC COLLECTION | 600mm

RUSTIC FINISH




















Barite Gris

Meet The Mesmerizing Monotones

As black makes you look stylish, white is a shade of serenity. The greys created by the confluence of these two simply add striking beauty to all the visions they endorse.


TECHNICAL SPECIFICATION





DESIGN, PATTERN & SHADE VARIATION GUIDE


Current development efforts have made ceramic tiles to resemble and look authentically identical to natural material (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between two.

Recognising this situation, it is necessary to be informed on the grade of design & pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of variation.









V1 Uniform Appearance

Slight Variation

V3 Moderate Variation

V4 Substantial Variation

The classification is as follow:

Minimal Variation № Slight Variation № Random Variation № Substantial Variation

While laying the tiles please follow the arrow on the back of the tiles. For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing with any boric/talk powder

PACKAGING DETAIL FOR 300x600MM WALL TILES						
Nominal Size(mm)	Thickness(mm) Average weight per carton (Kgs)		No. of tiles per carton	Coverage area per carton		
300x600	8.80 ~ 11.00mm	14.000 ~ 15.200 Kg	5	0.90 Sq. Mtr. / 9.68 Sq. Ft.		

TECHNICAL SPECIFICATION FOR 300x600MM WALL TILES						
Characteristics	Requirment as per IS 15622: 2017 E ≥ 10, Group BIII	Requirements as per ISO 13006 E ≥ 10, Group BIII	Our Values	Test Method		
A) Dimension & Surface Quality						
I) Length & Width	± 0.20%	± 0.30%	± 0.1%			
ii) Thickness	± 5.0%	± 10.0%	± 4.0%	IS 13630 Part 1/ISO 10454-2		
iii) Straightness of Side	± 0.15%	± 0.30%	± 0.1%			
iv) Rectengularity	± 0.20%	± 0.30%	± 0.2%			
v) Surface Flatness Max Deveation in %						
a) Center curvature related to diagonal	± 0.30%	± 0.40%	± 0.22 %			
b) Edge curvature related to corresponding side	± 0.30%	± 0.40%	± 0.22 %			
c) warpage related to diagonale	± 0.30%	± 0.40%	± 0.22 %			
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects.	Min. 95 % of tiles will be free from visible defects.	Min. 95 % of tiles will be free from visible defects.			
B) Physical Properties						
I) Water Absorption	E ≥ 10 %. (when the value exceeds 20 % this shall be indecated by the manufacturer) Individual 9 percent, Min.	E ≥ 10 %. (when the value exceeds 20 % this shall be indecated by the manufacturer) Individual 9 percent, Min.	Avg. 10-20 %	IS 13630 Part 2/ISO 10545-3		
ii) Modulus of Rupture [N/mm2]	Min 12	Average Min 12	Average Min 15	IS 13630 Part 6/ISO 10545-4		
iii) Breaking Strength in N	Min 600	Not Less than 600	Min 600			
iv) Scratch Hardness of surface (Mohs)	Min 3	Required	Min 3	IS 13630 Part 13		
v) Coefficient of linear thermal expansion from ambient temperature to 100° C	9 X 10 ⁻⁶ K ⁻¹ max	Required	8 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ISO 10545-8		
vi) Thermal Shock Resistance	10 cycle min	10 cycle min	10 cycle min	IS 13630 Part 5/ISO 10545-9		
vii) Crazing Resistance	4 cycle @ 7.5bar min	Manufacturer to Declared	4 Cycle @ 7.5 bar Min	IS 13630 Part 9/ISO 10545-11		
C) Chemical Properties						
I) Stain Resistance	Min Class 1	Required	Class-1			
ii) Resistance to household chemicals	Min Class AA	Required	Min Class AA	IS 13630 Part 8 /ISO 10545-13 & ISO 10545-14		
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Required	Min Class AA			

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see physical sample before placing the order. Technical Specifications for Somany Wall & Floor Tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation, company will not entertain complaints, once the tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.



Jur_ PORTFOLIO



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories





TILE ADHESIVE



HIGH STRENGTH POLYMER MODIFIED

TILE ADHESIVE



BENEFITS

- » READY AND EASY TO USE
- » EXCELLENT BONDING WITH ALL SURFACES
- FAST SETTING
- SELF-CURING

USES (

- FOR FIXING ALL TYPE OF TILES
- > FOR NEW FLOORING AND RENOVATION
- CAN BE USED FOR TILE ON TILE

NOTE	SOMANY-