



Somany Ceramics Limited

Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph.: 0120-4627900

Ahmedabad Office: 601 to 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover,

S.G. Highway, Ahmedabad-382481; Ph.: 079-27661103 & 04

Registered Office: 2, Red Cross Place, Kolkata-700001; Ph.: 033-22487406/5913

www.somanyceramics.com | e-mail: customer.care@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00 am to 6:30 pm; Mon-Fri)





Glossy Collection 300x600mm

Page No.

Matt Collection 300x600m

Page No. 18





Bienne - Wall Tiles Collection | Size: 300x600mm | Finish: Glossy





Coppet

Aliseo



Aliseo Light, Glossy 300x600mm



Aliseo HL-01, Glossy 300x600mm



Aliseo Dark, Glossy 300x600mm



F-Menor Dark, Matt 300x300mm

Basel



Basel Light, Glossy 300x600mm V4



V4 Basel Dark, Glossy 300x600mm



F-Maldon Dark, Matt 300x300mm

Bienne



Bienne Light, Glossy 300x600mm



Bienne HL-01, Glossy 300x600mm



V1 Bienne HL-02, Glossy 300x600mm



V2 Bienne Dark, Glossy 300x600mm




F-Cruz Dark, Matt 300x300mm

Cassero



Cassero Light, Glossy 300x600mm



Cassero HL-01, Glossy 300x600mm



Cassero Dark, Glossy 300x600mm




F-Alacia Black, Matt 300x300mm

Curton



Curton Light, Glossy 300x600mm



Curton HL-01, Glossy 300x600mm



Curton Dark, Glossy 300x600mm



F-Trail Dark, Matt 300x300mm



٧3



Coppet Light, Glossy 300x600mm



Coppet HL-01, Glossy 300x600mm



Coppet HL-02, Glossy 300x600mm



Coppet Dark, Glossy 300x600mm



F-Piers Dark, Matt 300x300mm





Denis

Denis Light, Glossy 300x600mm



V4

Denis HL-01, Glossy 300x600mm




Denis Dark, Glossy 300x600mm



F-Canmore Choco, Matt 300x300mm

Distrito



Distrito Light, Glossy 300x600mm



Distrito HL-01, Glossy 300x600mm



Distrito Dark, Glossy 300x600mm



F-Cruz Dark, Matt 300x300mm

Estimar



V2 Estimar Bianco, Glossy 300x600mm



V2 Estimar Black, Glossy 300x600mm



F-Akitio Slate, Matt 300x300mm

Ехепсе



Exence Light, Glossy 300x600mm



Exence HL-01, Glossy 300x600mm



Exence Dark, Glossy 300x600mm




F-Naos Grey Dark, Matt 300x300mm

٧3 Emmen Light, Glossy 300x600mm



V1 Emmen HL-01, Glossy 300x600mm



V1 Emmen HL-02, Glossy 300x600mm



٧3



300x300mm



F-Viby Dark, Matt 300x300mm

Emmen



Grao Light, Glossy 300x600mm

Grao



Grao HL-01, Glossy 300x600mm



Grao Dark, Glossy 300x600mm



F-Piers Dark, Matt 300x300mm



Roche - Wall Tiles Collection | Size: 300x600mm | Finish: Glossy





Koniz



Koniz Light, Glossy 300x600mm



V1

Koniz Dark, Glossy 300x600mm



F-Micro Dark, Matt 300x300mm

Lancy



Lancy Light, Glossy 300x600mm



V4 Lancy Dark, Glossy 300x600mm



F-Travertino Beige Dark, Matt 300x300mm

Puteak



Puteak Light, Glossy 300x600mm



Puteak HL-01, Glossy 300x600mm




Puteak Dark, Glossy 300x600mm



F-Micro Dark, Matt 300x300mm

Roche




Roche Light, Glossy 300x600mm



Roche HL-01, Glossy 300x600mm



Roche Dark, Glossy 300x600mm



F-Taryn Dark, Matt 300x300mm

Romilly



Romilly Light, Glossy 300x600mm V2



V2 Romilly Dark, Glossy 300x600mm



F-Romilly Dark, Matt 300x300mm

Savaje



Savaje Light, Glossy 300x600mm



Savaje HL-01, Glossy 300x600mm



Savaje Dark, Glossy 300x600mm



F-Savaje Dark, Matt 300x300mm



 $Sio_{\mathcal{H}}$ - Wall Tiles Collection | Size: 300x600mm | Finish: Glossy






Sion

Stans



Sion Light, Glossy 300x600mm



Sion HL-01, Glossy 300x600mm



Sion Dark, Glossy 300x600mm



F-Ashley Natural, Matt 300x300mm



Stans Light, Glossy 300x600mm



Stans HL-01, Glossy 300x600mm



V4 Stans HL-02, Glossy 300x600mm



Stans Dark, Glossy 300x600mm

V1



F-Rebel Dark, Matt 300x300mm

Tangle



Tangle Light, Glossy 300x600mm



Tangle HL-02, Glossy 300x600mm



Tangle Dark, Glossy 300x600mm



F-Okana Dark, Matt 300x300mm

Timbro



Timbro Light, Glossy 300x600mm



Timbro HL-01, Glossy 300x600mm



Timbro Dark, Glossy 300x600mm



F-Perlino Dark, Matt 300x300mm

16



 $\it Mathios$ - Wall Tiles Collection | Size: 300x600mm | Finish: Matt





Troy

Astra

Astra Light, Matt 300x600mm



Astra HL-01, Matt 300x600mm



Astra Dark, Matt 300x600mm



F-Vasa Dark, Matt 300x300mm

Eragny



Eragny Light, Matt 300x600mm



Eragny HL-01, Matt 300x600mm



Eragny Dark, Matt 300x600mm



F-Viby Dark, Matt 300x300mm

Mathios



Mathios Light, Matt 300x600mm



Mathios HL-01, Matt 300x600mm



Mathios Dark, Matt 300x600mm



F-Orlen Brown, Matt 300x300mm

Norwich



V1 Norwich Light, Satin Matt 300x600mm



V1 Norwich Dark, Satin Matt 300x600mm



F-Micro Dark, Matt 300x300mm



Nyon

Nyon Light, Satin Matt 300x600mm



V1 Nyon HL-01, Satin Matt 300x600mm



V4 Nyon Dark, Satin Matt 300x600mm



F-Brushy Dark, Matt 300x300mm

Troy Light, Satin Matt 300x600mm



Troy HL-01, Satin Matt 300x600mm



Troy Dark, Satin Matt 300x600mm

V4



F-Bassano Wood Robbale, Matt 300x300mm

20

Stafa

Vela



Stafa Light, Satin Matt 300x600mm



Stafa HL-01, Satin Matt 300x600mm



V1

Stafa Dark, Satin Matt 300x600mm




F-Nabiac Natural, Matt 300x300mm



Vela Light, Matt 300x600mm




Vela HL-01, Matt 300x600mm



Vela Dark, Matt 300x600mm



F-Vinstra Beige, Matt 300x300mm



Stafa- Wall Tiles Collection | Size: 300x600mm | Finish: Matt


TECHNICAL SPECIFICATION





DESIGN, PATTERN & SHADE VARIATION GUIDE


Current Development efforts have made ceramic tiles to resemble and look authentically identical to natural materials (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between the two.

Recognising this situation, it is necessary to be informed on the grade of design & Pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of the variation.









V2 V1 Uniform Appearance

V3 Moderate Variation Slight Variation

V4 Substantial Variation

The classification is as follow:



✓ Minimal Variation ✓ Slight Variation ✓ Random Variation ✓ Substantial Variation



High Definition Image

While Laying the tiles please follow the arrow Mark on the back of the tiles For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing with any boric/talc powder

PACKING DETAIL FOR DIGITAL WALL TILES


Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
300x600mm	8.5	15.80	6	1.08 sq. mtr. / 11.62 sq. ft.
300x300mm	8.5	13.60	10	0.90sq.mtr./9.69sq.ft.

TECHNICAL SPECIFICATION FOR DIGITAL WALL TILES

Characteristics	Requirment as per IS 15622: 2017 E ≥ 10,Group BIII	Requirements as per ISO 13006 E ≥ 10,Group BIII	Our Values	Test Method	
A) Dimension & Surface Quality					
I) Length & Width	± 0.20%	± 0.30%	± 0.1%	IS 13630 Part 1/ISO 10454-2	
ii) Thickness	± 5.0%	± 10.0%	± 4.0%		
iii) Straightness of Side	± 0.15%	± 0.30%	± 0.1%		
iv) Rectengularity	± 0.20%	± 0.30%	± 0.2%		
v) Surface Flatness Max Deveation in %					
a) Center curvature related to diagonal	± 0.30%	± 0.40%	± 0.22%		
b) Edge curvature related to corresponding side	± 0.30%	± 0.40%	± 0.22%		
c) warpage related to diagonale	± 0.30%	± 0.40%	± 0.22%	1	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects.	Min. 95 % of tiles will be free from visible defects.	Min. 95 % of tiles will be free from visible defects.		
B) Physical Properties					
I) Water Absorption	E ≥ 10 %. (when the value exceeds 20 % this shall be indecated by the manufacturer) Individual Min. 9 %	E ≥ 10 % when the average exceeds 20%, this shall be indecated. Individual Min.value 9 %	Avg. 10-20 %	IS 13630 Part 2/ISO 10545-3	
ii) Modulus of Rupture [N/mm2]	Min 12	Average Min 12	Average > 12	IS 13630 Part 6/ISO 10545-4	
iii) Breaking Strength in N	Min 600	Not Less than 600	Min 600		
v) Scratch Hardness of surface (Mohs)	Min 3		Min 3	IS 13630 Part 13	
vi) Coefficient of linear thermal expansion from ambient temperature to 100° C	9 X 10 ⁻⁶ K ⁻¹ max	-	8 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ISO 10545-8	
vii) Thermal Shock Resistance	10 cycle min	10 cycle min	10 cycle min	IS 13630 Part 5/ISO 10545-9	
viii) Crazing Resistance	4 cycle @ 7.5 bar min	Manufacturer to Declared	4 Cycle @ 7.5 bar Min	IS 13630 Part 9/ISO 10545-11	
C) Chemical Properties					
I) Stain Resistance	Min Class 1	Required	Class-1		
ii) Resistance to household chemicals	Min Class AA	Required	Class AA	IS 13630 Part 8 /ISO 10545-13	
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compound	Required if agreed	Required	Class AA	- & ISO 10545-14	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. "Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

25







RECOMMENDED FOR LARGE FORMAT TILES & SLABS



INDIAS FASTEST GROWING ADHESIVE BRAND

