



Power of Desire



SOMANY

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.

Ahmedabad: 601 to 606, 6th floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S. G, Highway, Ahmedabad- 382481, Ph.: 079-27661103 & 04

Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913

www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic



Find us at:
www.instagram.com/SomanyCeramics



CERAMICA / CAT / NOVEMBER 2023

Ceramica

SOMANY
TILES | BATHWARE

ZAMEEN SE JUDEY



ORION
SERIES

300 x 600mm

DIGITAL WALL TILES
COLLECTION

UNIT - 3 | SOUTH, WEST & CENTRAL

Ceramica

“
IRRESISTIBLE
GLAMOROUS
DESIGNS



DIGITAL WALL TILES >>>>>

SOMANY

300^x
600mm

Glossy Collection
300x600mm

Page No.
/04

Matt Collection
300x600m

Page No.
/22

300x
600mm

FINISH

Glossy/Matt
Collection



SOMANY

Bienne


Albany



V4 Albany, Glossy
300x600mm




V1 Albany HL 01, Glossy
300x600mm



V1 Albany HL 02, Glossy
300x600mm




V4 Albany, Glossy
300x600mm




Lurent Dark, Matt
300x300mm


Basel



V4 Basel Light, Glossy
300x600mm




V1 Basel HL 01, Glossy
300x600mm



V1 Basel HL 02, Glossy
300x600mm



V4 Basel Dark, Glossy
300x600mm




Arrigo Brown, Matt
300x300mm

Bienne




V2 Bienne Light, Glossy
300x600mm



V1 Bienne HL 01, Glossy
300x600mm



V1 Bienne HL 02, Glossy
300x600mm



V2 Bienne Dark, Glossy
300x600mm



Adan Brown, Matt
300x300mm

Cobar



V1 Cobar Light, Glossy
300x600mm




V1 Cobar HL 01 A, Glossy
300x600mm



V1 Cobar HL 01 B, Glossy
300x600mm



V1 Cobar Dark, Glossy
300x600mm




Mattero Grey, Matt
300x300mm


Cobar



V1 Cobar Light, Glossy
300x600mm



V1 Cobar HL 02, Glossy
300x600mm




V1 Cobar Dark, Glossy
300x600mm



Mattero Grey, Matt
300x300mm


Coppet




V3 Coppet Light, Glossy
300x600mm



V1 Coppet HL 01, Glossy
300x600mm



V1 Coppet HL 02, Glossy
300x600mm




V3 Coppet Dark, Glossy
300x600mm




River Stone Dark, Matt
300x300mm




Davan




V4 Davan Light, Glossy 300x600mm



V1 Davan HL 01, Glossy 300x600mm




V4 Davan Dark, Glossy 300x600mm



Sara Dark, Matt 300x300mm


Denis




V4 Denis Light, Glossy 300x600mm



V1 Denis HL 01, Glossy 300x600mm




V4 Denis Dark, Glossy 300x600mm



Arrigo Brown, Matt 300x300mm

Ella




V4 Ella Light, Glossy 300x600mm



V1 Ella HL 01, Glossy 300x600mm



V4 Ella Dark, Glossy 300x600mm




Caledonia Dark, Matt 300x300mm

Elmira




V1 Elmira Light, Glossy 300x600mm



V1 Elmira HL 01 A, Glossy 300x600mm




V1 Elmira HL 01 B, Glossy 300x600mm



V1 Elmira Dark, Glossy 300x600mm


Emmen



V3 Emmen Light, Glossy 300x600mm




V1 Emmen HL 01, Glossy 300x600mm



V1 Emmen HL 02, Glossy 300x600mm




V3 Emmen Dark, Glossy 300x300mm



Mattero Grey, Matt 300x300mm


Epsom




V1 Epsom Light, Glossy 300x600mm



V1 Epsom HL 01 A, Glossy 300x600mm



V1 Epsom HL 01 B, Glossy 300x600mm



V1 Epsom Dark, Glossy 300x600mm



Estimar


Estimar



V2 **Estimar Bianco, Glossy**
300x600mm



V1 **Estimar HL 01, Glossy**
300x600mm




V2 **Estimar Black, Glossy**
300x600mm




Estimar Black, Matt
300x300mm


Koniz



V1 **Koniz Light, Glossy**
300x600mm




V4 **Koniz HL 01, Glossy**
300x600mm



V1 **Koniz HL 02, Glossy**
300x600mm




V1 **Koniz Dark, Glossy**
300x600mm




Arrigo Brown, Matt
300x300mm


Lancy



V4 **Lancy Light, Glossy**
300x600mm



V1 **Lancy HL 01, Glossy**
300x600mm



V1 **Lancy HL 02, Glossy**
300x600mm




V4 **Lancy Dark, Glossy**
300x600mm



Corsa Brown, Matt
300x300mm

Laupen




V2 **Laupen Light, Glossy**
300x600mm



V1 **Laupen HL 01, Glossy**
300x600mm



V2 **Laupen HL 02, Glossy**
300x600mm



V2 **Laupen Dark, Glossy**
300x600mm




Indello Dark, Matt
300x300mm

Lira




V2 **Lira Statuario, Glossy**
300x600mm



V1 **Lira Statuario HL 02, Glossy**
300x600mm



V2 **Lira Statuario, Glossy**
300x600mm



Rico Grey Dark, Matt
300x300mm

Olten



V1 **Olten Light, Glossy**
300x600mm



V1 **Olten HL 01, Glossy**
300x600mm




V1 **Olten Dark, Glossy**
300x600mm



Casa Daino Dark, Matt
300x300mm



Otara




V4 Otara Light, Glossy
300x600mm




V1 Otara HL 01, Glossy
300x600mm



V2 Otara HL 02, Glossy
300x600mm




V4 Otara Dark, Glossy
300x600mm



Arrigo Grey Dark, Matt
300x300mm

Prilly




V1 Prilly Light, Glossy
300x600mm



V1 Prilly HL 01 A, Glossy
300x600mm



V1 Prilly HL 01 B, Glossy
300x600mm




V1 Prilly HL 03, Glossy
300x600mm




V1 Prilly HL 02 A, Glossy
300x600mm



V1 Prilly HL 02 B, Glossy
300x600mm



V1 Prilly Dark, Glossy
300x600mm




Rico Grey Dark, Matt
300x300mm

Rion




V2 Rion Wood Light, Glossy
300x600mm



V1 Rion Wood HL 01, Glossy
300x600mm



V2 Rion Wood Dark, Glossy
300x600mm




Drift Wood, Matt
300x300mm


Romilly




V2 Romilly Light, Glossy
300x600mm



V1 Romilly HL 01, Glossy
300x600mm




V2 Romilly Dark, Glossy
300x600mm



Irma Dark, Matt
300x300mm


Ronat



V2 Ronat Light, Glossy
300x600mm



V1 Ronat HL 01, Glossy
300x600mm



V2 Ronat Dark, Glossy
300x600mm




Mattero Grey, Matt
300x300mm


Sion




V2 Sion Light, Glossy
300x600mm



V1 Sion HL 01, Glossy
300x600mm



V2 Sion HL 02, Glossy
300x600mm



V2 Sion Dark, Glossy
300x600mm



Mattero Grey, Matt
300x300mm

Stans



V1 Stans Light, Glossy
300x600mm



V1 Stans HL 01, Glossy
300x600mm



V4 Stans HL 02, Glossy
300x600mm



V1 Stans Dark, Glossy
300x600mm




Sara Dark, Matt
300x300mm

Una




V1 Una Bianco, Glossy
300x600mm



V1 Una Bianco HL 01, Glossy
300x600mm



V1 Una Bianco, Glossy
300x600mm



Universal Grey, Matt
300x300mm

Uster



V4 Uster, Glossy
300x600mm



V2 Uster HL 01, Glossy
300x600mm



V4 Uster HL 02, Glossy
300x600mm



V4 Uster, Glossy
300x600mm




Uster, Matt
300x300mm




Maldito


Aguero



V4 **Aguero Light**, Satin Matt
300x600mm



V1 **Aguero HL 01**, Satin Matt
300x600mm




V4 **Aguero Dark**, Satin Matt
300x600mm



Cascade Grey, Matt
300x300mm


Dicha



V1 **Dicha Light**, Satin Matt
300x600mm



V1 **Dicha HL 01**, Satin Matt
300x600mm



V1 **Dicha Dark**, Satin Matt
300x600mm




Nardic Beige, Matt
300x300mm


Maldito




V4 **Maldito Light**, Satin Matt
300x600mm



V1 **Maldito HL 01**, Satin Matt
300x600mm



V4 **Maldito Dark**, Satin Matt
300x600mm



Maldito Dark, Matt
300x300mm

Malia



V4 **Malia**, Satin Matt
300x600mm



V1 **Malia HL 01**, Satin Matt
300x600mm




V4 **Malia**, Satin Matt
300x600mm




Universal Grey, Matt
300x300mm

Nelson



V4 **Nelson Light**, Satin Matt
300x600mm



V1 **Nelson HL 01**, Satin Matt
300x600mm




V4 **Nelson Dark**, Satin Matt
300x600mm




Ashen Dark, Matt
300x300mm


Norwich




V1 **Norwich Light**, Satin Matt
300x600mm



V1 **Norwich HL 01**, Satin Matt
300x600mm




V1 **Norwich Dark**, Satin Matt
300x600mm



Oxford Negro, Matt
300x300mm

Nyon



V4 Nyon Light, Satin Matt
300x600mm



V1 Nyon HL 01, Satin Matt
300x600mm



V4 Nyon Dark, Satin Matt
300x600mm



Ashen Dark, Matt
300x300mm

Olean



V4 Olean Light, Satin Matt
300x600mm



V1 Olean HL 01, Satin Matt
300x600mm



V4 Olean Dark, Satin Matt
300x600mm



Corsa Brown, Matt
300x300mm


Picton




V4 Picton Light, Satin Matt
300x600mm



V2 Picton HL 01, Satin Matt
300x600mm




V4 Picton Dark, Satin Matt
300x600mm



Caledonia Dark, Matt
300x300mm

Stafa



V1 Stafa Light, Satin Matt
300x600mm



V1 Stafa HL 01, Satin Matt
300x600mm



V1 Stafa Dark, Satin Matt
300x600mm



Ashen Dark, Matt
300x300mm

Troy



V4 Troy Light, Satin Matt
300x600mm



V1 Troy HL 01, Satin Matt
300x600mm




V4 Troy Dark, Satin Matt
300x600mm



Corsa Brown, Matt
300x300mm

Winton



V4 Winton Light, Satin Matt
300x600mm



V1 Winton HL 01, Satin Matt
300x600mm



V4 Winton Dark, Satin Matt
300x600mm




Fremo Dark, Matt
300x300mm

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current Development efforts have made ceramic tiles to resemble and look authentically identical to natural materials (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between the two.

Recognising this situation, it is necessary to be informed on the grade of design & Pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of the variation.



The classification is as follow:
V1 Minimal Variation V2 Slight Variation V3 Random Variation V4 Substantial Variation



High Definition Image

While Laying the tiles please follow the arrow Mark on the back of the tiles
For removing the wax from the surface of the tiles please use the soft cotton cloth
for rubbing with any boric/talc powder

PACKING DETAIL FOR DIGITAL WALL TILES

Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
300x600mm	9.0	13.70	5	0.90sq.mtr./9.68sq.ft.
300x300mm	8.4	12.80	10	0.90sq.mtr./9.69sq.ft.

TECHNICAL SPECIFICATION FOR DIGITAL WALL TILES

Characteristics	Requirment as per IS 15622: 2017 E ≥ 10,Group BIII	Requirements as per ISO 13006 E ≥ 10,Group BIII	Our Values	Test Method
A) Dimension & Surface Quality				
I) Length & Width	± 0.20%	± 0.30%	± 0.1%	IS 13630 Part 1/ISO 10454-2
ii) Thickness	± 5.0%	± 10.0%	± 4.0%	
iii) Straightness of Side	± 0.15%	± 0.30%	± 0.1%	
iv) Rectangularity	± 0.20%	± 0.30%	± 0.2%	
v) Surface Flatness Max Deveation in %				
a) Center curvature related to diagonal	± 0.30%	± 0.40%	± 0.22%	
b) Edge curvature related to corresponding side	± 0.30%	± 0.40%	± 0.22%	
c) warpage related to diagonale	± 0.30%	± 0.40%	± 0.22%	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects.	Min. 95 % of tiles will be free from visible defects.	Min. 95 % of tiles will be free from visible defects.	
B) Physical Properties				
I) Water Absorption	E ≥ 10 %. (when the value exceeds 20 % this shall be indicated by the manufacturer) Individual Min. 9 %	E ≥ 10 % when the average exceeds 20%, this shall be indicated. Individual Min.value 9 %	Avg. 10-20 %	IS 13630 Part 2/ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Min 12	Average Min 12	Average > 12	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	Min 600	Not Less than 600	Min 600	
v) Scratch Hardness of surface (Mohs)	Min 3		Min 3	IS 13630 Part 13
vi) Coefficient of linear thermal expansion from ambient temperature to 100° C	9 X 10 ⁻⁶ K ⁻¹ max	-	8 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ISO 10545-8
vii) Thermal Shock Resistance	10 cycle min	10 cycle min	10 cycle min	IS 13630 Part 5/ISO 10545-9
viii) Crazing Resistance	4 cycle @ 7.5 bar min	Manufacturer to Declared	4 Cycle @ 7.5 bar Min	IS 13630 Part 9/ISO 10545-11
C) Chemical Properties				
I) Stain Resistance	Min Class 1	Required	Class-1	IS 13630 Part 8 /ISO 10545-13 & ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Required	Class AA	
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compound	Required if agreed	Required	Class AA	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. “ Technical Specification” for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

SOMANY
Bathware

Our PORTFOLIO



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

SOMANY

Ezy Fix
TILE ADHESIVE



HIGH STRENGTH POLYMER MODIFIED TILE ADHESIVE



BENEFITS

- » READY AND EASY TO USE
- » EXCELLENT BONDING WITH ALL SURFACES
- » FAST SETTING
- » SELF-CURING

USES

- » FOR FIXING ALL TYPE OF TILES
- » FOR NEW FLOORING AND RENOVATION
- » CAN BE USED FOR TILE ON TILE