

SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)

CERAMICA / WALL TILES COLLECTION / CATALOGUE / JULY 2026

CERAMICA

WALL TILES COLLECTION

300 x 600mm | 300 x 300mm

SOMANY

RANGE VOL 2 | JULY 2026 UNIT 02

EVERY WALL TELLS A

BEAUTIFUL STORY



CERAMICA

Step into the Future of Wall Surfaces

Unveiling a new era of wall design with the Wall Tiles collection, where boundless creativity meets architectural mastery. Surfaces transform into canvases of infinite possibility through a symphony of colours, textures, and patterns that transcend the ordinary. From intricate geometric designs to nature-inspired motifs, each piece tells a story of craftsmanship and innovation.

Available in versatile 300x600mm and 300x300mm formats, these tiles are perfect for kitchens, bathrooms, living spaces, and commercial interiors. The finesse of finishes, reimagined — Glossy for radiant shine, Satin Matt for velvet softness, Sugar Matt for powder-touch elegance, Rustic for crafted warmth, and Matt for serene simplicity. Elevating ordinary spaces into design masterpieces, where every surface creates lasting impressions and defines exceptional environments.

2
sizes

5
collection

5
surfaces



300x600mm | 300x300mm

APPLICATION AREAS

- RESIDENTIAL AREAS
- COMMERCIAL AREAS
- HOSPITALS
- SHOPS AND MALLS
- HOTELS AND RESTAURANTS
- SCHOOLS AND COLLEGES
- OUTDOOR FURNITURE
- PUBLIC PLACES



index



GLOSSTRA

300x600mm
GLOSSY COLLECTION

PAGE NO. **08**



VISTOSO

300x600mm
SATIN MATT COLLECTION
SUGAR MATT COLLECTION

PAGE NO. **34**



CLADOR

300x600mm
RUSTIC COLLECTION

PAGE NO. **42**



ORION

300x600mm
GLOSSY COLLECTION

PAGE NO. **48**



TEMP SHIELD

300x300mm
MATT COLLECTION

PAGE NO. **54**

GLOSSTRA

WALL TILES COLLECTION



CERAMICA

GLOSSTRA

GLOSSY COLLECTION

Celebrate the brilliance and elegance of a Glossy finish, reflecting light to enhance the vibrancy of your spaces. Its smooth, polished surface adds a touch of luxury while remaining durable and versatile, elevating interiors with contemporary finesse.

WALL TILES | HIGH DEFINITION | RANDOM

Bassano Wood





Wall:
Bassano Wood Pine, HL 01 & Robble
300x600mm | Glossy

Floor:
F-Bassano Wood Robble
300x300mm | Matt



Alacia

R
Alacia White, Glossy
300x600mm



V2
Alacia HL 01 A NEW, Glossy
300x600mm



V2
Alacia HL 01 B NEW, Glossy
300x600mm



R
Alacia Black, Glossy
300x600mm



F-Alacia Black, Matt
300x300mm

360 View

Aluna

V1
Aluna Light, Glossy
300x600mm



V1
Aluna HL-01, Glossy
300x600mm



V1
Aluna Dark, Glossy
300x600mm



F-Creteil Natural, Matt
300x300mm

360 View

Arian



V1
Arian Bianco Light, Glossy
300x600mm



V1
Arian HL-01, Glossy
300x600mm



V1
Arian Gris Dark, Glossy
300x600mm



F-Arian Gris Dark, Matt
300x300mm

360 View

Atrium



V1
Atrium Dark, Glossy
300x600mm



F-Alacia Black, Matt
300x300mm

360 View

Azzaro

V4
Azzaro Crema, Glossy
300x600mm



V4
Azzaro Beige HL-01, Glossy
300x600mm



V4
Azzaro Beige, Glossy
300x600mm



F-Azzaro Beige, Matt
300x300mm

360 View

Bassano Wood



V4
Bassano Wood Pine, Glossy
300x600mm



V1
Bassano Wood HL-01, Glossy
300x600mm



V4
Bassano Wood Robble, Glossy
300x600mm



F-Bassano Wood Robble, Matt
300x300mm

360 View

Bello Mint

V1 Bello Mint Light, Glossy 300x600mm



V1 Bello Mint HL-01, Glossy 300x600mm



V1 Bello Mint Dark, Glossy 300x600mm



F-Bello Mint Dark, Matt 300x300mm

360 View

Botanas

V1 Botanas Light, Glossy 300x600mm



V2 Botanas HL 01-A, Glossy 300x600mm



V2 Botanas HL 01-B, Glossy 300x600mm



V1 Botanas Dark, Glossy 300x600mm

360 View

Brushy

V1 Brushy Light, Glossy 300x600mm



V1 Brushy HL-01, Glossy 300x600mm



V1 Brushy Dark, Glossy 300x600mm



F-Brushy Dark, Matt 300x300mm

360 View

Camia

V1 Camia Light, Glossy 300x600mm



V2 Camia HL-01 A, Glossy 300x600mm



V2 Camia HL-01 B, Glossy 300x600mm



V1 Camia Dark, Glossy 300x600mm



F-Camia Dark, Matt 300x300mm

360 View

Camrose



V2 Camrose Crema, Glossy 300x600mm



V2 Camrose HL-01, Glossy 300x600mm



V2 Camrose Beige, Glossy 300x600mm



F-Maldon Dark, Matt 300x300mm

360 View

Canmore

R Canmore Crema, Glossy 300x600mm



V1 Canmore HL-01, Glossy 300x600mm



R Canmore Choco, Glossy 300x600mm



F-Canmore Choco, Matt 300x300mm

360 View



Okana





Wall:
Okana Light, HL 01
300x600mm | Glossy

Floor:
F-Okana Dark
300x300mm | Matt



Cuadro

R
Cuadro Light, Glossy
300x600mm



F-Cuadro Dark, Matt
300x300mm

360 View

Crema Marfil

V4
Crema Marfil Crema, Glossy
300x600mm



V4
Crema Marfil Beige, Glossy
300x600mm



F-Florire Dark, Matt
300x300mm

360 View

Daino

V4
Daino Light, Glossy
300x600mm



V1
Daino HL-01, Glossy
300x600mm



V4
Daino Dark, Glossy
300x600mm



F-Diano Dark, Matt
300x300mm

360 View

Davan



V3
Davan Light, Glossy
300x600mm



V1
Davan HL-01, Glossy
300x600mm



V3
Davan Dark, Glossy
300x600mm



F-Cuadro Dark, Matt
300x300mm

360 View

Doxo

V2
Doxo Light, Glossy
300x600mm



V1
Doxo HL-01, Glossy
300x600mm



V2
Doxo Dark, Glossy
300x600mm

F-Uster, Matt
300x300mm

360 View

Elogio

V4
Elogio Light, Glossy
300x600mm



V4
Elogio Dark, Glossy
300x600mm



F-Naos Grey Dark, Matt
300x300mm

360 View

Fabro Brown



V1 Fabro Brown Light, Glossy 300x600mm



V1 Fabro Brown HL-01, Glossy 300x600mm



V1 Fabro Brown HL-02, Glossy 300x600mm



V1 Fabro Brown Dark, Glossy 300x600mm



F-Fabro Brown Dark, Matt 300x300mm

360 View

Febere

V1 Febere Light, Glossy 300x600mm



V2 Febere HL-01 A, Glossy 300x600mm



V2 Febere HL-01 B, Glossy 300x600mm



V1 Febere Dark, Glossy 300x600mm

360 View

Florire

V1 Florire Light, Glossy 300x600mm



V1 Florire HL-01, Glossy 300x600mm



V1 Florire Dark, Glossy 300x600mm



F-Florire Dark, Matt 300x300mm

360 View

Folk



V1 Folk Light, Glossy 300x600mm



V2 Folk HL-01 A, Glossy 300x600mm



V2 Folk HL-01 B, Glossy 300x600mm



V1 Folk Dark, Glossy 300x600mm

360 View

Maldon

V1 Maldon Light, Glossy
300x600mm



V1 Maldon HL-01, Glossy
300x600mm



V1 Maldon Dark, Glossy
300x600mm



F-Maldon Dark, Matt
300x300mm

360 View

Micro

R Micro Light, Glossy
300x600mm



V1 Micro HL-01, Glossy
300x600mm



R Micro Dark, Glossy
300x600mm



F-Naos Grey Dark, Matt
300x300mm

360 View

Nabiac

V1 Nabiac Blanco, Glossy
300x600mm



V1 Nabiac HL-01, Glossy
300x600mm



V1 Nabiac Natural, Glossy
300x600mm



F-Viby Dark, Matt
300x300mm

360 View

Okana

V1 Okana Light, Glossy
300x600mm



V1 Okana HL-01, Glossy
300x600mm



V1 Okana Dark, Glossy
300x600mm



F-Okana Dark, Matt
300x300mm

360 View

Oriel

V1 Oriel Light, Glossy
300x600mm

F-Uster, Matt
300x300mm

360 View



Travertino Beige





Wall:
Travertino Beige Light, HL 01 & Dark
300x600mm | Glossy

Floor:
F-Travertino Beige Dark
300x300mm | Matt



Paloma



V1 Paloma, Glossy 300x600mm



V2 Paloma HL 01-A, Glossy 300x600mm



V2 Paloma HL 01-B, Glossy 300x600mm

360 View

Perlino



R Perlino Light, Glossy 300x600mm



V1 Perlino HL-01, Glossy 300x600mm



R Perlino Dark, Glossy 300x600mm



F-Perlino Dark, Matt 300x300mm

360 View

Pluto

V3 Pluto Light, Glossy 300x600mm



V1 Pluto HL-01, Glossy 300x600mm



V3 Pluto Dark, Glossy 300x600mm



F-Pluto Dark, Matt 300x300mm

360 View

Pogo

V1 Pogo White, Glossy 300x600mm

360 View

Prisma

V1 Prisma Bianco, Glossy 300x600mm



V1 Prisma HL-01, Glossy 300x600mm

360 View

Ronat

V1 Ronat Light, Glossy 300x600mm



V1 Ronat HL-01, Glossy 300x600mm



V1 Ronat Dark, Glossy 300x600mm



F-Cuadro Dark, Matt 300x300mm

360 View

Sabia Peach

V1 Sabia Peach Light, Glossy
300x600mm



V2 Sabia Peach HL-01 A, Glossy
300x600mm



V2 Sabia Peach HL-01 B, Glossy
300x600mm



V1 Sabia Peach Dark, Glossy
300x600mm



F-Sabia Peach Dark, Matt
300x300mm

360 View

Sierra Grey



R Sierra Grey Light, Glossy
300x600mm



V1 Sierra Grey HL-01, Glossy
300x600mm



R Sierra Grey Dark, Glossy
300x600mm



F-Creteil Natural, Matt
300x300mm

360 View

Slocan



R Slocan Artic, Glossy
300x600mm



V1 Slocan HL-01, Glossy
300x600mm



V1 Slocan HL-02, Glossy
300x600mm

360 View

Strix Grey

V1 Strix Grey Light, Glossy
300x600mm



V2 Strix Grey HL 01-A, Glossy
300x600mm



V2 Strix Grey HL 01-B, Glossy
300x600mm



V1 Strix Grey Dark, Glossy
300x600mm



F-Strix Grey Dark, Matt
300x300mm

360 View

Teslin Ocre

R Teslin Ocre Light, Glossy
300x600mm



V1 Teslin Ocre HL-01, Glossy
300x600mm



R Teslin Ocre, Glossy
300x600mm



F-Teslin Ocre, Matt
300x300mm

360 View

Thar

R Thar, Glossy
300x600mm

V1 Thar HL-01, Glossy
300x600mm

V1 Thar HL-02, Glossy
300x600mm



F-Florire Dark, Matt
300x300mm

360 View

Trail



V3 Trail Light, Glossy 300x600mm



V1 Trail HL-01, Glossy 300x600mm



V1 Trail HL-02, Glossy 300x600mm



V3 Trail Dark, Glossy 300x600mm



F-Trail Dark, Matt 300x300mm

360 View

Travertino Beige



V2 Travertino Beige Light, Glossy 300x600mm



V1 Travertino Beige HL-01, Glossy 300x600mm



V2 Travertino Beige Dark, Glossy 300x600mm



F-Travertino Beige Dark, Matt 300x300mm

360 View

Uster



V4 Uster, Glossy 300x600mm

F-Uster, Matt 300x300mm

360 View

Venza



V1 Venza, Glossy 300x600mm

360 View

Vasa Light

V2 Vasa Light, Glossy 300x600mm



V1 Vasa HL-01, Glossy 300x600mm



V2 Vasa Dark, Glossy 300x600mm



F-Vasa Dark, Matt 300x300mm

360 View

White

V1 White Glossy, Glossy 300x600mm

360 View

Statuario



V4 Statuario, Glossy 300x600mm



F-Statuario, Matt 300x300mm

360 View

Digital Wall Tiles

SIZE: **300x600mm** | SURFACE: **GLOSSY**

GLOSSTRA

Vivo



V4 Vivo Crema, Glossy
300x600mm



V1 Vivo HL-02, Glossy
300x600mm



V4 Vivo Mushroom, Glossy
300x600mm



F-Vivo Mushroom, Matt
300x300mm

360 View

Yura

V1 Yura Light, Glossy
300x600mm



V1 Yura HL-01, Glossy
300x600mm



V1 Yura Dark, Glossy
300x600mm

360 View



Wall: **Vivo Crema, HL 02** 300x600mm | Glossy

VISTOSO

WALL TILES COLLECTION



CERAMICA

Vistoso

SATIN MATT & SUGAR MATT COLLECTION

Experience the durability and versatility of Satin Matt and Sugar Matt finishes, bringing subtle luxury and contemporary charm to your spaces. Satin Matt offers a smooth, low-sheen elegance, reflecting light softly, while Sugar Matt provides a powder-touch texture with understated sophistication.

WALL TILES

HD HIGH DEFINITION

HIGH DEFINITION

RANDOM



Vinstra





Wall:
Vinstra HL-01 , Vinstra Beige & Vinstra Crema
300x600mm | Satin Matt

Floor:
Vinstra Beige
300x300mm | Matt



Ashley

R Ashley Grey, Satin Matt
300x600mm



V1 Ashley HL-01, Satin Matt
300x600mm



R Ashley Natural, Satin Matt
300x600mm



F-Trail Dark, Matt
300x300mm

360 View

Dicha

V4 Dicha Light, Satin Matt
300x600mm



V1 Dicha HL-01, Satin Matt
300x600mm



V4 Dicha Dark, Satin Matt
300x600mm



F-Maldon Dark, Matt
300x300mm

360 View

Juvent

V1 Juvent Light, Satin Matt
300x600mm



V1 Juvent HL-01, Satin Matt
300x600mm



V1 Juvent Dark, Satin Matt
300x600mm



F-Juvent Dark, Matt
300x300mm

360 View

Naos Grey

V1 Naos Grey Light, Satin Matt
300x600mm



V1 Naos Grey HL-01, Satin Matt
300x600mm



V1 Naos Grey Dark, Satin Matt
300x600mm



F-Naos Grey Dark, Matt
300x300mm

360 View

Orlen

V4 Orlen Crema, Satin Matt
300x600mm



V1 Orlen HL-01, Satin Matt
300x600mm



V4 Orlen Brown, Satin Matt
300x600mm



F-Orlen Brown, Matt
300x300mm

360 View

Suzano



V2 Suzano Light, Satin Matt
300x600mm



V1 Suzano HL-01, Satin Matt
300x600mm



V2 Suzano Dark, Satin Matt
300x600mm



F-Bassano Wood Robble, Matt
300x300mm

360 View

Viby



V1 Viby Light , Satin Matt
300x600mm



V1 Viby HL-01, Satin Matt
300x600mm



V1 Viby Dark, Satin Matt
300x600mm



F-Viby Dark, Matt
300x300mm

360 View

Vinstra

R Vinstra Crema, Satin Matt
300x600mm



V1 Vinstra HL-01, Satin Matt
300x600mm



R Vinstra Beige, Satin Matt
300x600mm



F-Vinstra Beige, Matt
300x300mm

360 View

Winton

V4 Winton Light, Satin Matt
300x600mm



V4 Winton Dark, Satin Matt
300x600mm



F-Maldon Dark, Matt
300x300mm

360 View

CLADOR

WALL TILES COLLECTION



CERAMICA

CLADOR

RUSTIC COLLECTION

Indulge in the durability and charm of Rustic finishes, combining subtle sparkle with rustic elegance. Its textured surface adds depth and character while remaining versatile and long-lasting, bringing effortless sophistication to modern interiors.

WALL TILES

HD HIGH DEFINITION

HIGH DEFINITION

RANDOM

Travertino Beige





Wall:
Barite Gris
300x600mm | Rustic



V2 Basalto Beige, Rustic
300x600mm

360 View



V2 Basalto Natural, Rustic
300x600mm

360 View



V2 Basalto Brown, Rustic
300x600mm

360 View



V2 Jupiter Beige, Rustic
300x600mm

360 View



V2 Jupiter Gris, Rustic
300x600mm

360 View



V1 Anticato Beige, Rustic
300x600mm

360 View



V4 Barite Brown, Rustic
300x600mm

360 View



V1 Barite Cotto, Rustic
300x600mm

360 View



V4 Barite Gris, Rustic
300x600mm

360 View



V1 Zirconio Brown, Rustic
300x600mm

360 View



V1 Frassino Natural, Rustic
300x600mm

360 View



V1 Frassino Gris, Rustic
300x600mm

360 View

ORION

WALL TILES COLLECTION



CERAMICA

ORION
SERIES

GLOSSY COLLECTION

Celebrate the brilliance and elegance of a Glossy finish, reflecting light to enhance the vibrancy of your spaces. Its smooth, polished surface adds a touch of luxury while remaining durable and versatile, elevating interiors with contemporary finesse.

WALL TILES

HD
HIGH DEFINITION

HIGH DEFINITION

RANDOM



Coppet





Wall:
Coppet Light, HL 02 & Dark
300x600mm | Glossy

Floor:
F-Piers Dark
300x300mm | Matt



Basel

V4 Basel Light, Glossy 300x600mm



V4 Basel Dark, Glossy 300x600mm



F-Arrigo Brown, Matt 300x300mm

360 View

Coppet

V3 Coppet Light, Glossy 300x600mm



V1 Coppet HL-01, Glossy 300x600mm



V1 Coppet HL-02, Glossy 300x600mm



V3 Coppet Dark, Glossy 300x600mm



F-Azzaro Beige, Matt 300x300mm

360 View

Emmen

V3 Emmen Light, Glossy 300x600mm



V1 Emmen HL-01, Glossy 300x600mm



V1 Emmen HL-02, Glossy 300x600mm



V3 Emmen Dark, Glossy 300x600mm



F-Mattero Grey, Matt 300x300mm

360 View

Lancy

V4 Lancy Light, Glossy 300x600mm



V4 Lancy Dark, Glossy 300x600mm



F-Corsa Brown, Matt 300x300mm

360 View

Sion

V2 Sion Light, Glossy 300x600mm



V1 Sion HL-01, Glossy 300x600mm



V2 Sion Dark, Glossy 300x600mm



F-Mattero Grey, Matt 300x300mm

360 View

Stans

V1 Stans Light, Glossy 300x600mm



V1 Stans HL-01, Glossy 300x600mm



V1 Stans HL-02, Glossy 300x600mm



V1 Stans Dark, Glossy 300x600mm



F-Teslin Ocre, Matt 300x300mm

360 View

The Coolest Roof Tiles

SIZE: **300x300mm** | SURFACE: **MATT**

- Reduces surface temperature by 20°C & indoor temperature by 3-5°C.
- Ideal for sun-facing sides and rooftops.
- Saves on energy bills.
- Fights against the UHIE “Urban Heat Island Effect” due to its high reflectance of sunlight and heat.
- Protects your building from damage caused by high heat conduction.
- Meets guidelines set by IS standards / IGBC & CPWD for energy-efficient roofs.

COOL WHITE

Surface: MATT
Size: 300x300mm



TEST REPORT FOR SOLAR REFLECTANCE INDEX (SRI)



CEPT UNIVERSITY — CEPT Research and Development Foundation, CEPT University
Test Report for Solar Reflectance Index (SRI)
ULR-TC702019000000054F
TC-7020

Report No: CRDF/RPT/SRI/412 — Report Date: 12th February 2019

Report of test carried out by CEPT Research and Development Foundation for Solar Reflectance Index of Supplied Material

The test results of the specimen submitted for Solar Reflectance Index on date 06th February 2019 are as under:

1. **Customer Information**
   - 1.1. **Name of the Organization** : Somany Ceramics Limited
   - 1.2. **Contact Person** : Mr. Ramautar Singh
   - 1.3. **Address** : Somany Ceramics Limited, Nr. Sunglass Ceramic Industries, N.H 8-A, Opp. Lalpar Billage, Morbi-Wankaner Highway, Lalpar, Morbi-363642 (Gujarat).
   - 1.4. **Phone Numbers** : 9227977543 / 9687026149
   - 1.5. **Fax Number** : Not Available
   - 1.6. **Email** : spc.express@somanyceramics.com
2. **Sample Details**
   - 2.1. Sample Identification Number : SRI/02/19/1413
   - 2.2 Date of Test : 11th February 2019
   - 2.3 Name and any other pertinent Identification of the material (including physical description): White Ceramic Tiles
   - 2.4 Thickness of the specimen (Reported) : 10 mm
   - 2.5 Thickness as tested : Not Applicable
   - 2.6 Condition of Sample when received : Satisfactory
   - 2.7 Method and Environment used for conditioning (if used) : Not Applicable
   - 2.8 No. of Surfaces : Not Applicable
   - 2.9 The type of surfaces : Not Applicable
   - 2.10 Position of panes (if Multiple Glazed) : Not Applicable
   - 2.11 The position of coating(s) designating faces of the panes as 1, 2 , 3 starting from the outer surface of pane 1: Not Applicable
   - 2.12 The face of the panes (if Coated) : Not Applicable
   - 2.13 Instrument used : Spectrophotometer with integrating sphere with reference material Spectralone & FTIR with IR specular reflection set.
   - 2.14 Boundary Conditions (Test Method) : ASTM E 1980-11, EN 12898:2001, EN 673:2011, and EN 410:2011.

Jigar Patel, Lab. Supervisor — Yashkumar Shukla, Technical Director

CEPT Research and Development Foundation, CEPT University, K. L. Campus, Navrangpura, Ahmedabad- 380 009.
Phone No: 079-26302470- Extn: 383, 26302740 Fax: +91 79 26302075 Email: ashajoshi@cept.ac.in



CEPT UNIVERSITY — CEPT Research and Development Foundation, CEPT University
Test Report for Solar Reflectance Index (SRI)
ULR-TC702019000000054F
TC-7020

Report No: CRDF/RPT/SRI/412 — Report Date: 12th February 2019

3. **Results of the measurement:**

Solar Direct Reflectance

Sample name	Sample ID	Measurement 1	Measurement 2	Measurement 3	Average
White Ceramic Tiles	SRI/02/19/1413	0.8120	0.8106	0.8102	0.8109

Emissivity

Sample name	Sample ID	Measurement 1	Measurement 2	Measurement 3	Average
White Ceramic Tiles	SRI/02/19/1413	0.933	0.933	0.931	0.932

Solar Reflectance Index (SRI) under different wind conditions

Sample name	Sample ID	Solar Reflectance Index (SRI)		
		Low Wind(h_c=5 W m^{-2} K^{-1})	Medium Wind(h_c=12 W m^{-2} K^{-1})	High Wind(h_c=30 W m^{-2} K^{-1})
White Ceramic Tiles	SRI/02/19/1413	102	102	102

Surface Temperature (T_s) under different wind conditions

Sample name	Sample ID	Surface Temperature (°C)		
		Low Wind(h_c=5 W m^{-2} K^{-1})	Medium Wind(h_c=12 W m^{-2} K^{-1})	High Wind(h_c=30 W m^{-2} K^{-1})
White Ceramic Tiles	SRI/02/19/1413	47.9	43.8	40.4

4. **Certificate of Accuracy:**
This is to certify that the test results herein presented are, to the best of my knowledge, true and accurate representations of the samples submitted.

Jigar Patel, Lab. Supervisor — Yashkumar Shukla, Technical Director

Disclaimer:
1. *The CEPT Research and Development Foundation, CEPT University is not responsible for any kind of alterations in the physical property of the sample and the customer is solely responsible for it and its consequences.*
2. *Result relates to the sample tested only. Sample will be destroyed after 7 days of issue of the report unless specified by the customer.*
3. *Any complains about this report should be communicated in writing within 7 days of issue of the report.*
4. *The test report shall not be reproduced fully or partially or in parts and cannot be used as an evidence in a court of law and shall be used in advertising media without written approval of Director, CEPT Research and Development Foundation, CEPT University.*

CEPT Research and Development Foundation, CEPT University, K. L. Campus, Navrangpura, Ahmedabad- 380 009.
Phone No: 079-26302470- Extn: 383, 26302740 Fax: +91 79 26302075 Email: ashajoshi@cept.ac.in



COOL WHITE 300x300mm | Matt

300x300mm
Matt Collection

SIZE: **300x300mm** | SURFACE: **MATT**


F-Alacia Black, Matt
300x300mm


F-Aqua Marina Dark, Matt
300x300mm


F-Aquatic Dark, Matt
300x300mm


F-Arian Gris Dark, Matt
300x300mm


F-Arrigo Brown, Matt
300x300mm


F-Arrigo Grey Dark, Matt
300x300mm


F-Azzaro Beige, Matt
300x300mm


F-Bassano
Wood Robble, Matt
300x300mm


F-Bello Mint Dark, Matt
300x300mm


F-Brushy Dark, Matt
300x300mm


F-Caldas Dark, Matt
300x300mm


F-Camia Dark, Matt
300x300mm

F-Cool White, Matt
300x300mm


F-Canmore Choco, Matt
300x300mm


F-Casa Daino Dark, Matt
300x300mm


F-Cuadro Dark, Matt
300x300mm


F-Classico Beige, Matt
300x300mm


F-Corsa Brown, Matt
300x300mm


F-Creteil Natural, Matt
300x300mm


F-Cruz Dark, Matt
300x300mm


F-EC Marbido Dark, Matt
300x300mm


F-Diano Dark, Matt
300x300mm


F-Estimar Black, Matt
300x300mm


F-Fabro Brown Dark, Matt
300x300mm

F-Florio Dark, Matt
300x300mm


F-Florire Dark, Matt
300x300mm


F-Fremo Dark, Matt
300x300mm


F-Gabrielle Dark, Matt
300x300mm


F-Garden Dark, Matt
300x300mm


F-Granite Beige
Dark, Matt
300x300mm

300x300mm
Matt Collection

SIZE: **300x300mm** | SURFACE: **MATT**


F-Granito Dark, Matt
300x300mm


F-Griffin Dark, Matt
300x300mm


F-Irma Dark, Matt
300x300mm


F-Juvent Dark, Matt
300x300mm


F-Lurent Dark, Matt
300x300mm


F-Maldon Dark, Matt
300x300mm


F-Marie Grey Light, Matt
300x300mm


F-Marcia Slate, Matt
300x300mm


F-Mattero Grey, Matt
300x300mm


F-Naos Grey Dark, Matt
300x300mm


F-Okana Dark, Matt
300x300mm


F-Orlen Brown, Matt
300x300mm


F-Osane Blue
Dark, Matt
300x300mm


F-Paramo Beige
Dark, Matt
300x300mm


F-Perlino Dark, Matt
300x300mm


F-Pluto Dark, Matt
300x300mm


F-Portico Dark, Matt
300x300mm


F-Rebel Dark, Matt
300x300mm


F-Sabia Peach
Dark, Matt
300x300mm


F-Sara Dark, Matt
300x300mm


F-Statuario, Matt
300x300mm


F-Strix Grey Dark, Matt
300x300mm


F-Teslin Ocre, Matt
300x300mm


F-Trail Dark, Matt
300x300mm


F-Travertino
Beige Dark, Matt
300x300mm

F-Uster, Matt
300x300mm


F-Vasa Dark, Matt
300x300mm


F-Viby Dark, Matt
300x300mm


F-Vinstra Beige, Matt
300x300mm


F-Vivo Mushroom, Matt
300x300mm

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follows:

V1 Minimal Variation V2 Slight Variation V3 Moderate Variation V4 Substantial Variation

TECHNICAL SPECIFICATION

PACKAGING DETAIL FOR CERAMICA COLLECTION				
Nominal Sizes (mm)	**Thickness(mm)**	**Average Weight Per Carton (Kgs.)**	**No. of Tiles Per Carton**	**Coverage Area Per Carton**
300x600mm (DIGITAL)	8.5 mm	13.60 Kgs. / Box (Appx)	5 Pcs.	0.90 Sq. Mtr /9.69 Sq. Ft.
300x600mm (ORION)	8.5 mm	16.00 Kgs. / Box (Appx)	6 Pcs.	1.08 Sq. Mtr /11.62 Sq. Ft.
300x300mm (FLOOR)	8.5 mm	13.60 Kgs. / Box (Appx)	10 Pcs.	0.90 Sq. Mtr /9.69 Sq. Ft.

TECHNICAL SPECIFICATION FOR CERAMICA COLLECTION				
Characteristics	**Requirements as per IS 15622 :2017 Table-5,E >10 %,Group BIII**	**Requirement as per ISO 13006, Annex-L, E >10 %,Group BIII**	**Our Values**	**Test Method**
(A) Dimension & Surface Quality				
I) Length & Width	± 0.20%	± 0.30%	± 0.2%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.00%	± 10.00%	± 4.0%	
iii) Straightness of Side	± 0.15%	± 0.30%	± 0.15%	
iv) Rectangularity	± 0.20%	± 0.30%	± 0.15%	
v) Surface Flatness				
a) Center Curvature (%) (Max. Deviation)	± 0.30%	± 0.40%	± 0.22 %	
b) Edge Curvature (%) (Max. Deviation)	± 0.30%	± 0.40%	± 0.22 %	
c) Corner Warpage (%) (Max. Deviation)	± 0.30%	± 0.40%	± 0.22 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
I) Water Absorption	E≥10% (When the Value Exceeds 20%, This Shall be Indicated by the Manufacturer) Individual Min Value 9%	E≥10% when the Avg. Exceeds 20%, This Shall be Indicated Individual Min Value 9%	Avg. 10-20%	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Min 12	Avg. Min 12	Avg. > 15	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	Min 600	Not Less Than 600	Min 600	
iv) Moisture Expansion in mm/m	Max.0.04	Test Method Available	Max.0.02	IS 13630 Part 3 / ISO 10545-10
v) Scratch Hardness of Surface (Mohs)	Min 3	-	Min 3	IS 13630 Part 13
vi) Coefficient of Linear Thermal Expansion from Ambient Temperature to 100^{0}C	9 X 10 $^{-6}$ K^{-1} Max	Test Method Available	8 X 10 $^{-6}$ K^{-1} Max	IS 13630 Part 4/ ISO 10545-8
vii) Thermal Resistant	10 Cycle Min	Test Method Available	10 Cycle Passed	IS 13630 Part 5/ISO-10545-9
viii) Crazing Resistant	4 Cycle @ 7.5bar Min	Required	4 Cycle @ 7.5bar Min	IS 13630 Part 9/ISO 10545-11
C) Stain & Chemical Resistant (Glazed Tiles)				
I) Stain Resistant	Min Class 1	Min Class 3	Class 1	IS 13630 Part 8/ISO 10545-14
ii) Resistant to Household Chemicals	Min Class AA	Min Class B	Min Class AA	IS 13630 Part 8/ISO 10545-13
iii) Resistant to Acids and Alkalis (With Exception of Hydrofluoric Acid and its Compounds)	Required if Agreed	Test Method Available	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers to check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

TECHNICAL SPECIFICATION

PACKAGING DETAIL FOR COOL TILE COLLECTION				
Nominal Sizes (mm)	**Thickness(mm)**	**Average Weight Per Carton (Kgs.)**	**No. of Tiles Per Carton**	**Coverage Area Per Carton**
300x300mm	9.0 mm	11.80 Kgs. / Box (Appx)	8 Pcs.	0.72 Sq. Mtr / 7.750 Sq. Ft.

TECHNICAL SPECIFICATION FOR COOL TILE COLLECTION				
Characteristics	**Requirements as per IS 15622 :2017 Table-5,E >10 %,Group BIII**	**Requirement as per ISO 13006, Annex-L, E >10 %,Group BIII**	**Our Values**	**Test Method**
(A) Dimension & Surface Quality				
I) Length & Width	± 0.20%	± 0.30%	± 0.2%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.00%	± 10.00%	± 4.0%	
iii) Straightness of Side	± 0.15%	± 0.30%	± 0.15%	
iv) Rectangularity	± 0.20%	± 0.30%	± 0.15%	
v) Surface Flatness				
a) Center Curvature (%) (Max. Deviation)	± 0.30%	± 0.40%	± 0.22 %	
b) Edge Curvature (%) (Max. Deviation)	± 0.30%	± 0.40%	± 0.22 %	
c) Corner Warpage (%) (Max. Deviation)	± 0.30%	± 0.40%	± 0.22 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
I) Water Absorption	E≥10% (When the Value Exceeds 20%, This Shall be Indicated by the Manufacturer) Individual Min Value 9%	E≥10% when the Avg. Exceeds 20%, This Shall be Indicated Individual Min Value 9%	Avg. 10-20%	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Min 12	Avg. Min 12	Avg. > 15	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	Min 600	Not Less Than 600	Min 600	
iv) Moisture Expansion in mm/m	Max.0.04	Test Method Available	Max.0.02	IS 13630 Part 3 / ISO 10545-10
v) Scratch Hardness of Surface (Mohs)	Min 3	-	Min 3	IS 13630 Part 13
vi) Coefficient of Linear Thermal Expansion from Ambient Temperature to 100^{0}C	9 X 10 $^{-6}$ K^{-1} Max	Test Method Available	8 X 10 $^{-6}$ K^{-1} Max	IS 13630 Part 4/ ISO 10545-8
vii) Thermal Resistant	10 Cycle Min	Test Method Available	10 Cycle Passed	IS 13630 Part 5/ISO-10545-9
viii) Crazing Resistant	4 Cycle @ 7.5bar Min	Required	4 Cycle @ 7.5bar Min	IS 13630 Part 9/ISO 10545-11
C) Stain & Chemical Resistant (Glazed Tiles)				
I) Stain Resistant	Min Class 1	Min Class 3	Class 1	IS 13630 Part 8/ISO 10545-14
ii) Resistant to Household Chemicals	Min Class AA	Min Class B	Min Class AA	IS 13630 Part 8/ISO 10545-13
iii) Resistant to Acids and Alkalis (With Exception of Hydrofluoric Acid and its Compounds)	Required if Agreed	Test Method Available	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers to check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

NOTE

NOTE

TILE VISUALISER

SOMANY



Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser to the immersive Panoramic-Studio Visualiser,** and even the AI-powered Your-Space-Studio Visualiser, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at **www.somanyceramics.com** or call on **Toll Free: 1800 103 0004**

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome

Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com