SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)



UNIT 02 RANGE VOL 1 | FEB 2026

CERAMICA

WOOD ESSENTIA
collection

200 x 1200mm | 200 x 1000mm

SOMANY

WOOD ESSENTIA

Reimagining Wood's Raw Essence

In the heart of the forest, where time etches stories into knots and sunlight carves shadows through branches, wood speaks without pretence. The Wood Essentia collection captures this timeless beauty in slender strip formats, with meticulous grain detail, authentic tonal variations, and a soft matt finish that settles a quiet calm into contemporary interiors.

Offered in 200x1200mm and 200x1000mm, the elongated strips stretch space naturally, lending rooms a calm, unbroken rhythm that feels considered rather than designed. Engineered to endure stains, scratches, and moisture without ever shedding the warmth that makes wood worth choosing in the first place.

From residential living rooms and boutique hotels to sun-exposed terraces and commercial interiors, Wood Essentia carries the quiet authority of the forest into every space it inhabits.







TECHNICAL FEATURES

SUPERIOR MATT SURFACE

Our Matt finish surfaces feature a subtle, refined (low-reflection) finish that softens light and minimises glare. This makes them ideal for a variety of settings.

EASY TO CLEAN

They are easy to clean and maintain, thanks to their non-porous surface that resists dirt and stains.

ABRASION RESISTANT FOR MODERATE TO HIGH TRAFFIC AREAS

Our tiles are designed to withstand the test of time, even in high-traffic areas. Their superior abrasion resistance of PEI - IV ensures durability and maintains their pristine appearance for years.

UNALTERABLE TO UV RAYS

FIRE RESISTANT

NON POROUS

FROST RESISTANT

CHEMICAL RESISTANT

STAIN RESISTANT

LOW ABSORPTION

FAST ASSEMBLY

APPLICATION AREAS

RESIDENTIAL AREAS

COMMERCIAL AREAS

HOSPITALS

SHOPS AND MALLS

HOTELS AND RESTAURANTS

SCHOOLS AND COLLEGES


OUTDOOR FURNITURE

PUBLIC PLACES

WOOD ESSENTIA
collection

Surface:
MATT

Sizes:
200x1200mm | 200x1000mm



Beauty That Breathes Warmth in Every Grain



SOMANY

200x 1200mm


ESSENTIA ALBAWOOD HAYA 12


ESSENTIA EDORTA BROWN 22


ESSENTIA AUSTINWOOD NATURAL 12


ESSENTIA EDORTA COFFEE 22


ESSENTIA CADORE NATURAL 13


ESSENTIA ELISIR BROWN 23


ESSENTIA CADORE TEAK 13


ESSENTIA ELISIR MARFIL 23


ESSENTIA CADORE ROSSO 14


ESSENTIA ETNO BROWN 26


ESSENTIA CEDRIC PINE 14


ESSENTIA LORCAWOOD WENGE 26


ESSENTIA CERVINO NATURAL 15


ESSENTIA MATEOWOOD TEAK 27


ESSENTIA DALBERT BEIGE 15


ESSENTIA OBERRON NATURAL 27


ESSENTIA CORTINA NATURAL 18


ESSENTIA SIGNO TRAVERTINO CAFE 30


ESSENTIA CORTINA WENGE 18


ESSENTIA SIGNO TRAVERTINO MARFIL 30


ESSENTIA CORTINA TIMBER 19


ESSENTIA SOLERAS NATURAL 31


ESSENTIA DOMENICO GREY 19

200x 1000mm


ESSENTIA FREYA WOOD 36


NEO ESSENTIA BEIGE 36


NEO ESSENTIA COFFEE 37


NEO ESSENTIA NATURAL 37


NEO ESSENTIA CREST DARK 40


NEO ESSENTIA OCAR 40


NEO ESSENTIA TIMBER 41


NEO ESSENTIA TRAVERTINO 41

WOOD ESSENTIA

200x1200mm

THE ARTISTRY OF GRAIN

Wood-inspired surfaces in their most expansive expression. The elongated 200x1200mm format creates sweeping continuity, ideal for seamless vertical and horizontal layouts that amplify spaciousness. Perfect for living areas, boutique hotel lobbies, restaurant interiors, and open terraces where dramatic flow makes an impact.





Tile Shown: ESSENTIA ALBAWOOD HAYA Size: 200x1200mm | Surface: Matt

GOODWOOD



ESSENTIA ALBAWOOD HAYA V4

GOODWOOD



ESSENTIA AUSTINWOOD NATURAL V2



ESSENTIA CADORE NATURAL V3



ESSENTIA CADORE TEAK V3



ESSENTIA CADORE ROSSO V3



ESSENTIA CEDRIC PINE V4



ESSENTIA CERVINO NATURAL V4



ESSENTIA DALBERT BEIGE V3



Tile Shown: ESSENTIA CORTINA NATURAL Size: 200x1200mm | Surface: Matt



ESSENTIA CORTINA NATURAL V4



ESSENTIA CORTINA WENGE V4



ESSENTIA CORTINA TIMBER V4



ESSENTIA DOMENICO GREY V4



Tile Shown: ESSENTIA EDORTA BROWN Size: 200x1200mm | Surface: Matt



ESSENTIA EDORTA BROWN V4



ESSENTIA EDORTA COFFEE V4




ESSENTIA ELISIR BROWN V3



ESSENTIA ELISIR MARFIL V3



Tile Shown: ESSENTIA OBERRON NATURAL Size: 200x1200mm | Surface: Matt



ESSENTIA ETNO BROWN V4

GOODWOOD



ESSENTIA LORCAWOOD WENGE V4

GOODWOOD



ESSENTIA MATEOWOOD TEAK V4



ESSENTIA OBERRON NATURAL V3



Tile Shown: ESSENTIA SIGNO TRAVERTINO MARFIL Size: 200x1200mm | Surface: Matt



ESSENTIA SIGNO TRAVERTINO CAFE R



ESSENTIA SIGNO TRAVERTINO MARFIL R



ESSENTIA SOLERAS NATURAL V4

WOOD ESSENTIA

200x1000mm

GRAIN IN QUIET HARMONY

Wood-inspired surfaces crafted for balanced versatility. The 200x1000mm format offers refined adaptability with measured proportions that create gentle rhythm. Ideal for bedrooms, dining areas, boutique hotel rooms, and sheltered patios where understated elegance feels effortless.





Tile Shown: NEO ESSENTIA NATURAL Size: 200x1000mm | Surface: Matt

GOODWOOD



ESSENTIA FREYA WOOD V4

GOODWOOD



NEO ESSENTIA BEIGE V4

GOODWOOD



NEO ESSENTIA COFFEE V3

GOODWOOD



NEO ESSENTIA NATURAL V3



Tiles Shown: NEO ESSENTIA OCAR | NEO ESSENTIA TRAVERTINO Size: 200x1000mm | Surface: Matt

GOODWOOD



NEO ESSENTIA CREST DARK V4

GOODWOOD



NEO ESSENTIA OCAR V4

GOODWOOD



NEO ESSENTIA TIMBER V4




NEO ESSENTIA TRAVERTINO V4

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follows:

V1 Minimal Variation V2 Slight Variation V3 Moderate Variation V4 Substantial Variation

TECHNICAL SPECIFICATION

PACKAGING DETAIL FOR WOOD ESSENTIA COLLECTION				
Nominal Sizes (mm)	Thickness (mm)	Avg. Wt. Per Carton (Kg.)	No. of Tiles Per Carton	Coverage Area Per Carton
200x1200mm	10mm	21.50 kg.	4	0.96 Sq. mtr / 10.33 Sq. ft.
200x1800mm	8mm	21.40 kg.	6	1.20 Sq. mtr / 1 .912 Sq. ft.

TECHNICAL SPECIFICATION FOR WOOD ESSENTIA COLLECTION				
Characteristics	Requirement as per IS 15622:2017 Table-07, W.A 3< E <6 Group B IIa	Requirement as per ISO 13006:2018 W.A-3<E<6 Group BIIa	Our Value	Test Method
(A) Dimension & Surface Quality				IS 13630 Part 1 / ISO 10545-2
i) Length & Width	±0.3%	± 0.3%	±0.1%	
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	±0.3%	± 0.3%	± 0.1%	
iv) Rectangularity	±0.3%	± 0.3%	± 0.1%	
v) Surface Flatness				
a) Center Curvature (%) (Max. Deviation)	± 0.5 %	± 0.4%	±0.2%	
b) Edge Curvature (%) (Max. Deviation)	± 0.5 %	± 0.4%	±0.2%	
c) Corner Warpage (%) (Max. Deviation)	± 0.5 %	± 0.4%	±0.2%	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	95 % of tiles will be free from visible defects	95 % of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Avg. 3 %<E<6.0 % Individual Maximum 6.2	Avg. 3 %<E<6.0 % Individual Maximum 6.5	Max 4.6%	IS 13630 Part 2 / ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Avg. 22 , Individual 20 Min	Avg. 22 , Individual 20 Min	Min. 25	IS 13630 Part 6 / ISO 10545-4
iii) Breaking Strength in N	Min. 1000	Not Less Than 1000	Min. 1000	
iv) Moisture Expansion in mm/m	0.03 Max.	Test Method Available	0.03 Max.	IS 13630 Part 3 / ISO-10545-10
v) Scratch Hardness of Surface (Mohs)	Min 4	N/A	Matt IV	IS 13630 Part 13
vi) Resistant to Deep Abrasion of Unglazed Tiles	N/A	N/A	N/A	IS 13630 Part 12 / ISO-10545-6
vii) Resistant to Abrasion of Glazed Tiles (Class I to V)	Commercial Application Min IV, Home Appl. Min II	Report Abrasion Class & Cycle Passed	Commercial Application Min. IV	IS 13630 Part 11 / ISO 10545-7
viii) Coefficient of Linear Thermal Expansion From Ambient Temperature to 100°C	9X 10^{-6} K^{-1} Max	Test Method Available	7X 10^{-6} K^{-1} Max	IS 13630 Part 4 / ISO 10545-8
ix) Thermal Resistant	10 Cycle Min	Test Method Available	10 Cycle Passed	IS 13630 Part 5 / ISO-10545-9
x) Crazing Resistant	4 Cycle @ 7.5bar Min	Required	4 Cycle Passed	IS 13630 Part 9 / ISO 10545-11
xi) Frost Resistant	Required If Agreed	Test Method Available	Resistance	IS 13630 Part 10 / ISO-10545-12
xii) Bulk Density	N/A	N/A	N/A	IS 13630 Part 2
xiii) Impact Resistant as Coefficient of Restitution (COR)	0.55 Min	Test Method Available	0.55 Min.	IS 13630 Part 14/ISO 10545-5
C) Chemical Resistant (Glazed Tiles)				
i) Stain Resistant	Min Class 1	Min. Class 3	Class 1 (For Matt & Carving)	IS 13630 Part 8 / ISO 10545-14
ii) Resistant to Household Chemicals	Min Class AA	Min. Class B	Min Class AA	IS 13630 Part 8 / ISO 10545-13
iii) Resistant to Acids and Alkalis (With Exception of Hydrofluoric Acid and its Compounds)	Required If Agreed	Manufacturer to State Classification	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers to check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

NOTE

TILE VISUALISER

SOMANY



Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser to the immersive Panoramic-Studio Visualiser,** and even the AI-powered Your-Space-Studio Visualiser, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles Used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com