

COVERSTONE

1200x1800mm

15mm thickness



SOMANY

SOMANY
TILES | BATHWARE

Somany Ceramics Limited

Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph.: 0120-4627900

Ahmedabad Office: 601 to 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad-382481; Ph.: 079-27661103 & 04

Registered Office: 2, Red Cross Place, Kolkata-700001; Ph.: 033-22487406/5913

www.somanyceramics.com | e-mail: customer.care@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00 am to 6:30 pm; Mon-Fri)

COVERSTONE / CAT / DECEMBER 2024



**COVERSTONE'S TIMELESS CHARM
WITH ART IN EVERY DETAIL**

COVERSTONE

BOLD TEXTURES, RADIANT FLAKES, & GLEAMING PERFECTION

SOMANY COVERSTONE is the epitome of innovation and artistry, seamlessly merging cutting-edge design with unparalleled size superiority. True to its name, **COVERSTONE** embodies sophistication with its rich textures, vibrant colours, and exclusive designs that set a new standard for elegance and luxury.

Powered by advanced **FCS technology**, the COVERSTONE range offers unmatched innovation and performance. With a thickness of 15mm, available in both full-body and coloured-body options, COVERSTONE delivers exceptional versatility. Slab sizes start from 1200x1800mm and extend beyond, unlocking limitless possibilities for design and application.

Easy to clean and hygienic, it is also scratch-resistant, fire-resistant, and impact-resistant, making it a practical and durable choice for any setting.


Whether used as a worktop, kitchen countertop, wall cladding, flooring, or in lobbies, receptions, and bath spaces, COVERSTONE's impressive qualities will captivate and inspire.

- **Continuous surface with minimised grout lines:** A seamless aesthetic while reducing maintenance.
- **Aesthetic appeal:** Delivers beautiful, high-performing surfaces for any space.
- **Enhanced workability:** Easy to cut, handle, and install, ensuring faster application.
- **Versatile application:** Suitable for more than just walls and floors.



APPLICATION AREAS

These versatile slabs can be used in various settings, such as homes, restaurants, hotels, and more, offering immense potential in construction, furniture, and architectural design.




APPROACH AREAS




EDGE PROFILE

COVERSTONE offers various edge profiles that are made possible with its true body 15mm profile. The different edge finishes add a stylish and modern appeal to these surfaces.



EACH SHADE TELLS A *story*


INDEX



15 ELECTRA BONE 180
Page No. 16




15 ELECTRA GRIGE 180
Page No. 17



15 LEIA CREMA 180
Page No. 28




15 LEIA BERLY 180
Page No. 29



15 PEARL WHITE 180
Page No. 30




15 LASA BIANCO 180
Page No. 38




15 VENATO BIANCO 180
Page No. 39



15 ALASKA NATURAL 180
Page No. 44




15 CARARA WHITE 180
Page No. 45




15 STATUARIO EMINENCE 180
Page No. 50



15 ESSENCE BEIGE 180
Page No. 51





15 BURBURY CREMA 180
Page No. 56




15 PIETRA ROMA 180
Page No. 57



15 BRECCIA SARDA 180
Page No. 62



COVERSTONE



15 MM
Thickness

1200x1800mm

QUILL GLAM SERIES

QUILL GLAM offers a unique fusion of elegance and sparkle, designed to transform any space into a masterpiece. The tiny gleaming grains embedded in the surface create a mesmerising interplay of light and texture. This surface harmoniously combines the subtle sophistication of a matte finish with the captivating allure of glitter. The surface, enriched with gleaming grains, achieves a beautiful blend of elegance and earthy charm, infusing any space with a natural yet glamorous essence.



GLEAM FOR
infinity





SIZE: 1200X1800MM | SURFACE: QUILL GLAM

15mm Thickness

ELECTRA BONE



FLOOR: 15 ELECTRA GRIGE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM
TABLE & WALL: 15 ELECTRA BONE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM


QUILL GLAM
SERIES



FLOOR & WALL: 15 ELECTRA BONE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM
TABLE & FURNITURE: 15 ELECTRA GRIGE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM

15 ELECTRA BONE 180

SIZE	SURFACE	THICKNESS
1200x1800mm	QUILL GLAM	15mm




360 VIEW

V1

15 ELECTRA GRIGE 180

SIZE	SURFACE	THICKNESS
1200x1800mm	QUILL GLAM	15mm



360 VIEW

V1



SIZE: 1200X1800MM | SURFACE: QUILL GLAM

15mm Thickness

ELECTRA GRIGE




WALL & FLOOR: 15 ELECTRA GRIGE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM
TABLE: 15 ELECTRA BONE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM

QUILL GLAM
SERIES



FLOOR & WALL: 15 ELECTRA GRIGE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM
TABLE & FURNITURE: 15 ELECTRA BONE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM

COVERSTONE



15 MM
Thickness

1200x1800mm

FULL BODY

TECHNICAL PORCELAIN SERIES

In a world where we constantly seek complexity and novelty, TECHNICAL PORCELAIN emerges as the result of an orderly and precise granular arrangement with multiple colour flakes. Its elegance, in its most basic form, reminds us of the inherent beauty found in the fundamental elements of our universe. It embodies the idea that even the most uncomplicated elements can hold astonishing depth, intrigue, and significance.



INCREDIBLY
aesthetic





SIZE: 1200X1800MM | SURFACE: POLISHED

15mm Thickness

LEIA CREMA



FLOOR: 15 LEIA CREMA 180 | SIZE: 1200X1800MM | SURFACE: POLISHED
 HIGHLIGHTER WALL & TABLE: 15 LEIA BERLY 180 | SIZE: 1200X1800MM | SURFACE: POLISHED

TECHNICAL PORCELAIN Series



FLOOR & WALL: 15 LEIA CREMA 180 | SIZE: 1200X1800MM | SURFACE: POLISHED
HIGHLIGHTER WALL & TABLE: 15 LEIA BERLY 180 | SIZE: 1200X1800MM | SURFACE: POLISHED

15 LEIA CREMA 180

SIZE	BODY	SURFACE	THICKNESS
1200x1800mm	FULL BODY	POLISHED	15mm



360 VIEW

V2

Available in same design
LEIA (POLISHED) - 800X2600MM



LEIA CREMA 26

15mm Thickness

15 LEIA BERLY 180

SIZE	BODY	SURFACE	THICKNESS
1200x1800mm	FULL BODY	POLISHED	15mm



360 VIEW

V2

Available in same design
LEIA (POLISHED) - 800X2600MM




LEIA BERLY 26

15mm Thickness

15 PEARL WHITE 180

SIZE	BODY	SURFACE	THICKNESS
1200x1800mm	FULL BODY	POLISHED	15mm




360 VIEW

V2


Available in same design

- ALESSIA (POLISHED) - 800X2600MM
- ALESSIA (MATT) - 800X2600MM
- ALESSIA (POLISHED) - 800X2400MM



ALESSIA WHITE 26
ALESSIA WHITE 26 MATT

15mm Thickness



ALESSIA WHITE 24

15mm Thickness


PEARL WHITE



TABLE: 15 PEARL WHITE 180 | SIZE: 1200X1800MM | SURFACE: POLISHED
KITCHEN COUNTERTOP: 15 PEARL WHITE 180 | SIZE: 1200X1800MM | SURFACE: POLISHED

TECHNICAL PORCELAIN Series

COVERSTONE



15 MM
Thickness

1200x1800mm

LUX
LUXURY POLISH

LUX offers a stunning glossy finish that captivates the eye. The unparalleled clarity of this finish reveals and accentuates the intricate details in each design. Meticulously handpicked natural marble replicas ensure authenticity and exceptional quality, adding a touch of luxury to any space they embellish.



THE STYLE OF
urbanity





SIZE: 1200X1800MM | SURFACE: FULL POLISHED

15mm Thickness

LASA BIANCO




WALL & FLOOR: 15 LASA BIANCO 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER TABLE: 15 ELECTRA GRIGE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM



WALL & FLOOR: 15 LASA BIANCO 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER TABLE: 15 ELECTRA GRIGE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM

15 LASA BIANCO 180

SIZE | SURFACE | THICKNESS
1200x1800mm | FULL POLISHED | 15mm



360 VIEW

V2

Available in same design
LUX (POLISHED) - 1200X1800MM



LASA BIANCO 180 9mm Thickness

15 VENATO BIANCO 180

SIZE | SURFACE | THICKNESS
1200x1800mm | FULL POLISHED | 15mm



360 VIEW

V2

Available in same design
LUX (POLISHED) - 800X2400MM



VENATO BIANCO 24 15mm Thickness



SIZE: 1200X1800MM | SURFACE: FULL POLISHED

15mm Thickness 

VENATO BIANCO



WALL & FLOOR: 15 VENATO BIANCO 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
 HIGHLIGHTER WALL: 15 PIETRA ROMA 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
 HIGHLIGHTER BATHTUB: NECTAR GREY LUCIDO & NECTAR GREY OPACO | SIZE: 75X300MM | SURFACE: GLOSSY & MATT


LUX
LUXURY POLISH



WALL & FLOOR: 15 VENATO BIANCO 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER WALL: 15 PIETRA ROMA 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER BATHTUB: NECTAR GREY LUCIDO & NECTAR GREY OPACO | SIZE: 75X300MM | SURFACE: GLOSSY & MATT

15 ALASKA NATURAL 180

SIZE | SURFACE | THICKNESS
1200x1800mm | FULL POLISHED | 15mm



360 VIEW

V2

Available in same design
LUX (POLISHED) - 800X2600MM
QUILLTOUCH (MATT) - 800X2600MM



ALASKA NATURAL 26 15mm Thickness
ALASKA NATURAL 26 QUILL

15 CARARA WHITE 180


SIZE | SURFACE | THICKNESS
1200x1800mm | FULL POLISHED | 15mm



360 VIEW

V2

Available in same design
LUX (POLISHED) - 800X2600MM
QUILLTOUCH (MATT) - 800X2600MM
SHAPETECH (ST. MATT) - 800X2600MM



CARARA WHITE 26 15mm Thickness
CARARA WHITE 26 QUILL



CARARA WHITE RIGA 26 SHAPE 15mm Thickness



SIZE: 1200X1800MM | SURFACE: FULL POLISHED

15mm Thickness 

ALASKA NATURAL



WALL & FLOOR: 15 ALASKA NATURAL 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER TABLE: 15 ELECTRA GRIGE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM

LUX
LUXURY PAVEMENT



WALL & FLOOR: 15 ALASKA NATURAL 180 | 15 PIETRA ROMA 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER TABLE: 15 ELECTRA GRIGE 180 QUILL GLAM | SIZE: 1200X1800MM | SURFACE: QUILL GLAM

15 STATUARIO EMINENCE 180


SIZE	SURFACE	THICKNESS
1200x1800mm	FULL POLISHED	15mm



360 VIEW

V2

Available in same design
LUX (POLISHED) - 1200X1800MM



STATUARIO EMINENCE 180 9mm Thickness

15 ESSENCE BEIGE 180


SIZE	SURFACE	THICKNESS
1200x1800mm	FULL POLISHED	15mm




360 VIEW

V2

Available in same design
LUX (POLISHED) - 1200X2400MM & 1200X1800MM
QUILLTOUCH (MATT) - 1200X2400MM & 1200X1800MM



ESSENCE BEIGE 240 9mm Thickness
ESSENCE BEIGE 240 QUILL



ESSENCE BEIGE 180 9mm Thickness
ESSENCE BEIGE 180 QUILL



SIZE: 1200X1800MM | SURFACE: FULL POLISHED

15mm Thickness 

ESSENCE BEIGE



WALL & FLOOR: 15 ESSENCE BEIGE 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER TABLE TOP: 15 VENATO BIANCO 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED

LUX
LUXURY POLISH



WALL & FLOOR: 15 ESSENCE BEIGE 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER TABLE & WALL: 15 LEIA CREMA 180 | SIZE: 1200X1800MM | SURFACE: POLISHED
HIGHLIGHTER TABLE: NECTAR BEIGE LUCIDO & NECTAR BEIGE OPACO | SIZE: 75X300MM | SURFACE: GLOSSY & MATT

15 BURBURY CREMA 180


SIZE | SURFACE | THICKNESS
 1200x1800mm | FULL POLISHED | 15mm




360 VIEW

V3

Available in same design
 LUX (POLISHED) - 1200X2400MM & 1200X1800MM
 QUILLTOUCH (MATT) - 1200X2400MM & 1200X1800MM



BURBURY CREMA 240
 BURBURY CREMA 240 QUILL
 9mm Thickness



BURBURY CREMA 180
 BURBURY CREMA 180
 QUILL
 9mm Thickness

15 PIETRA ROMA 180


SIZE | SURFACE | THICKNESS
 1200x1800mm | FULL POLISHED | 15mm




360 VIEW

V2

Available in same design
 LUX (POLISHED) - 1200X2400MM
 LUX (POLISHED) - 1200X1800MM
 QUILLTOUCH (MATT) - 1200X1800MM



PIETRA ROMA 240
 9mm Thickness



PIETRA ROMA 180
 PIETRA ROMA 180 QUILL
 9mm Thickness



SIZE: 1200X1800MM | SURFACE: FULL POLISHED

15mm Thickness 

PIETRA ROMA



WALL & FLOOR: 15 PIETRA ROMA 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
 HIGHLIGHTER WALL: 15 LEIA BERLY 180 | SIZE: 1200X1800MM | SURFACE: POLISHED


LUX
 LUXURY POLISH



FLOOR & WALL: 15 PIETRA ROMA 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER WALL & FLOOR: 15 LEIA BERLY 180 | SIZE: 1200X1800MM | SURFACE: POLISHED

15 BRECCIA SARDA 180

SIZE | SURFACE | THICKNESS
1200x1800mm | FULL POLISHED | 15mm



V4



360 VIEW

Available in same design
LUX (POLISHED) - 800X2600MM
SHAPETECH (ST. MATT) - 800X2600MM



BRECCIA SARDA 26 15mm Thickness
BRECCIA SARDA 26 SHAPE

BRECCIA SARDA




WALL & FLOOR: 15 BRECCIA SARDA 180 | SIZE: 1200X1800MM | SURFACE: FULL POLISHED
HIGHLIGHTER TABLE: 15 LEIA BERLY 180 | SIZE: 1200X1800MM | SURFACE: POLISHED



DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follow:

V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

PACKAGING DETAIL FOR COVERSTONE 1200X1800MM				
Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of Slab per carton	Coverage area per carton
1200x1800mm	15.00	74.00	1	2.16sq.mtr./23.25sq.ft.

TECHNICAL SPECIFICATION FOR COVERSTONE 1200X1800MM				
Characteristics	Requirement as per IS 15622 :2017 E ≤ 0.08 Group B I a	Requirement as per ISO 13006 ± 0.5% Group B I a	Our Values	Test Method
Dimension & Surface Quality				
Length & Width	± 0.10%	± 0.5%	± 0.10%	IS 13630 Part 1/ ISO 10545-2
Thickness	± 5.00%	± 5.00%	± 3.0%	
Straightness of Side	± 0.10%	± 0.50%	± 0.10%	
Rectangularity	± 0.10%	± 0.60%	± 0.10%	
Surface Flatness				
Center Curvature (%) (Max. Dev.)	± 0.50%	± 0.50%	± 0.2 %	
Edge Curvature (%) (Max. Dev.)	± 0.50%	± 0.50%	± 0.2 %	
Corner Warpage (%) (Max. Dev.)	± 0.50%	± 0.50%	± 0.2 %	
Surface Quality	Min. 95% of Surface will be free from Visible Defects	Min. 95% of Surface will be free from Visible Defects	Min. 95% of Surface will be free from Visible Defects	
Physical Properties				
Water Absorption	Average ≤ 0.08%, Individual Max. 0.1%	Av ≤ 0.5 %, Individual 0.6% max	< 0.08% Individual Max. 0.1%	IS 13630 Part 2/ ISO 10545-3
Modulus of Rupture [N/mm ²]	Avr 35, Individual 32 min	Avr 35, Individual 32 min	Avr > 35, Individual 32 min	IS 13630 Part 6/ISO 10545-4
Breaking Strength in N	1300	Min 1300	> 8000 N	
Moisture Expansion in mm/m	0.02	Test method available	0.02	IS 13630 Part 3/ISO-10545-10
Scratch Hardness of Surface (Mohs)	Min 5	N.A	Min 5	IS 13630 Part 13
Coefficient of Linear Thermal Expansion from ambient Temperature to 100° C	6 X 10 ⁻⁶ K ⁻¹ Max	Test Method Available	Max 6 X 10 ⁻⁶ K ⁻¹ Max	IS 13630 Part 4/ ISO 10545-8
Thermal Shock Resistance	10 Cycle Min	Required	10 Cycle Passed	IS 13630 Part 5/ISO-10545-9
Crazing Resistance	4 Cycle @ 7.5 bar Min	N.A	4 cycle passed (For Glazed Tiles Only)	IS 13630 Part 9/ISO 10545-11
Impact Resistance as Co-efficient of Restitution (COR)	0.55 Min	Test Method Available	0.55 Min	IS 13630 Part 14/ISO 10545-5
Resistance to Abrasion of Glazed Tiles (Class I-V)	Min II	Abrasion Class & Cycle passed	Class-IV (For Glazed Tiles Only)	IS 13630 Part 11/ISO 10545-7
Deep Abrasion Resistance [in mm ²]	140,Max	Max.175	Max.140 (For Un-Glazed Tiles Only)	IS 13630 PART 12/ISO 10454-6
Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
Stain & Chemical Resistance (Un-Glazed Tiles)				
Stain Resistance	Min Class 2	Manufacturer to State The Class	Class 4	IS 13630 Part 7/ISO 10545-14
Resistance to Household chemicals	Min Class AA	Min Class UB	Class UA	IS 13630 Part 7/ISO 10545-13
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if Agreed	Test Method Available	Class ULA (Low Conc) Class UHA (High Conc)	
Stain & Chemical Resistance (Glazed Tiles)				
Stain Resistance	Min Class 1	Min Class 3	Min Class 2	IS 13630 Part 7/ISO 10545-14
Resistance to Household chemicals	Min Class AA	Min B	Min Class AA	IS 13630 Part 7/ISO 10545-13
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if Agreed	Declared Valuef	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers to check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

RECOMMENDED FOR LARGE FORMAT TILES & SLABS




INDIA'S FASTEST GROWING ADHESIVE BRAND



For detailed instructions scan the QR code



Faucet : Diamante SLBM Wall Mounted Brushed Gold | Shower Column : Diamante Brushed Gold | Basin : Gloster Art Basin Matte Black
Tiles used - Wall & Floor : Raffino Crema 180 FP | Shower Wall : Breccia Crema PRO 180 FP | Basin Platform : Italmarmi Naples Oscuro Lucido



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com