



Power of Desire



ZAMEEN SE JUDEY



DURAGRES
Timeless Elegance

GLAZED
VITRIFIED TILES
800x1600mm

SOMANY

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.:0120-4627900.
Ahmedabad: Office no. 7-14, 4th Floor, Aggarwal Mall, Opp. Sola Bhagwat Vidyapeeth, S.G. Road, Sola, Ph.: 079-66042500 to 599
Registered office: 2, Red Cross Place, Kolkata - 700001; Ph. (033) 22487406/5913
www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic



Find us at:
www.instagram.com/SomanyCeramics



DURAGRES / CAT / FEBRUARY 2022

UNIT-3
FOR NORTH, EAST & WEST

SOMANY
DURAGRES

World of creativity,
Beauty & Innovation

Enorme

COLLECTION

HIGH GLOSS | FULL POLISH | MATT
DIGITAL GLOSSY INK | CARVING



STAIN
RESISTANT



EASY TO
CLEAN



FROST
RESISTANT



EASY TO
LAY



RESISTANT
TO ACID



ENORME LUCIDO SWISS ONYX
ENORME AFYON GRAY FP



800 x 1600 MM

HIGH GLOSS




ENORME EON LUCIDO ARENADO GREY DARK
High Gloss, 800x1600mm

V2




ENORME EON LUCIDO MARS MARCO POLO
High Gloss, 800x1600mm

V2




SOMANY
DURAGRES




ENORME LUCIDO NIGHT NERO
High Gloss, 800x1600mm

V3



ENORME LUCIDO SWISS ONYX
High Gloss, 800x1600mm

V4




800 x 1600 MM

FULL POLISH



ENORME AFYON GREY FP
Full Polish, 800x1600mm

V4



ENORME EON ANTELAO CREMA FP
Full Polish, 800x1600mm

V2



SOMANY
DURAGRES



ENORME EON ANTELAO BEIGE FP
Full Polish, 800x1600mm

V2



ENORME EON ARENADO CREMA FP
Full Polish, 800x1600mm

V2



800 x 1600 MM

FULL POLISH



ENORME ARMANI GREY FP
Full Polish, 800x1600mm

V3



ENORME ATLAS CREMA FP
Full Polish, 800x1600mm

V2



SOMANY
DURAGRES



ENORME BOTTOCHINO FP
Full Polish, 800x1600mm

V2



ENORME BRECCIA GOLD FP
Full Polish, 800x1600mm

V3





800 x 1600 MM

FULL POLISH



ENORME CAMUS BEIGE FP
Full Polish, 800x1600mm

V2



ENORME DYNA GOLD FP
Full Polish, 800x1600mm

V2




SOMANY
DURAGRES




ENORME NOCHE TRAVERTINE FP
Full Polish, 800x1600mm

V4



ENORME EON ROSABELA GREY FP
Full Polish, 800x1600mm

V2





800 x 1600 MM

FULL POLISH



ENORME STATUARIO FP
Full Polish, 800x1600mm

V4



ENORME MARMI STATUARIO FP
Full Polish, 800x1600mm

V3



MATT / DIGITAL GLOSSY INK



SOMANY
DURAGRES



ENORME GLEAM MULTI CHIPS BIANCO
Matt / Digital Glossy Ink, 800x1600mm

V4



ENLARGE TILES



ENORME GLEAM MULTI CHIPS CHOCO
Matt / Digital Glossy Ink, 800x1600mm

V4



ENLARGE TILES


800 x 1600 MM

MATT / DIGITAL GLOSSY INK

SOMANY[®]
DURAGRES



NEW



ENORME GLEAM MULTI CHIPS COPPER
Matt / Digital Glossy Ink, 800x1600mm



ENLARGE TILES

NEW



ENORME GLEAM MULTI CHIPS FOG GREY
Matt / Digital Glossy Ink, 800x1600mm



ENLARGE TILES

NEW




ENORME GLEAM MULTI CHIPS METAL GREY
Matt / Digital Glossy Ink, 800x1600mm




ENLARGE TILES

NEW



ENORME GLEAM MULTI CHIPS NERO
Matt / Digital Glossy Ink, 800x1600mm



ENLARGE TILES



800 x 1600 MM

CARVING


SOMANY
DURAGRES



ENORME IMPRESSION ATLAS CREMA
Matt+Carving, 800x1600mm



ENORME IMPRESSION CAMUS BEIGE
Matt+Carving, 800x1600mm



ENORME IMPRESSION ARIA CALACATTA
Matt+Carving, 800x1600mm



ENORME IMPRESSION TREVISO GREY
Matt+Carving, 800x1600mm




800 x 1600 MM

CARVING


SOMANY
DURAGRES



ENORME IMPRESSION LYCRA BROWN
Matt+Carving, 800x1600mm




ENORME IMPRESSION LIVORNO CEMENTO CB
Rustic+Carving, 800x1600mm



COLOUR BODY





ENORME IMPRESSION LIVORNO BEIGE CB
Rustic+Carving, 800x1600mm



COLOUR BODY



ENORME IMPRESSION LIVORNO GREY CB
Rustic+Carving, 800x1600mm





COLOUR BODY

800 x 1600 MM

CARVING




ENORME IMPRESSION LIVORNO NERO CB
Rustic+Carving, 800x1600mm



COLOUR BODY



ENORME IMPRESSION LIVORNO BROWN CB
Rustic+Carving, 800x1600mm



COLOUR BODY



ENORME IMPRESSION LIVORNO NERO

Knock out Designs for
Everlasting Beauty

VALOR
COLLECTION

HIGH GLOSS | FULL POLISH
MATT CARVING



STAIN
RESISTANT



EASY TO
CLEAN



FROST
RESISTANT




EASY TO
LAY




RESISTANT
TO ACID



ENORME VALOR LUCIDO MONTON ROSSO
High Gloss, 800x1600mm



ENORME VALOR LUCIDO COSTELLA VARDE
High Gloss, 800x1600mm



DUET
SERIES



ENORME VALOR ATLAS BIANCO FP
Full Polish, 800x1600mm



DUET
SERIES



ENORME VALOR AERNILLA BEIGE FP
Full Polish, 800x1600mm







ENORME VALOR ANTIQUE CREMA FP
Full Polish, 800x1600mm



ENORME VALOR BOTTICHINO BROWN FP
Full Polish, 800x1600mm



ENORME VALOR BRECCIA DORATA FP
Full Polish, 800x1600mm




ENORME VALOR CALCATTA FP
Full Polish, 800x1600mm



DUET
SERIES



ENORME VALOR DESTELLO GOLD FP
Full Polish, 800x1600mm



ENORME VALOR DIANO BEIGE FP
Full Polish, 800x1600mm



DUET
SERIES



ENORME VALOR EFFETTO BIANCO FP
Full Polish, 800x1600mm



DUET
SERIES




ENORME VALOR INCULTO GREY FP
Full Polish, 800x1600mm



DUET
SERIES




ENORME VALOR LUCENTA BRONZ FP
Full Polish, 800x1600mm




ENORME VALOR LOTUS CREMA FP
Full Polish, 800x1600mm




ENORME VALOR LUCENTA BRONZ FP
ENORME VALOR RELUCIR BIANCO FP



ENORME VALOR MONTON BLUE FP
Full Polish, 800x1600mm



ENORME VALOR OPALE PEARL FP
Full Polish, 800x1600mm




ENORME VALOR ONYX MINT FP
Full Polish, 800x1600mm



DUET
SERIES



ENORME VALOR PERLATO CREMA FP
Full Polish, 800x1600mm



DUET
SERIES



ENORME VALOR PERLATO GREY FP
Full Polish, 800x1600mm




DUET
SERIES



ENORME VALOR RELUCIR BIANCO FP
Full Polish, 800x1600mm



ENORME VALOR STATURIO PRIME FP
Full Polish, 800x1600mm



ENORME VALOR SEGESTA GOLD FP
Full Polish, 800x1600mm





ENORME VALOR VEGAS GOLD MIRROR A FP
ENORME VALOR VEGAS GOLD MIRROR B FP
Full Polish, 800x1600mm



BOOK MATCH LAYING PATTERN

(A & B)




SINGLE TILES LAYING PATTERN


(only A)



ENORME VALOR STARLIGHT BROWN FP
Full Polish, 800x1600mm



ENORME VALOR STARLIGHT BLUE FP
Full Polish, 800x1600mm






DUET
SERIES



ENORME VALOR IMP ATLAS BIANCO
Matt+Carving, 800x1600mm

V2



DUET
SERIES



ENORME VALOR IMP AERNILLA BEIGE FP
Matt+Carving, 800x1600mm

V4



ENORME VALOR IMP BLANCHE SKY
Matt+Carving, 800x1600mm

V4




DUET
SERIES




ENORME VALOR IMP DESTELLO GOLD
Matt+Carving, 800x1600mm

V4



DUET
SERIES



ENORME VALOR IMP EFFETTO BIANCO
Matt+Carving, 800x1600mm

V4



DUET
SERIES



ENORME VALOR IMP INCULTO GREY
Matt+Carving, 800x1600mm

V4



DUET
SERIES



ENORME VALOR IMP LUCENTA BRONZ
Matt+Carving, 800x1600mm

V4




DUET
SERIES



ENORME VALOR IMP PERLATO CREMA
Matt+Carving, 800x1600mm


V2



DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles to resemble and look authentically identical to natural material (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between two.

Recognising this situation, it is necessary to be informed on the grade of design & pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of variation.



V1 Uniform Appearance **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follow:

V1 Minimal Variation **V3** Random Variation **V2** Slight Variation **V4** Substantial Variation



While laying the tiles please follow the arrow on the back of the tiles.
For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing with any boric/talk powder

Notes

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

PACKING DETAIL FOR 800x1600MM GVT TILES

Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
800 x 1600	9.0	53.0	2	2.56sq.mtr./27.55sq.ft.

TECHNICAL SPECIFICATION FOR 800x1600MM GVT TILES

Characteristics	Requirement as per IS 15622 :2017 0.08 < E ≤ 3% Group Blb	Requirement as per ISO 13006:2018 ≤ 0.5% Group Bla	Our Values	Test Method
A) Dimension & Surface Quality				
i) Length & Width	± 0.1%	± 0.3%	± 0.1%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.1%	± 0.3%	± 0.1%	
iv) Rectengularity	± 0.1%	± 0.3%	± 0.1%	
v) Surface Flatness				
a) Center curvature (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
b) Edge curvature (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
c) Corner warpage (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Av. 0.08<E ≤ 3 %, Individual 3.3 max	Av ≤ 0.5 %, Individual 0.6% max	Avg. E≤ 0.5 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Avg. 30, Individual 27 min	Avg. 35, Individual 32 min	Avg. > 35	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1100	1300	Min, 1300	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N/A	Min-5 (for Matt & RT), Min.3 (for Polished)	IS 13630 Part 13
vi) Resistance to Abrasion of glazed tiles(Class I to V)	Min II	Abrasion Class & Cycle passed	Class-V (for Matt & RT), Class - III (for polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from embiant temperature to 100° C	7 X 10 ⁻⁶ K ⁻¹ max	Test Method Available	Max 6 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Shock Resistance	10 cycle min	Test Method Available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
ix) Crazing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Restitution (COR)	0.55 min	Test Method Available	Min 0.55	IS 13630 Part 14/ISO 10545-5
xi) Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
i) Stain Resistance	Min Class 1	Min Class 3	Min Class-1 (For Matt), Min Class-2 (For Polished)	IS 13630 Part 8 &ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min B	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value ¹	Min Class AA	