

DURAGRES

# HARMONY

collection

1200x1800mm | 800x1600mm | 600x1200mm

9mm thickness



**SOMANY**

**SOMANY**  
TILES | BATHWARE

Somany Ceramics Limited

Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph.: 0120-4627900

Ahmedabad Office: 601 to 606, 6<sup>th</sup> Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad-382481; Ph.: 079-27661103 & 04

Registered Office: 2, Red Cross Place, Kolkata-700001; Ph.: 033-22487406/5913

www.somanyceramics.com | e-mail: customer.care@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00 am to 6:30 pm; Mon-Fri)

UNIT-4 / HARMONY / CAT / May 2025

BORN FROM  
THE CAPTIVATING  
CHARM OF  
NATURE



**DURAGRES**

**HARMONY**  
collection

**A HARMONY OF  
BOLD DESIGN,  
IMPECCABLE FINISHES,  
& VERSATILE SIZES**

The Harmony Collection embodies a seamless fusion of bold design, impeccable finishes, and superior craftsmanship. Merging design, innovation, and performance, it offers versatile options for any space—whether in the living room, kitchen, or bathroom. Available in three sizes - 1200X1800mm, 800X1600mm, and 600X1200mm it is perfectly suited for every setting, bringing unrivalled style and adaptability. Showcasing a diverse range of surfaces, this collection adds a unique touch to your space. Choose from the reflective sheen of Full Polished, the intricate textures and tactile experience of Plume, or the expressive, layered look of the Impression surface. It redefines ceramic design by blending style, functionality, and luxury with finishes and textures that elevate aesthetic appeal and durability.

ONE DESIGN  
*Multiple Sizes & Surfaces*

ERGOS BIANCO  
Full Polished  
1200X1800mm

ERGOS BIANCO  
Plume  
600X1200mm

ERGOS BIANCO  
Impression  
800X1600mm

Sizes:  
1200X1800mm  
800X1600mm  
600X1200mm


Surfaces:  
Full Polished  
Plume  
Impression

Thickness:  
9mm


## HARMONY COLLECTION

Sizes: 1200X1800mm | 800X1600mm | 600X1200mm

ERGOS BIANCO



COLCUM CREMA



ONICE DOVE




PIETRA GRIGEO



STELO AVARIO



STOLENA BEIGE



STOLENA GREY



## INDEX

ERGOS BIANCO.....	11
COLCUM CREMA.....	17
ONICE DOVE.....	23
PIETRA GRIGEO.....	29
STELO AVARIO.....	35
STOLENA BEIGE.....	41
STOLENA GREY.....	47

## SURFACES

HARMONY COLLECTION	FULL POLISHED	PLUME	IMPRESSION
ERGOS BIANCO	✓	✓	✓
COLCUM CREMA	✓		✓
ONICE DOVE	✓	✓	
PIETRA GRIGEO	✓	✓	
STELO AVARIO	✓		✓
STOLENA BEIGE	✓	✓	
STOLENA GREY	✓	✓	

# TECHNICAL FEATURES

- 

**WATER REPELLENT**
- 

**BLENDED SMOOTHNESS**
- 

**NON-REFLECTIVE**
- 

**ABRASION & WEAR RESISTANT**
- 

**CHEMICAL RESISTANT**
- 


**TEMPERATURE RESISTANT**
- 

**THERMAL RESISTANT**
- 

**FROST RESISTANT**
- 

**LOAD AND STRESS RESISTANT**
- 

**HYGIENIC AND SAFE**



## SUPERIOR GLOSS SURFACE

A stunning, high-gloss finish that elevates any space. The reflective surface amplifies light, creating a brighter and more luxurious ambience.




## ABRASION RESISTANT FOR MODERATE TO HIGH TRAFFIC AREAS

Our tiles are designed to withstand the test of time, even in high-traffic areas. Their superior abrasion resistant of PEI-4 ensures durability and maintains their pristine appearance for years.



## EASY TO CLEAN

They are easy to clean and maintain, thanks to their non-porous surface that resists dirt and stains.



## REFLECTIVE GLOSS INDEX <8

Our tiles feature a subtle, low-reflection finish, reducing glare and creating a more comfortable visual experience. This makes them ideal for various settings, including spaces with significant natural light.

# APPLICATION AREAS



RESIDENTIAL AREAS



COMMERCIAL AREAS



HOSPITALS



SHOPS AND MALLS



HOTELS AND RESTAURANTS



SCHOOLS AND COLLEGES



OUTDOOR FURNITURE



PUBLIC PLACES




ERGOS BIANCO



V3

1200x1800mm - Max 180 Ergos Bianco FP | Max 180 Plume Ergos Bianco | Max 180 IMP Ergos Bianco  
 800x1600mm - Enorme Ergos Bianco FP | Enorme Plume Ergos Bianco | Enorme IMP Ergos Bianco  
 600x1200mm - Grande Valor Ergos Bianco FP | Grande Plume Ergos Bianco | Grande IMP Ergos Bianco



Sizes:  
 1200x1800mm  
 800x1600mm  
 600x1200mm

Surfaces:  
 Full Polished  
 Plume  
 Impression



Thickness:  
 9mm

360 VIEW

ELEGANCE  
THAT TRANSFORMS  
YOUR SPACE



Wall: Max 180 Ergos Bianco FP  
Size: 1200x1800mm | Surface: Full Polished



Floor: Max 180 Ergos Bianco FP  
Size: 1200x1800mm | Surface: Full Polished



9 mm  
Thickness

Wall: Max 180 Ergos Bianco FP  
Size: 1200x1800mm | Surface: Full Polished

Floor: Max 180 Ergos Bianco FP  
Size: 1200x1800mm | Surface: Full Polished




COLCUM CREMA



V3

1200x1800mm - Max 180 Colcum Crema FP | Max 180 IMP Colcum Crema  
 800x1600mm - Enorme Colcum Crema FP | Enorme IMP Colcum Crema  
 600x1200mm - Grande Valor Colcum Crema FP | Grande IMP Colcum Crema



Sizes:  
 1200x1800mm  
 800x1600mm  
 600x1200mm

Surfaces:  
 Full Polished  
 Impression

Thickness:  
 9mm



360 VIEW

REFINED  
SIMPLICITY WITH  
A CALMING TONE



Wall: Enorme Colcum Crema FP  
Size: 800x1600mm | Surface: Full Polished



Floor: Enorme Colcum Crema FP  
Size: 800x1600mm | Surface: Full Polished



9 mm  
Thickness

Wall: Enorme Colcum Crema FP  
Size: 800x1600mm | Surface: Full Polished

Floor: Enorme Colcum Crema FP  
Size: 800x1600mm | Surface: Full Polished




ONICE DOVE



V3

1200x1800mm - Max 180 Onice Dove FP | Max 180 Plume Onice Dove  
 800x1600mm - Enorme Onice Dove FP | Enorme Plume Onice Dove  
 600x1200mm - Grande Valor Onice Dove FP | Grande Plume Onice Dove



Sizes:  
 1200x1800mm  
 800x1600mm  
 600x1200mm

Surfaces:  
 Full Polished  
 Plume

Thickness:  
 9mm



360 VIEW

SOFT AS A WHISPER,  
WITH A TOUCH OF  
WARMTH



Wall: Max 180 Onice Dove FP  
Size: 1200x1800mm | Surface: Full Polished



Floor: Max 180 Onice Dove FP  
Size: 1200x1800mm | Surface: Full Polished



9 mm  
Thickness

Wall: Max 180 Onice Dove FP  
Size: 1200x1800mm | Surface: Full Polished

Floor: Max 180 Onice Dove FP  
Size: 1200x1800mm | Surface: Full Polished




PIETRA GRIGEO



V3

1200x1800mm - Max 180 Pietra Grigio FP | Max 180 Plume Pietra Grigio  
 800x1600mm - Enorme Pietra Grigio FP | Enorme Plume Pietra Grigio  
 600x1200mm - Grande Valor Pietra Grigio FP | Grande Plume Pietra Grigio



Sizes:  
 1200x1800mm  
 800x1600mm  
 600x1200mm

Surfaces:  
 Full Polished  
 Plume

Thickness:  
 9mm



360 VIEW

**BOLD YET  
REFINED - IDEAL FOR  
MODERN SPACES**



Wall: Enorme Plume Pietra Grigeo  
Size: 800x1600mm | Surface: Plume



Floor: Enorme Plume Pietra Grigeo  
Size: 800x1600mm | Surface: Plume



9 mm  
Thickness

Wall: Enorme Plume Pietra Grigio  
Size: 800x1600mm | Surface: Plume

Floor: Enorme Plume Pietra Grigio  
Size: 800x1600mm | Surface: Plume

Italmarmi Wall: Nectar Grey Lucido & Nectar Grey Opaco  
Size: 75x300mm | Surface: Random Punch | Effect: Matt




STELO AVARIO



V3

1200x1800mm - Max 180 Stelo Avario FP | Max 180 IMP Stelo Avario  
 800x1600mm - Enorme IMP Stelo Avario  
 600x1200mm - Grande IMP Stelo Avario



Sizes:  
 1200x1800mm  
 800x1600mm  
 600x1200mm

Surfaces:  
 Full Polished  
 Impression

Thickness:  
 9mm



360 VIEW

A NATURAL ELEGANCE  
THAT STANDS THE  
TEST OF TIME



Wall: Enorme IMP Stelo Avario  
Size: 800x1600mm | Surface: Impression



Floor: Enorme IMP Stelo Avario  
Size: 800x1600mm | Surface: Impression



9 mm  
Thickness

Wall: Enorme IMP Stelo Avario  
Size: 800x1600mm | Surface: Impression

Floor: Enorme IMP Stelo Avario  
Size: 800x1600mm | Surface: Impression

Italmarmi Table: Nectar Beige Lucido & Nectar Beige Opaco  
Size: 75x300mm | Surface: Random Punch | Effect: Matt




STOLENA BEIGE



V3

1200x1800mm - Max 180 Stolen Beige FP | Max 180 Plume Stolen Beige  
 800x1600mm - Enorme Stolen Beige FP | Enorme Plume Stolen Beige  
 600x1200mm - Grande Valor Stolen Beige FP | Grande Plume Stolen Beige



Sizes:  
 1200x1800mm  
 800x1600mm  
 600x1200mm

Surfaces:  
 Full Polished  
 Plume

Thickness:  
 9mm



360 VIEW

A COSY, REFINED  
FINISH THAT ENHANCES  
YOUR AMBIENCE



Wall: Enorme Plume Stolena Beige  
Size: 800x1600mm | Surface: Plume



Floor: Enorme Plume Stolena Beige  
Size: 800x1600mm | Surface: Plume



9 mm  
Thickness

Wall: Enorme Plume Stolena Beige  
Size: 800x1600mm | Surface: Plume

Floor: Enorme Plume Stolena Beige  
Size: 800x1600mm | Surface: Plume




STOLENA GREY



V3

1200x1800mm - Max 180 Stolena Grey FP | Max 180 Plume Stolena Grey  
 800x1600mm - Enorme Stolena Grey FP | Enorme Plume Stolena Grey  
 600x1200mm - Grande Valor Stolena Grey FP | Grande Plume Stolena Grey



Sizes:  
 1200x1800mm  
 800x1600mm  
 600x1200mm

Surfaces:  
 Full Polished  
 Plume

Thickness:  
 9mm



360 VIEW

MODERN  
SOPHISTICATION MEETS  
UNDERSTATED BEAUTY



Wall: Max 180 Plume Stolena Grey  
Size: 1200x1800mm | Surface: Plume



Floor: Max 180 Plume Stolena Grey  
Size: 1200x1800mm | Surface: Plume



9 mm  
Thickness


Wall: Max 180 Plume Stolen Grey  
Size: 1200x1800mm | Surface: Plume

Floor: Max 180 Plume Stolen Grey  
Size: 1200x1800mm | Surface: Plume

## DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



**V1** Minimal Variation      **V2** Slight Variation      **V3** Moderate Variation      **V4** Substantial Variation

The classification is as follows:

**V1** Minimal Variation      **V2** Slight Variation      **V3** Moderate Variation      **V4** Substantial Variation

PACKAGING DETAIL FOR HARMONY COLLECTION				
Nominal Size(mm)	Thickness(mm)	Avg. weight per carton(Kgs)	No. of tiles per carton	Coverage area per carton
1200x1800mm	9 mm	88.0 kgs	2	4.32 Square Meter / 46.50 Square Feet
800x1600mm	9 mm	51.0 kgs	2	2.56 Square Meter / 27.55 Square Feet
600x1200mm	9 mm	27.7 kgs	2	1.44 Square Meter / 15.50 Square Feet

TECHNICAL SPECIFICATIONS FOR HARMONY COLLECTION				
Characteristics	Requirement as per IS 15622 :2017 E ≤ 0.08 Group B I a	Requirement as per ISO 13006:2018 Ev ≤ 0.5%-Group B I a (Annex G)	Our Values	Test Method
<b>A) Dimension &amp; Surface Quality</b>		Rectified		
i) Length & Width		± 0.10%	± 0.10%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side		± 0.10%	± 0.10%	
iv) Rectangularity		± 0.10%	± 0.10%	
v) Surface Flatness				
a) Center curvature (%) ( max.Deviation)	± 0.5%	± 0.4%	± 0.02%	
b) Edge curvature (%) ( max.Deviation)	± 0.5%	± 0.4%	± 0.02%	
c) Corner warpage (%) ( max.Deviation)	± 0.5%	± 0.4%	± 0.02%	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
<b>B) Physical Properties</b>				
i) Water Absorption	Average 0.8<E, Individual Max 0.1%	E ≤ 0.5, Individual max 0.6%	Av 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm <sup>2</sup> ]	Avg. 35, Individual 32 min	Avg 35, Individual 32 min	Avg-38	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1300	1300	Min 1400	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02 Max	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N/A	4-6 (depends on surface)	IS 13630 Part 13
vi) Resistant to Abrasion of Glazed Tiles (Class I to V)	Min II	Report abrasion class and cycles passed	Class V (for VC), Class IV (for Non VC), Class III (For polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from ambient temperature to 100° C	6 X 10 <sup>-6</sup> K <sup>-1</sup> max	Test Method Available	Max 5.5 X 10 <sup>-6</sup> K <sup>-1</sup>	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Resistant	10 cycle min	Test Method Available	Passed 10 cycle	IS 13630 Part 5/ISO-10545-9
ix) Crazeing Resistant	4 cycle @ 7.5bar min	Required	Passed 4 cycle	IS 13630 Part 9/ISO 10545-11
x) Impact Resistant as Coefficient of Restitution (COR)	0.55 Min	Test Method Available	0.75-0.90	IS 13630 part 14/ISO 10545-5
xi) Bulk Density (gm/cc)	2.2	N.A	2.25	IS 13630 Part 2
xii) Coefficient of Friction	Where required manufacturer to declare value	Where required manufacturer to declare value	Depends upon Glazed surface	ISO 10545-17
xiii) Frost Resistant	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
<b>C) Chemical Resistant (Glazed Tiles)</b>				
i) Stain Resistant	Min Class 1	Min Class 3	Min Class-1/ Class-3	IS 13630 Part 8 &ISO 10545-14
ii) Resistant to household chemicals	Min Class AA	Min. Class B	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistant to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Manufacturer is to state classification	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers to check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somy wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

# SOMANY<sup>®</sup> Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner

# SOMANY<sup>®</sup> Bathware

# SOMANY French Collection



## Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!  
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces — walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.




For detailed instructions scan the QR code

Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome  
Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit

-   
EASY TO USE
-   
HIGH STRENGTH  
POLYMER FORTIFIED  
ADHESIVE
-   
WIDE APPLICATION  
RANGE
-   
HIGHLY  
FLEXIBLE
-   
SUITABLE FOR  
WET WALL  
SURFACES
-   
SELF - CURING  
ADHESIVE
-   
SUITABLE FOR  
TILE ON TILE  
APPLICATION

To know more visit at [www.somanyceramics.com](http://www.somanyceramics.com) or call on Toll Free: 1800 103 0004



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | [www.somanyceramics.com](http://www.somanyceramics.com)