SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)

UNIT-4 / HARMONY / CAT / MAY 2025


DURAGRES

HARMONY

collection

1200x1800mm | 800x1600mm | 600x1200mm


9mm thickness



SOMANY

BORN FROM THE CAPTIVATING CHARM OF NATURE





DURAGRES

HARMONY
collection

A HARMONY OF BOLD DESIGN, IMPECCABLE FINISHES, & VERSATILE SIZES

The Harmony Collection embodies a seamless fusion of bold design, impeccable finishes, and superior craftsmanship. Merging design, innovation, and performance, it offers versatile options for any space—whether in the living room, kitchen, or bathroom. Available in three sizes - 1200X1800mm, 800X1600mm, and 600X1200mm it is perfectly suited for every setting, bringing unrivalled style and adaptability. Showcasing a diverse range of surfaces, this collection adds a unique touch to your space. Choose from the reflective sheen of Full Polished, the intricate textures and tactile experience of Plume, or the expressive, layered look of the Impression surface. It redefines ceramic design by blending style, functionality, and luxury with finishes and textures that elevate aesthetic appeal and durability.



HARMONY COLLECTION

Sizes: 1200X1800mm | 800X1600mm | 600X1200mm

ERGOS BIANCO

COLCUM CREMA

ONICE DOVE

PIETRA GRIGEO



STELO AVARIO

STOLENA BEIGE



STOLENA GREY



INDEX

ERGOS BIANCO 11

COLCUM CREMA 17

ONICE DOVE 23

PIETRA GRIGEO 29

STELO AVARIO 35

STOLENA BEIGE 41


STOLENA GREY 47

SURFACES

HARMONY COLLECTION	FULL POLISHED	PLUME	IMPRESSION
ERGOS BIANCO	✓	✓	✓
COLCUM CREMA	✓		✓
ONICE DOVE	✓	✓	
PIETRA GRIGEO	✓	✓	
STELO AVARIO	✓		✓
STOLENA BEIGE	✓	✓	
STOLENA GREY	✓	✓	

TECHNICAL FEATURES

- WATER REPELLENT
- BLENDED SMOOTHNESS
- NON-REFLECTIVE
- ABRASION & WEAR RESISTANT
- CHEMICAL RESISTANT
- TEMPERATURE RESISTANT
- THERMAL RESISTANT
- FROST RESISTANT
- LOAD AND STRESS RESISTANT
- HYGIENIC AND SAFE



SUPERIOR GLOSS SURFACE

A stunning, high-gloss finish that elevates any space. The reflective surface amplifies light, creating a brighter and more luxurious ambience.

ABRASION RESISTANT FOR MODERATE TO HIGH TRAFFIC AREAS

Our tiles are designed to withstand the test of time, even in high-traffic areas. Their superior abrasion resistant of PEI-4 ensures durability and maintains their pristine appearance for years.

EASY TO CLEAN

They are easy to clean and maintain, thanks to their non-porous surface that resists dirt and stains.

REFLECTIVE GLOSS INDEX <8

Our tiles feature a subtle, low-reflection finish, reducing glare and creating a more comfortable visual experience. This makes them ideal for various settings, including spaces with significant natural light.

APPLICATION AREAS

- RESIDENTIAL AREAS
- COMMERCIAL AREAS
- HOSPITALS
- SHOPS AND MALLS
- HOTELS AND RESTAURANTS
- SCHOOLS AND COLLEGES
- OUTDOOR FURNITURE
- PUBLIC PLACES




ERGOS BIANCO



V3

1200x1800mm - Max 180 Ergos Bianco FP | Max 180 Plume Ergos Bianco | Max 180 IMP Ergos Bianco
800x1600mm - Enorme Ergos Bianco FP | Enorme Plume Ergos Bianco | Enorme IMP Ergos Bianco
600x1200mm - Grande Valor Ergos Bianco FP | Grande Plume Ergos Bianco | Grande IMP Ergos Bianco



Sizes:
1200x1800mm
800x1600mm
600x1200mm

Surfaces:
Full Polished
Plume
Impression

Thickness:
9mm

360 VIEW

ELEGANCE
THAT TRANSFORMS
YOUR SPACE



Wall: **Max 180 Ergos Bianco FP**
Size: **1200x1800mm** | Surface: **Full Polished**



Floor: **Max 180 Ergos Bianco FP**
Size: **1200x1800mm** | Surface: **Full Polished**



9 mm
Thickness

Wall: Max 180 Ergos Bianco FP
Size: 1200x1800mm | Surface: Full Polished

Floor: Max 180 Ergos Bianco FP
Size: 1200x1800mm | Surface: Full Polished




COLCUM CREMA



V3

1200x1800mm - Max 180 Colcum Crema FP | Max 180 IMP Colcum Crema
800x1600mm - Enorme Colcum Crema FP | Enorme IMP Colcum Crema
600x1200mm - Grande Valor Colcum Crema FP | Grande IMP Colcum Crema



Sizes:
1200x1800mm
800x1600mm
600x1200mm

Surfaces:
Full Polished
Impression

Thickness:
9mm

360 VIEW

REFINED SIMPLICITY WITH A CALMING TONE



Wall: **Enorme Calcum Crema FP**
Size: **800x1600mm** | Surface: **Full Polished**



Floor: **Enorme Calcum Crema FP**
Size: **800x1600mm** | Surface: **Full Polished**



9 mm
Thickness

Wall: Enorme Colcum Crema FP
Size: 800x1600mm | Surface: Full Polished


Floor: Enorme Colcum Crema FP
Size: 800x1600mm | Surface: Full Polished



ONICE DOVE

V3

1200x1800mm - Max 180 Onice Dove FP | Max 180 Plume Onice Dove
800x1600mm - Enorme Onice Dove FP | Enorme Plume Onice Dove
600x1200mm - Grande Valor Onice Dove FP | Grande Plume Onice Dove



Sizes:
1200x1800mm
800x1600mm
600x1200mm

Surfaces:
Full Polished
Plume

Thickness:
9mm

360 VIEW

SOFT AS A WHISPER,
WITH A TOUCH OF
WARMTH



Wall: **Max 180 Onice Dove FP**
Size: **1200x1800mm** | Surface: **Full Polished**



Floor: **Max 180 Onice Dove FP**
Size: **1200x1800mm** | Surface: **Full Polished**




9 mm
Thickness

Wall: **Max 180 Onice Dove FP**
Size: **1200x1800mm** | Surface: **Full Polished**


Floor: **Max 180 Onice Dove FP**
Size: **1200x1800mm** | Surface: **Full Polished**





V3

1200x1800mm - Max 180 Pietra Grigeo FP | Max 180 Plume Pietra Grigeo
800x1600mm - Enorme Pietra Grigeo FP | Enorme Plume Pietra Grigeo
600x1200mm - Grande Valor Pietra Grigeo FP | Grande Plume Pietra Grigeo



Sizes:
1200x1800mm
800x1600mm
600x1200mm

Surfaces:
Full Polished
Plume

Thickness:
9mm

360 VIEW

BOLD YET
REFINED - IDEAL FOR
MODERN SPACES



Wall: Enorme Plume Pietra Grigeo
Size: 800x1600mm | Surface: Plume



Floor: Enorme Plume Pietra Grigeo
Size: 800x1600mm | Surface: Plume



9 mm
Thickness

Wall: Enorme Plume Pietra Grigeo
Size: 800x1600mm | Surface: Plume

Floor: Enorme Plume Pietra Grigeo
Size: 800x1600mm | Surface: Plume

Italmarmi Wall: Nectar Grey Lucido & Nectar Grey Opaco
Size: 75x300mm | Surface: Random Punch | Effect: Matt




STELO AVARIO



V3

1200x1800mm - Max 180 Stelo Avario FP | Max 180 IMP Stelo Avario
800x1600mm - Enorme IMP Stelo Avario
600x1200mm - Grande IMP Stelo Avario



Sizes:
1200x1800mm
800x1600mm
600x1200mm

Surfaces:
Full Polished
Impression

Thickness:
9mm

360 VIEW

A NATURAL ELEGANCE THAT STANDS THE TEST OF TIME



Wall: Enorme IMP Stolo Avario
Size: 800x1600mm | Surface: Impression



Floor: Enorme IMP Stolo Avario
Size: 800x1600mm | Surface: Impression



9 mm
Thickness

Wall: Enorme IMP Stelo Avario
Size: 800x1600mm | Surface: Impression

Floor: Enorme IMP Stelo Avario
Size: 800x1600mm | Surface: Impression

Italmarmi Table: Nectar Beige Lucido & Nectar Beige Opaco
Size: 75x300mm | Surface: Random Punch | Effect: Matt




STOLENA BEIGE



V3

1200x1800mm - Max 180 Stolena Beige FP | Max 180 Plume Stolena Beige
800x1600mm - Enorme Stolena Beige FP | Enorme Plume Stolena Beige
600x1200mm - Grande Valor Stolena Beige FP | Grande Plume Stolena Beige



Sizes:
1200x1800mm
800x1600mm
600x1200mm

Surfaces:
Full Polished
Plume

Thickness:
9mm

360 VIEW

A COSY, REFINED FINISH THAT ENHANCES YOUR AMBIENCE



Wall: Enorme Plume Stolena Beige
Size: 800x1600mm | Surface: Plume



Floor: Enorme Plume Stolena Beige
Size: 800x1600mm | Surface: Plume



9 mm
thickness

Wall Enorme Plume Stolena Beige
Size 800x1600mm | Surface Plume

Floor Enorme Plume Stolena Beige
Size 800x1600mm | Surface Plume




STOLENA GREY



V3

1200x1800mm - Max 180 Stolena Grey FP | Max 180 Plume Stolena Grey
800x1600mm - Enorme Stolena Grey FP | Enorme Plume Stolena Grey
600x1200mm - Grande Valor Stolena Grey FP | Grande Plume Stolena Grey



Sizes
1200x1800mm
800x1600mm
600x1200mm

Surfaces
Full Polished
Plume

Thickness
9mm

360 VIEW

MODERN SOPHISTICATION MEETS UNDERSTATED BEAUTY



Wall: **Max 180 Plume Stolena Grey**
Size: **1200x1800mm** | Surface: **Plume**



Floor: **Max 180 Plume Stolena Grey**
Size: **1200x1800mm** | Surface: **Plume**



9 mm
Thickness


Wall: Max 180 Plume Stolena Grey
Size: 1200x1800mm | Surface: Plume

Floor: Max 180 Plume Stolena Grey
Size: 1200x1800mm | Surface: Plume

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follows:

V1 Minimal Variation V2 Slight Variation V3 Moderate Variation V4 Substantial Variation

PACKAGING DETAIL FOR HARMONY COLLECTION				
Nominal Size(mm)	**Thickness(mm)**	**Avg. weight per carton(Kgs)**	**No. of tiles per carton**	**Coverage area per carton**
1200x1800mm	9 mm	88.0 kgs	2	4.32 Square Meter / 46.50 Square Feet
800x1600mm	9 mm	51.0 kgs	2	2.56 Square Meter / 27.55 Square Feet
600x1200mm	9 mm	27.7 kgs	2	1.44 Square Meter / 15.50 Square Feet

TECHNICAL SPECIFICATIONS FOR HARMONY COLLECTION				
Characteristics	**Requirement as per IS 15622 :2017 E ≤ 0.08 Group B I a**	**Requirement as per ISO 13006:2018 Ev≤ 0.5%-Group B I a (Annex G)**	**Our Values**	**Test Method**
A) Dimension & Surface Quality	Rectified			
i) Length & Width	± 0.10%	± 0.30%	± 0.10%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.10%	± 0.30%	± 0.10%	
iv) Rectengularity	± 0.10%	± 0.30%	± 0.10%	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	± 0.5%	± 0.4%	**± 0.02%**	
b) Edge curvature (%) (max.Deviation)	± 0.5%	± 0.4%	**± 0.02%**	
c) Corner warpage (%) (max.Deviation)	± 0.5%	± 0.4%	**± 0.02%**	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Average 0.8<E, Individual Max 0.1%	Es 0.5, Individual max 0.6%	Av 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Avg. 35, Individual 32 min	Avg 35, Individual 32 min	Avg-38	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1300	1300	Min 1400	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02 Max	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N/A	4-6 (depends on surface)	IS 13630 Part 13
vi) Resistant to Abrasion of Glazed Tiles (Class I to V)	Min II	Report abrasion class and cycles passed	Class V (for VC), Class IV (for Non VC), Class III (For polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from ambient temperature to 100° C	6 X 10^{-6} K^{-1} max	Test Method Available	Max 5.5 X 10^{-6} K^{-1}	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Resistant	10 cycle min	Test Method Available	Passed 10 cycle	IS 13630 Part 5/ISO-10545-9
ix) Crazing Resistant	4 cycle @ 7.5bar min	Required	Passed 4 cycle	IS 13630 Part 9/ISO 10545-11
x) Impact Resistant as Coefficient of Restitution (COR)	0.55 Min	Test Method Available	0.75-0.90	IS 13630 part 14/ISO 10545-5
xi) Bulk Density (gm/cc)	2.2	N.A	2.25	IS 13630 Part 2
xii) Coefficient of Friction	Where required manufacturer to declare value	Where required manufacturer to declare value	Depends upon Glazed surface	ISO 10545-17
xiii) Frost Resistant	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistant (Glazed Tiles)				
i) Stain Resistant	Min Class 1	Min Class 3	Min Class-1/ Class-3	IS 13630 Part 8 &ISO 10545-14
ii) Resistant to household chemicals	Min Class AA	Min. Class B	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistant to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Manufacturer is to state classification	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers to check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com