

ACCREDITATIONS



VOL-II



Somany Ceramics Limited : Noida: F-36, Sector-6, Ph.: 0120-4627900.
Ahmedabad: 601 TO 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump,
B/S. Gota Flyover, S G Highway, AHMEDABAD – 382481
Mobile Landline: 7303597773 & 7303597774
Registered office: 2, Red Cross Place, Kolkata- 700001, Ph: (033) 224874006/5913.
www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004
(Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.instagram.com/SomanyCeramics




SP/SD/MD/DURAGRES MASTER VOL. 2024/02/23/KAC/AN

SOMANY
TILES | BATHWARE

ZAMEEN SE JUDEY

UNIT 1 NORTH ZONE/EAST ZONE



GLAZED VITRIFIED TILE COLLECTION
DURAGRES



SOMANY⁷
DURAGRES
 Timeless Elegance

With a humble beginning in 1969, Somany Ceramics Limited has been a front-runner serving millions of customers worldwide. Riding high on Late Shri H. L. Somany's dream, the company not only achieved unparalleled success, but also established its presence as an unchallenged leader in the Indian tiles sector.


Catering to the needs of its esteemed customers, Somany has always tried to relentlessly set benchmarks and create trends in home interior segment. Brand Somany has captured the memories of millions of its customers in their joy and emotions, and the brand love it enjoys is its true testimony.

Somany Ceramics has 11 manufacturing facilities spread across India, catering to the domestic as well as international demand. It has cemented its position in the industry as the producer of highest quality of ceramic glazed tiles, vitrified tiles, sanitary ware or porcelain floor tiles. Somany started off with a clear distinctive position, that of being innovative, distinctive and close to its customers.

To sustain a dream of such a magnitude, it is always important to stay ahead of the time. This truth, realized by Late Shri H.L. Somany is still being executed through continuous innovation, ignited with a passion of excellence.

With Late Shri H. L. Somany as Founder, Shri Shreekant Somany as the CMD and Shri Abhishek Somany as the MD and CEO, the company is heading towards an unprecedented expansion and growth.





SOMANY
DURAGRES
 Timeless Elegance

Somany Ceramics uses advanced manufacturing techniques and state-of-the-art technology to produce tiles that meet international quality standards. This unique collection of tiles brings together the unique combination of strength, durability and variety that adds an everlasting touch of luxurious finesse to the interiors.

One of the things that sets Somany Ceramics apart is our commitment to both style and quality. Our tiles are available in a wide range of colours, patterns, and finishes, so you can choose the perfect option to complement your unique sense of style. Crafted through extensive research, these tiles provide exquisite designs and fit. The range is extensive including Lucido, Dazzle, Metal, Wood et al providing choices inspired by nature, contemporary design or classic timeless design, we have something for everyone. But we know that looks aren't everything - which is why we also prioritize durability and longevity. Our tiles are made to withstand the wear and tear of everyday life, whether you have kids running around, pets scratching at the floor, or just a lot of foot traffic in your home. You can trust that our tiles will continue to look great for years to come, making them a smart investment in your home's value.

Tiles for
 every
 Corner

CONTENTS



FINISHING TOUCH.


SOMANY
DURAGRES
Timeless Elegance



LUCIDO FINISH



FULL NANO POLISHED



ENGRAVO MATT FINISH




LAPATO FINISH




WOOD FINISH



MARBLE FINISH





RUSTIC FINISH



STONE FINISH

INSIDE PAGE GUIDE




*Scan QR codes for 360-degree views on our fast-moving sku.

SOMANY
DURAGRES
Timeless Elegance



600X1200MM





600x1200MM



02 N/Box Area: 1.44 m²


CUTTING OPTIONS



2PCS 600x600MM



3PCS 200x1200MM



FINISH

DAZZLE+*

ABRASION RESISTANCE

GROUP 3

CATEGORY

PRECIOUS

DURAGRES
TESORO



600 X 1200 MM



GRANDE PRECIOUS ARBELL CAFÉ

V4 / DAZZLE+




GRANDE PRECIOUS ARBELL VERDE

V4 / DAZZLE+



*Glossy Vitrosa with sugar finish





SOMANY

600x1200MM



CUTTING OPTIONS



WATER ABSORPTION
Av. E ≤ 0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

POLISHED CARVING

ABRASION RESISTANCE

GROUP 3

CATEGORY

TESORO DIAMOND
ENGRAVO

DURAGRES
TESORO

ENGRAVO
SERIES

600 X 1200 MM

GRANDE ENGRAVO TENDENZA CREMA FP

V4 / ENGRAVO / FULL POLISH

GRANDE ENGRAVO TENDENZA BROWN FP

V4 / ENGRAVO / FULL POLISH

GRANDE ENGRAVO TENDENZA GREY FP

V4 / ENGRAVO / FULL POLISH

FLOOR WALL

08



WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISH/
MATT CARVING

ABRASION RESISTANCE

GROUP 3

CATEGORY

TESORO DIAMOND
TESORO GOLD ENGRAVO

DURAGRES
TESORO

REPLIQ

600 X 1200 MM

FULL POLISHED

GRANDE REPLIQ FIOR CALCUTA FP

V4 / FULL POLISH

CARVING

GRANDE REPLIQ ENGRAVO FIOR CALCUTA

V4 / CARVING MATT

GRANDE REPLIQ GAVIN CREMA FP

V4 / FULL POLISH

GRANDE REPLIQ ENGRAVO GAVIN CREMA

V4 / CARVING MATT

FLOOR

WALL

10

REPLIQ

600 X 1200 MM

FULL POLISHED



GRANDE REPLIQ COLISEUM LIGHT GREY FP

V4 / FULL POLISH

CARVING



GRANDE REPLIQ ENGRAVO COLISEUM LIGHT GREY

V4 / CARVING MATT




GRANDE REPLIQ COLISEUM DARK GREY FP

V4 / FULL POLISH



GRANDE REPLIQ ENGRAVO COLISEUM DARK GREY

V4 / CARVING MATT



FINISH
FULL NANO POLISH/
MATT CARVING

ABRASION RESISTANCE
GROUP 3

CATEGORY
TESORO DIAMOND
TESORO GOLD ENGRAVO

DURAGRES
TESORO

REPLIQ

600 X 1200 MM

FULL POLISHED



GRANDE REPLIQ DALKEY LIGHT GREY FP

V4 / FULL POLISH



CARVING



GRANDE REPLIQ ENGRAVO DALKEY LIGHT GREY

V4 / CARVING MATT



GRANDE REPLIQ DALKEY DARK GREY FP

V4 / FULL POLISH



GRANDE REPLIQ ENGRAVO DALKEY DARK GREY

V4 / CARVING MATT





WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISH/
MATT CARVING

ABRASION RESISTANCE

GROUP 3

CATEGORY

TESORO DIAMOND
TESORO GOLD ENGRAVO

DURAGRES
TESORO

REPLIQ

600 X 1200 MM

FULL POLISHED

GRANDE REPLIQ NEVICA CREMA FP

V4 / FULL POLISH

CARVING

GRANDE REPLIQ ENGRAVO NEVICA CREMA

V4 / CARVING MATT

GRANDE REPLIQ NEVICA BROWN FP

V4 / FULL POLISH

GRANDE REPLIQ ENGRAVO NEVICA BROWN

V4 / CARVING MATT

FLOOR

WALL

14



WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISH/
MATT CARVING

ABRASION RESISTANCE

GROUP 3

CATEGORY

TESORO DIAMOND

DURAGRES
TESORO

REPLIQ

600 X 1200 MM

FULL POLISHED

GRANDE REPLIQ BRASILIA ONYX FP

V4 / FULL POLISH

SCAN FOR 360° VIEW

GRANDE REPLIQ LIVIA BEIGE LIGHT FP

V4 / FULL POLISH

SCAN FOR 360° VIEW

FLOOR

WALL

16



600x1200MM




02 N/Box Area: 1.44 m²

CUTTING OPTIONS



2PCS 600x600MM

3PCS 200x1200MM



FINISH
FULL NANO POLISH/
MATT CARVING

ABRASION RESISTANCE
GROUP 3

CATEGORY
TESORO DIAMOND
TESORO GOLD ENGRAVO

DURAGRES
TESORO

ENGRAVO
SERIES

DUET
SERIES


1 SIZE 2 FINISHES

600 X 1200 MM



GRANDE ONTARIO GOLD FP
GRANDE ENGRAVO ONTARIO GOLD

V4 / FULL POLISH
ENGRAVO MATT



GRANDE VELLUTO WHITE FP
GRANDE ENGRAVO VELLUTO WHITE

V4 / FULL POLISH
ENGRAVO MATT



DUET :DUET TILES ARE AVAILABLE IN BOTH FULL POLISH & ENGRAVO MATT FINISHES



WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

TESORO DIAMOND

DURAGRES
TESORO

600 X 1200 M M


GRANDE CLASSTONE STATUARIO FP

GRANDE ORRIZZ BEIGE FP

FLOOR

WALL

20



WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

TESORO DIAMOND

DURAGRES
TESORO

600 X 1200 MM

GRANDE RUBINO ONIX VERDE FP

V4 / FULL POLISH

GRANDE COLORUP ONIX FP

V4 / FULL POLISH

GRANDE RUBINO ONIX RED FP

V4 / FULL POLISH

FLOOR


WALL

22

600 X 1200 MM




GRANDE LEVIGATO TOSCO BIANCO V1 / RUSTIC / LAPATO



GRANDE LEVIGATO TOSCO GREY V1 / RUSTIC / LAPATO



SCAN FOR
360°
VIEW



FINISH

LAPATO

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND PREMIUM

DURAGRES
TESORO



600 X 1200 MM



GRANDE LEVIGATO TOSCO CREMA V1 / RUSTIC / LAPATO



GRANDE LEVIGATO TOSCO COFFEE V1 / RUSTIC / LAPATO



GRANDE LEVIGATO TOSCO NERO V1 / RUSTIC / LAPATO



SCAN FOR
360°
VIEW



SCAN FOR
360°
VIEW



FLOOR WALL



600x1200MM



02 N/Box Area: 1.44 m²


CUTTING OPTIONS



2PCS
600x600MM



3PCS
200x1200MM



FINISH
MATT CARVING

ABRASION RESISTANCE
GROUP 3

CATEGORY
TESORO GOLD
ENGRAVO



600 X 1200 MM



GRANDE NEWPORT WOOD


V4 / ENGRAVO / MATT



GRANDE PERSIAN CREMA

V4 / ENGRAVO / MATT





FINISH

FULL NANO POLISH/
LAPATO

ABRASION RESISTANCE

GROUP 3

CATEGORY
DIAMOND

DURAGRES
Timeless Elegance

1 TILE 4 FINISHES

— 600 X 1200 M M



GRANDE NIVES



GRANDE LEVIGATO NIVES WHITE PASSO

V4



GRANDE NIVES WHITE FP

V3





WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH
MATT

ABRASION RESISTANCE
GROUP 3

CATEGORY
GOLD/DIAMOND

DURAGRES
Timeless Elegance

1 TILE 4 FINISHES

600 X 1200 MM

GRANDE NIVES

NEW ARRIVAL

GRANDE NIVES WHITE SCLATA

V3

SCAN FOR 360° VIEW

NEW ARRIVAL

GRANDE NIVES WHITE VC

V3

SOMANY
VC
SHIELD
HARD COAT
TECHNOLOGY

FLOOR

WALL

30



600x1200MM




CUTTING OPTIONS



2PCS 600x600MM
3PCS 200x1200MM

02 N/Box Area: 1.44 m2



FINISH

LUCIDO

ABRASION RESISTANCE

GROUP 3


CATEGORY

LUCIDO

DURAGRES
Timeless Elegance

 LUCIDO

600 X 1200 MM




GRANDE LUCIDO TELENOS BLACK



SCAN FOR
360°
VIEW

V4



GRANDE LUCIDO TELENOS BLUE



SCAN FOR
360°
VIEW

V4



FLOOR WALL



600x1200MM



CUTTING OPTIONS



- WATER ABSORPTION
Av. E≤0.08%
- WEATHER
RESISTANCE
- CHEMICAL
RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH

LUCIDO

ABRASION RESISTANCE

GROUP 3


CATEGORY

LUCIDO

DURAGRES
Timeless Elegance

 LUCIDO

600X1200MM



GRANDE LUCIDO ARGUS BLACK FP

V3



SCAN FOR
360°
VIEW


Lapato



LEVIGATO HOWARD NERO -600X600MM

MATCHING FLOOR





FINISH

LUCIDO


ABRASION RESISTANCE

GROUP 3

CATEGORY


LUCIDO

DURAGRES
Timeless Elegance




GRANDE LUCIDO EMPERADOR BRONCE FP

V4



GRANDE LUCIDO PORTORO GOLD FP

V3



GRANDE PRADA MULTI FP

V3





SOMANY

600x1200MM

CUTTING OPTIONS

2PCS 600x600MM

3PCS 200x1200MM

02 N/Box Area: 1.44 m²

WATER ABSORPTION

Av. E≤0.08%

WEATHER RESISTANCE

CHEMICAL RESISTANCE

MOR

[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

LUCIDO/DIAMOND

DURAGRES

Timeless Elegance

INVERSO

— 600 X 1200 M —

GRANDE LUCIDO WAVE-LATE FP A,B

V1

FLOOR

WALL

38



600x1200MM
02 N/Box Area: 1.44 m²

CUTTING OPTIONS
2PCS 600x600MM
3PCS 200x1200MM

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH
FULL NANO POLISHED

ABRASION RESISTANCE
GROUP 3

CATEGORY
DIAMOND PREMIUM

DURAGRES
Timeless Elegance

stylos
LARGEST WALL TILE CONCEPT

600 X 1200 MM



GRANDE STYLOS PREXURY SKY BLUE



SCAN FOR
360°
VIEW

V3



GRANDE STYLOS PREXURY SKY BLUE DECOR



SCAN FOR
360°
VIEW

V1

FLOOR WALL



WATER ABSORPTION

Av. E≤0.08%

WEATHER RESISTANCE

CHEMICAL RESISTANCE

MOR

[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND PREMIUM

DURAGRES

Timeless Elegance

600 X 1200 MM

GRANDE STYLOS VETRI GOLD

V4

FLOOR

WALL

42



600x1200MM

CUTTING OPTIONS

02 N/Box Area: 1,44 m²

2PCS 600x600MM

3PCS 200x1200MM


WATER ABSORPTION
Av. E≤0.08%


WEATHER
RESISTANCE


CHEMICAL
RESISTANCE


MOR
[Min. 32 N/mm²]


INTERIOR


EXTERIOR

FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND PREMIUM


Timeless Elegance


LARGEST WALL TILE CONCEPT

600 X 1200 MM


GRANDE STYLOS ARLES MARFIL FP V3


GRANDE STYLOS ARLES CAFE FP V3


FLOOR


WALL

SOMANY

stylos

600 X 1200 MM




GRANDE STYLOS OTTONE CREMA FP

V3



GRANDE STYLOS OTTONE BROWN FP

V3



FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND PREMIUM


DURAGRES
Timeless Elegance

stylos


600 X 1200 MM



CHROMA BIANCO



GS CRAYON BIANCO VC



GRANDE STYLOS CREOS CREMA FP

V4



GRANDE STYLOS CREOS BROWN FP

V4

MATCHING FLOOR





WATER ABSORPTION

A_v: ≤0.08%

WEATHER RESISTANCE

CHEMICAL RESISTANCE

MOR

[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND PREMIUM

DURAGRES

Timeless Elegance

— 600 X 1200 MM —

GRANDE STYLOS CRE05 GREY LIGHT FP

V4

GRANDE STYLOS CRE05 GREY DARK FP

V4

SCAN FOR 360° VIEW

SCAN FOR 360° VIEW

FLOOR

WALL

SOMANY

stylos

600 X 1200 MM



GRANDE STYLOS FLAVIO STATUARIO FP



V4



GRANDE STYLOS LOIREN CALACATTA FP



V4

WATER ABSORPTION
Av. E ≤ 0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND PREMIUM

DURAGRES
Timeless Elegance

stylos

600 X 1200 MM



GRANDE STYLOS ROSETA CREMA FP



V3





GRANDE STYLOS ROSETA GOLD FP



V3

FLOOR WALL





600x1200MM

02 N/Box Area: 1,44 m²

CUTTING OPTIONS

2PCS 600x600MM 3PCS 200x1200MM

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND PREMIUM

DURAGRES
Timeless Elegance

stylos
LARGEST WALL TILE CONCEPT

600 X 1200 MM


GRANDE STYLOS VETRO CARRARA FP

V4

FLOOR WALL



600x1200MM



CUTTING OPTIONS



2PCS
600x600MM
3PCS
200x1200MM

02 N/Box Area: 1.44 m²

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND

DURAGRES
Timeless Elegance

VALOR

600X1200MM

NEW ARRIVAL



GRANDE VALOR ALIDA CREMA FP

V4

NEW ARRIVAL



GRANDE VALOR ALIDA LIGHT GREY FP

V4

NEW ARRIVAL



GRANDE VALOR ALIDA CAFE FP

V4

NEW ARRIVAL



GRANDE VALOR ALIDA DARK GREY FP

V4



FLOOR WALL



SOMANY

600x1200MM

02 N/Box Area: 1.44 m²

CUTTING OPTIONS

2PCS 600x600MM

3PCS 200x1200MM

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND

DURAGRES
Timeless Elegance


VALOR

600X1200MM



GRANDE VALOR CLASSIC ARMANI GREY LIGHT FP

V3



GRANDE VALOR DUMO BLUE DARK FP

V3



GRANDE VALOR CLASSIC ARMANI GREY DARK FP

V3



GRANDE VALOR DUMO BLUE LIGHT FP

V3

FLOOR WALL

SOMANY[®]

VALOR

600 X 1200 MM



GRANDE VALOR CANTOS CREMA FP

V3



GRANDE VALOR CANTOS LIGHT GREY FP

V3




GRANDE VALOR CANTOS BROWN FP

V3



GRANDE VALOR CANTOS DARK GREY FP

V3



FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND

DURAGRES[®]
Timeless Elegance



VALOR

600 X 1200 MM

NEW ARRIVAL



GRANDE VALOR AELIA GREY FP

V4



GRANDE VALOR GEA BOTTOCHINO BEIGE FP

V3



GRANDE VALOR PEZZATO BEIGE LIGHT FP

V3





600x1200MM




02 N/Box Area: 1.44 m²

CUTTING OPTIONS



2PCS 600x600MM

3PCS 200x1200MM



FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND

DURAGRES
Timeless Elegance

VALOR

600 X 1200 MM



GRANDE VALOR VELETA BROWN FP

V3



SCAN FOR
360°
VIEW



GRANDE VALOR VELETA GREY DARK FP

V3



SCAN FOR
360°
VIEW




GRANDE VALOR VELETA CREMA FP

V3



SCAN FOR
360°
VIEW



GRANDE VALOR VELETA GREY LIGHT FP

V3



SCAN FOR
360°
VIEW



FLOOR WALL



WATER ABSORPTION Av. E≤0.08%	WEATHER RESISTANCE	CHEMICAL RESISTANCE	MOR [Min. 32 N/mm ²]	INTERIOR	EXTERIOR	FINISH FULL NANO POLISHED	ABRASION RESISTANCE GROUP 3	CATEGORY DIAMOND	DURAGRES Timeless Elegance
---------------------------------	-----------------------	------------------------	-------------------------------------	----------	----------	------------------------------	--------------------------------	---------------------	--------------------------------------

VALOR

600 X 1200 MM



GRANDE VALOR PRIMA PERLA ONYX FP

V3



GRANDE VALOR STATUARIO SELECT FP

V4



GRANDE VALOR TRAVERTINO CAFE FP

V3




GRANDE VALOR TRAVERTINO MARFIL FP

V3


 FLOOR

 WALL

64




600x1200MM




02 N/ Box Area: 1.44 m²

CUTTING OPTIONS



2PCS 600x600MM

3PCS 200x1200MM



FINISH
FULL NANO POLISH/
POLISH CARVING

ABRASION RESISTANCE
GROUP 3

CATEGORY
DIAMOND

DURAGRES
Timeless Elegance

ENDLESS SERIES- FULL POLISHED

— 600 X 1200 MM —

NEW ARRIVAL



GRANDE EL ENGRAVO ARIZONA NATURAL FP

V4



SCAN FOR
360°
VIEW

NEW ARRIVAL



GRANDE EL ARIZONA NATURAL FP

V3



SCAN FOR
360°
VIEW




SOMANY

ENDLESS SERIES- FULL POLISHED

600 X 1200 MM

NEW ARRIVAL




GRANDE EL ARIA WHITE FP

V3



SCAN FOR
360°
VIEW




GRANDE EL BERNIE LIGHT GREY FP

V4



SCAN FOR
360°
VIEW



FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY


DIAMOND

DURAGRES
Timeless Elegance

ENDLESS SERIES- FULL POLISHED

600 X 1200 MM

NEW ARRIVAL



GRANDE EL DURANGO GOLD FP

V3



SCAN FOR
360°
VIEW



GRANDE EL LUMNEZIA BROWN FP

V3



SCAN FOR
360°
VIEW



FLOOR WALL

SOMANY

ENDLESS SERIES- FULL POLISHED

600 X 1200 MM



GRANDE EL LUMNEZIA BEIGE FP

V3



SCAN FOR
360°
VIEW



GRANDE EL LUMNEZIA DARK GREY FP

V3



SCAN FOR
360°
VIEW

WATER ABSORPTION
Av. E ≤ 0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND

DURAGRES
Timeless Elegance

ENDLESS SERIES- FULL POLISHED

600 X 1200 MM



GRANDE EL LUMNEZIA LIGHT GREY FP

V3



SCAN FOR
360°
VIEW



GRANDE EL MONTEREY BEIGE FP

V3



SCAN FOR
360°
VIEW

FLOOR WALL



600x1200MM




02 N/Box Area: 1.44 m²

CUTTING OPTIONS



2PCS 600x600MM

3PCS 200x1200MM



FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3


CATEGORY

DIAMOND

DURAGRES
Timeless Elegance

ENDLESS SERIES- FULL POLISHED

— 600 X 1200 MM —



GRANDE EL MONTEREY BROWN FP

V3



SCAN FOR
360°
VIEW



GRANDE EL MONTEREY DARK GREY FP

V3



SCAN FOR
360°
VIEW



SOMANY

ENDLESS SERIES- FULL POLISHED

600 X 1200 MM



GRANDE EL MONTEREY LIGHT GREY FP

V3



GRANDE EL PATRIN NATURAL FP

V4



- WATER ABSORPTION
Av. E≤0.08%
- WEATHER
RESISTANCE
- CHEMICAL
RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND


DURAGRES
Timeless Elegance



ENDLESS SERIES- FULL POLISHED

600 X 1200 MM

NEW ARRIVAL



GRANDE EL RIVOLI GREY LIGHT FP

V3



NEW ARRIVAL



GRANDE EL RIVOLI GREY DARK FP


V3



FLOOR WALL

ENDLESS SERIES- FULL POLISHED

600 X 1200 MM



GRANDE EL ROVEN CALACATTA FP

V4

- WATER ABSORPTION
Av. E≤0.08%
- WEATHER
RESISTANCE
- CHEMICAL
RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH
FULL NANO POLISHED

ABRASION RESISTANCE
GROUP 3

CATEGORY
DIAMOND

ENDLESS SERIES- FULL POLISHED

600 X 1200 MM

NEW ARRIVAL



GRANDE EL NEWARK CREMA FP

V3

NEW ARRIVAL



GRANDE EL NEWARK WHITE FP

V3





600x1200MM

02 N/ Box Area: 1,44 m²

CUTTING OPTIONS

2PCS 600x600MM

3PCS 200x1200MM



WATER ABSORPTION
Av. E≤0.08%



WEATHER
RESISTANCE



CHEMICAL
RESISTANCE



MOR
[Min. 32 N/mm²]



INTERIOR



EXTERIOR

FINISH
LAPATO

ABRASION RESISTANCE
GROUP 3

CATEGORY
DIAMOND



600 X 1200 M M

NEW ARRIVAL



SCAN FOR 360° VIEW

NEW ARRIVAL



SCAN FOR 360° VIEW



FLOOR



WALL

78

SOMANY

600 X 1200 MM



GRANDE BOTTOCHINO NEXT BEIGE FP

V3



GRANDE BOTTOCHINO NEXT CREMA FP

V3




GRANDE BRILLAR LIGHT FP

V3



GRANDE BRILLAR DARK FP

V3




FINISH
FULL NANO POLISHED

ABRASION RESISTANCE
GROUP 3

CATEGORY
DIAMOND


DURAGRES
Timeless Elegance

600 X 1200 MM




GRANDE CLAUDIA WHITE FP

V2




GRANDE CALCUTTA WHITE FP

V4



GRANDE CARRARA FP


V3



GRANDE DORCIA AQUA FP

V3





600x1200MM




02 N/Box Area: 1.44 m²

CUTTING OPTIONS



2PCS 600x600MM

3PCS 200x1200MM



FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND

DURAGRES
Timeless Elegance

600 X 1200 MM

NEW ARRIVAL



GRANDE DORGIA GREY FP

V3

NEW ARRIVAL



GRANDE DORGIA CREMA FP

V3

NEW ARRIVAL



GRANDE DORGIA BIANCO FP

V3

NEW ARRIVAL



GRANDE DORGIA BLUE FP

V3




SOMANY

600 X 1200 MM

NEW ARRIVAL



V3




V1



V3



V3



FINISH
FULL NANO POLISHED

ABRASION RESISTANCE
GROUP 3


CATEGORY
DIAMOND

DURAGRES
Timeless Elegance

600 X 1200 MM



V3



V3





600x1200MM



42 N° Box Area: 1.44 m²


CUTTING OPTIONS



2PCS 600x600MM

3PCS 200x1200MM

SOMANY



FINISH
FULL NANO POLISHED

ABRASION RESISTANCE
GROUP 3

CATEGORY
DIAMOND

DURAGRES
Timeless Elegance

600 X 1200 MM

NEW ARRIVAL




GRANDE PARKWAY NATURAL FP

V3



SCAN FOR
360°
VIEW

NEW ARRIVAL




GRANDE TREON ONYX NATURAL FP

V3



SCAN FOR
360°
VIEW

NEW ARRIVAL



GRANDE TRENTA GREY FP

V3



SCAN FOR
360°
VIEW



FLOOR WALL



600x1200MM



02 N/Box Area: 1.44 m²

CUTTING OPTIONS



2PCS 600x600MM 3PCS 200x1200MM




600 X 1200 MM



GRANDE BURL WOOD BRICH

V4







600x1200MM

CUTTING OPTIONS

02 N/Box Area: 1.44 m²

2PCS 600x600MM

3PCS 200x1200MM

WATER ABSORPTION

Av. E≤0.08%

WEATHER RESISTANCE

CHEMICAL RESISTANCE

MOR

[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

MATT/VC

ABRASION RESISTANCE

VC (25K REV. PASSED)

CATEGORY

GOLD PLUS

Timeless Elegance

HARD COAT TECHNOLOGY

600X1200MM

GRANDE LECCO CREMA VC

V1

SCAN FOR 360° VIEW

GRANDE LECCO LIGHT GREY VC

V1

SCAN FOR 360° VIEW

GRANDE LECCO GREY VC

V1

SCAN FOR 360° VIEW

GRANDE TRENZA GREY VC

V3

SCAN FOR 360° VIEW



WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

MATT CARVING

ABRASION RESISTANCE

GROUP 5

CATEGORY

GOLD IMPRESSION

DURAGRES
Timeless Elegance

600 X 1200 M M

GRANDE IMP TEMPUS BEIGE

V2

SCAN FOR 360° VIEW

GRANDE IMP NANTES GOLD

V4

SCAN FOR 360° VIEW

GRANDE IMP GORBEA WHITE


V3

SCAN FOR 360° VIEW

FLOOR

WALL

94



WATER ABSORPTION

Av. E≤0.08%

WEATHER RESISTANCE

CHEMICAL RESISTANCE

MOR

[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

MATT CARVING

ABRASION RESISTANCE

GROUP 5

CATEGORY

GOLD IMPRESSION

DURAGRES

Timeless Elegance

600 X 1200 MM

GRANDE IMP TRAESA GOLD

V3

SCAN FOR 360° VIEW

GRANDE IMP TRAESA VERDE

V3

SCAN FOR 360° VIEW

GRANDE IMP OPHELIA BEIGE

V3

SCAN FOR 360° VIEW

FLOOR

WALL

96



SOMANY

600x1200MM
02 N/Box Area: 1.44 m2

CUTTING OPTIONS

2PCS 600x600MM
3PCS 200x1200MM

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH
RUSTIC

ABRASION RESISTANCE
GROUP 5

CATEGORY
GOLD

DURAGRES
Timeless Elegance

SLIPSHIELD

600 X 1200 MM

NEW ARRIVAL



GRANDE LAVA NATURAL SS



NEW ARRIVAL



GRANDE LAVA BEIGE SS

V3





600x1200MM



0.2 m² / 8.43 sq ft Area: 1.44 m²

CUTTING OPTIONS



2PCS 600x600MM



3PCS 200x1200MM

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH
MATT

ABRASION RESISTANCE
GROUP 5

CATEGORY
SLIPSHIELD

*SLIP***SHIELD**

600 X 1200 MM

NEW ARRIVAL

SCAN FOR 360° VIEW

GRANDE MATIKA BEIGE LIGHT SS

V3

NEW ARRIVAL

SCAN FOR 360° VIEW

GRANDE MATIKA BEIGE DARK SS

V3

NEW ARRIVAL

SCAN FOR 360° VIEW

GRANDE MATIKA GREY LIGHT SS

V3

NEW ARRIVAL

SCAN FOR 360° VIEW


GRANDE MATIKA GREY DARK SS

V3

FLOOR

WALL

100





WATER ABSORPTION

A_v: ≤0.08%

WEATHER RESISTANCE

CHEMICAL RESISTANCE

MOR

[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

RUSTIC

ABRASION RESISTANCE

GROUP 5

CATEGORY

GOLD

DURAGRES

Timeless Elegance

600 X 1200 M M

SCAN FOR 360° VIEW

GRANDE CEMENTOR GREY V3

SCAN FOR 360° VIEW

GRANDE SLATE STATUARIO 01 V3

FLOOR

WALL


104

114



115

SOMANY
DURAGRES
Timeless Elegance



600X600MM



600x600MM CUTTING OPTIONS

4 N/A Box
Area: 1.44 m²

4PCS 300x300MM 4PCS 150x600MM

WATER ABSORPTION

Av. E≤0.08%

WEATHER RESISTANCE

CHEMICAL RESISTANCE

MOR

[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

LUCIDO/MATT CARVING

ABRASION RESISTANCE

GROUP 3

CATEGORY

LUCIDO/TESORO GOLD ENGRAVO

Timeless Elegance

LUCIDO

600X600MM

SCAN FOR 360° VIEW

LUCIDO EMPERADOR BRONCE FP

V3

REPLIQ

GRANDE REPLIQ ENGRAVO COLISEUM DARK GREY

V4 / CARVING MATT

GRANDE REPLIQ ENGRAVO FIOR CALCUTA

V4 / CARVING MATT

GRANDE REPLIQ ENGRAVO GAVIN CREMA

V4 / CARVING MATT

FLOOR

WALL

108



SOMANY

600x600MM
CUTTING OPTIONS
4 N/Box
Area: 1.44 m²
4PCS
300x300MM
4PCS
150x600MM

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH
FULL NANO POLISHED

ABRASION RESISTANCE
GROUP 3

CATEGORY
DIAMOND

DURAGRES
Timeless Elegance

VALOR

600X600MM



VALOR MARAIS GREY FP

V1

FLOOR WALL



WATER ABSORPTION

Av. E≤0.08%

WEATHER RESISTANCE

CHEMICAL RESISTANCE

MOR

[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND

DURAGRES

Timeless Elegance

VALOR

600 X 600 MM

VALOR ONYX BLUE FP

V1

VALOR PRIMA CALCATUX WHITE FP

V1

FLOOR

WALL

112



600x600MM
CUTTING OPTIONS
4 M/Box
Area: 1.44 m²
4PCS 300x300MM
4PCS 150x600MM

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND

DURAGRES
Timeless Elegance

600 X 600 M M

CALCUTTA WHITE FP

V4

SCAN FOR 360° VIEW

CELINO DARK FP

V2

SCAN FOR 360° VIEW

CELINO LIGHT FP

V2

SCAN FOR 360° VIEW

DAINO BEIGE FP

V3

SCAN FOR 360° VIEW

EMERALD MINT FP

V4

SCAN FOR 360° VIEW

GLACIER WHITE FP

V0

SCAN FOR 360° VIEW

FLOOR

WALL

114



SOMANY

600x600MM
4 M / Box
Area: 1.44 m²
CUTTING OPTIONS
4PCS 300x300MM
4PCS 150x600MM



KARNIS GREY LIGHT FP

V4



LARSEN WHITE FP

V4



MYRA DARK FP

V4

WATER ABSORPTION
Av. E ≤ 0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

FULL NANO POLISHED

ABRASION RESISTANCE

GROUP 3

CATEGORY

DIAMOND

DURAGRES
Timeless Elegance

600 X 600 MM



MYRA ROSE FP

V4




PRIME BOTTICCHINO BROWN FP

V3




ROSSALIA FP

V3



STATUARIO FP

V4



SEGESTA BIANCO FP

V4



GS SEGESTA GOLD FP

V4

FLOOR WALL



600x600MM

CUTTING OPTIONS

4 N/Box
Area: 1.44 m²

4PCS
300x300MM

4PCS
150x600MM

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH
LAPATO

ABRASION RESISTANCE
GROUP 3

CATEGORY
DIAMOND

DURAGRES
Timeless Elegance

600 X 600 M M

LEVIGATO HOWARD BIANCO V1

LEVIGATO HOWARD NERO V1

LEVIGATO LAMBERT BROWN V1

LEVIGATO LAMBERT CREMA V1


LEVIGATO PLAZO BIANCO SP V1

LEVIGATO PLAZO GREPHITE SP V1

FLOOR

WALL

118





SOMANY

600x600MM
CUTTING OPTIONS
4 N/Box
Area: 1.44 m²
4PCS
300x300MM
4PCS
150x600MM

WATER ABSORPTION
Av. E≤0.08%
WEATHER
RESISTANCE
CHEMICAL
RESISTANCE
MOR
[Min. 32 N/mm²]
INTERIOR
EXTERIOR

FINISH

MATT

ABRASION RESISTANCE

GROUP 5

CATEGORY

SLIPSHIELD

DURAGRES
Timeless Elegance

SLIPSHIELD

600 X 600 MM

NEW ARRIVAL



MATIKA BEIGE DARK SS

V4



SCAN FOR
360°
VIEW

NEW ARRIVAL



MATIKA BEIGE LIGHT SS

V4



SCAN FOR
360°
VIEW

NEW ARRIVAL



MATIKA GREY DARK SS

V4



SCAN FOR
360°
VIEW

NEW ARRIVAL



MATIKA GREY LIGHT SS

V4



SCAN FOR
360°
VIEW





600x600MM

CUTTING OPTIONS

4 N/Box
Area: 1.44 m²

4PCS
300x300MM

4PCS
150x600MM

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH
MATT

ABRASION RESISTANCE
VC (25K REV. PASSED)

CATEGORY
GOLD PLUS PRO

600 X 600 M M

GS DAINO BEIGE VC V3

GS DELMON BEIGE VC V1

GS DELMON GREY VC V1

GS ESCARA BEIGE VC V3

GS ESCARA GREY DARK VC V3

GS ESCARA GREY LIGHT VC V3

FLOOR

WALL


AWARDED
Superbrands
Customer Value
2023-24
For SOMANY VC SHIELD TECHNOLOGY

124

SOMANY




600 X 600 MM



GS MONTANA BIANCA VC

V1




GS MONTANA GREY VC

V1



GS LIVING STONE CREMA VC

V3



GS LARSEN WHITE VC

V4



GS SEGESTA BIANCA VC

V4

WATER ABSORPTION
Av. E ≤ 0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH
MATT

ABRASION RESISTANCE
VC (25K REV. PASSED)

CATEGORY
GOLD PLUS PRO

DURAGRES
Timeless Elegance




600 X 600 MM




GS SOLIDO CEMENT GREY VC

V0



GS SOLIDO CREMA VC

V0



GS SOLIDO WHITE VC

V0



GS VELETA CREMA VC

V4



GS VELETA GREY VC

V4



GS ALTEZA BIANCO VC

V4

FLOOR
WALL





WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

MATT CARVING

ABRASION RESISTANCE

GROUP 5

CATEGORY

GOLD IMPRESSION

DURAGRES
Timeless Elegance

600 X 600 M M

IMP OPHELIA BEIGE

V3

IMP LINUS CALACUTTA

V4

FLOOR

WALL

128



600x600MM

CUTTING OPTIONS

4 N/Box
Area: 1.44 m²

4PCS
300x300MM

4PCS
150x600MM

WATER ABSORPTION
Av. E ≤ 0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

MATT CARVING

ABRASION RESISTANCE

GROUP 5

CATEGORY

GOLD MOROCCAN

DURAGRES
Timeless Elegance

600 X 600 M M

MOROCCAN ALEAH FUSION

V1

SCAN FOR 360° VIEW

MOROCCAN CADIN FUSION

V1

SCAN FOR 360° VIEW

MOROCCAN MARTIN FUSION

V1

SCAN FOR 360° VIEW

MOROCCAN IDRIS GREY

V1

SCAN FOR 360° VIEW

MOROCCAN TIZNIT BIANCO

V1

SCAN FOR 360° VIEW

FLOOR

WALL

130



600x600MM

CUTTING OPTIONS

4 N / Box
Area: 1.44 m²

4PCS
300x300MM

4PCS
150x600MM

WATER ABSORPTION

Av. E≤0.08%

WEATHER RESISTANCE

CHEMICAL RESISTANCE

MOR

[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

MATT CARVING

ABRASION RESISTANCE

GROUP 5

CATEGORY

GOLD MOROCCAN

DURAGRES

Timeless Elegance

600X600MM

NEW ARRIVAL

SCAN FOR 360° VIEW

MOROCCAN ARTAN DARK GREY

V4

NEW ARRIVAL

SCAN FOR 360° VIEW

MOROCCAN ARTAN LIGHT GREY

V4

NEW ARRIVAL

SCAN FOR 360° VIEW

MOROCCAN COBO GREY

V4

NEW ARRIVAL

SCAN FOR 360° VIEW

MOROCCAN CORBI NERO

V4

NEW ARRIVAL

SCAN FOR 360° VIEW


MOROCCAN LINTON FUSION

V4

FLOOR

WALL

132





600x600MM

CUTTING OPTIONS

4 N/Box
Area: 1.44 m²

4PCS
300x300MM

4PCS
150x600MM

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

RUSTIC/MATT

ABRASION RESISTANCE

GROUP 5

CATEGORY

GOLD/PREMIUM

DURAGRES
Timeless Elegance

600 X 600 MM



LAVA BEIGE



V4



LAVA NATURAL



V4



FLOOR WALL

SOMANY

600 X 600 MM



ARABESQUE CREMA V1



DECOR ARABESQUE CREMA V1



PEGASUS CREMA V4

- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER
RESISTANCE
- CHEMICAL
RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH

STONE

ABRASION RESISTANCE

GROUP 5

CATEGORY

SILVER/GOLD
GOLD PREMIUM

DURAGRES
Timeless Elegance

600 X 600 MM



PEGASUS GREY DARK V4



PEGASUS GREY LIGHT V4




SEUL BEIGE V4



SEUL BROWN V4





WATER ABSORPTION

Av. E≤0.08%

WEATHER RESISTANCE

CHEMICAL RESISTANCE

MOR

[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

MATT/WOOD

ABRASION RESISTANCE

GROUP 5

CATEGORY

GOLD PLUS

DURAGRES

Timeless Elegance

VALOR

ROOFTILE

FROM DURAGRES

600X600MM

PARASOLE BIANCO

VALOR SALERNO WOOD MAHOOGNY

V4

SCAN FOR 360° VIEW

FLOOR

WALL

AWARDED Superbrands 2023-24

Consumer Value

For SOMANY VC SHIELD TECHNOLOGY

140



SOMANY

600x600MM
CUTTING OPTIONS
4 N/ Box
Area: 1.44 m²
4PCS 300x300MM
4PCS 150x600MM

WATER ABSORPTION

Av. E≤0.08%

WEATHER RESISTANCE

CHEMICAL RESISTANCE

MOR

[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

WOOD

ABRASION RESISTANCE

GROUP 5

CATEGORY

SILVER/GOLD/GOLD PLUS

DURAGRES

Timeless Elegance

600X600MM

SCAN FOR 360° VIEW

CAMARU CEDAR

V3

SCAN FOR 360° VIEW

HECTOR WOOD TEAK

V3

SCAN FOR 360° VIEW

MADERA WOOD

V4

SCAN FOR 360° VIEW

REAL WOOD MAHOGANY

V3

SCAN FOR 360° VIEW

REAL WOOD PINE

V3

SCAN FOR 360° VIEW

REAL WOOD TEAK

V3

SCAN FOR 360° VIEW

WOOD SCAPE TEAK

V4

FLOOR

WALL

142



600x600MM

CUTTING OPTIONS

4 N/ Box	4PCS	4PCS
Area: 1.44 m ²	300x300MM	150x600MM

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

MATT

ABRASION RESISTANCE

GROUP 5

CATEGORY

GOLD PLUS
SILVER/SILVER PLUS

DURAGRES
Timeless Elegance

600 X 600 M M

CHROMA BIANCO

V1

SCAN FOR 360° VIEW

CHROMA GRIS

V1

SCAN FOR 360° VIEW

CRAYON NEGRO

V1

SCAN FOR 360° VIEW

RANGER GRIS

V1

SCAN FOR 360° VIEW

FLOOR

WALL


144

SOMANY

600 X 600 M M




PIZARRA BEIGE V1



PIZARRA BIANCO V1



PIZARRA BROWN V1



PORTLAND GRIS V1



PORTLAND BIANCO V1



PORTLAND NERO V1

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH
MATT/RUSTIC

ABRASION RESISTANCE
GROUP 5

CATEGORY
GOLD

DURAGRES
Timeless Elegance

600 X 600 M M




ETHOS BEIGE V3



ETHOS COTTO V3



ETHOS GRAPHITO V3



ETHOS GREY V3

FLOOR WALL



600x600MM

CUTTING OPTIONS

4 N/Box
Area: 1.44 m²

4PCS
300x300MM

4PCS
150x600MM

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH
MATT

ABRASION RESISTANCE
VC (25K REV. PASSED)

CATEGORY
SILVER PLUS

Timeless Elegance

600X600MM

PLAZO BIANCO V1

SCAN FOR
360°
VIEW

PLAZO BEIGE V1

SCAN FOR
360°
VIEW

PLAZO GRAPHITE V1

SCAN FOR
360°
VIEW

SEGESTA GOLD VC V4

SCAN FOR
360°
VIEW

SOLIDO NERO V0

SCAN FOR
360°
VIEW

AWARDED
Superbrands
Customer Value
2023-24
For Somany VC Shield Technology

FLOOR WALL

148

158



159

SOMANY
DURAGRES
Timeless Elegance



300X300MM



WATER ABSORPTION

Av. E≤0.08%

WEATHER RESISTANCE

CHEMICAL RESISTANCE

MOR

[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

MATT

ABRASION RESISTANCE

GROUP 5

CATEGORY

GOLD

SOMANY
DURAGRES
Timeless Elegance

300 X 300 M M

V4

SCAN FOR 360° VIEW

V4

SCAN FOR 360° VIEW

V4

V1

SCAN FOR 360° VIEW

V1


SCAN FOR 360° VIEW

V1

FLOOR

WALL

152



WATER ABSORPTION

A_v E≤0.08%

WEATHER RESISTANCE

CHEMICAL RESISTANCE

MOR

[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

MATT/MATT CARVING

ABRASION RESISTANCE

GROUP 5

CATEGORY

GOLD/GOLD IMPRESSION

SOMANY

DURAGRES

Timeless Elegance

300 X 300 M M

V1

SCAN FOR 360° VIEW

VIBE IMP GLORIA

V4

SCAN FOR 360° VIEW

VIBE ASCONA COTTO

V4

SCAN FOR 360° VIEW

VIBE ASCONA MUSHROOM


V4

SCAN FOR 360° VIEW


VIBE ASCONA AZURE

FLOOR



WALL


<

CLAD STONE



300X600MM







300x600MM
5 N/Box
Area: 0.90 m²

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
(Min. 32 N/mm²)

INTERIOR

EXTERIOR

FINISH

RUSTIC MATT

ABRASION RESISTANCE

GROUP 3

CATEGORY

CLADSTONE

SOMANY
DURAGRES
Timeless Elegance

CLAD STONE

— 300 X 600 MM —

PRATO ARYA BEIGE

PRATO MARCUS NATURAL

PRATO RIPON BLACK


PRATO ELENOR BEIGE

PRATO SERENA GREY

PRATO RIPON WHITE

WALL

162



FINISH
RUSTIC MATT

ABRASION RESISTANCE
GROUP 3

CATEGORY
CLADSTONE

SOMANY
DURAGRES
Timeless Elegance

CLADSTONE

— 300 X 600 MM —



TACO ALYSSA MULTI



TACO PALMA COTTO



TACO OVIDA WHITE



TACO RENAULT BROWN





300x600MM
5 N/Box
Area: 0.90 m2

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
(Min. 32 N/mm²)

INTERIOR

EXTERIOR

FINISH
RUSTIC MATT

ABRASION RESISTANCE
GROUP 3

CATEGORY
CLADSTONE

SOMANY
DURAGRES
Timeless Elegance

CLAD STONE

— 300 X 600 MM —

SCAN FOR 360° VIEW

SCAN FOR 360° VIEW

SCAN FOR 360° VIEW

SCAN FOR 360° VIEW

SCAN FOR 360° VIEW

SCAN FOR 360° VIEW

WALL

166



SOMANY

300x600MM
5 M/Box
Area: 0.90 m²

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
(Min. 32 N/mm²)

INTERIOR

EXTERIOR

FINISH

RUSTIC MATT

ABRASION RESISTANCE

GROUP 3

CATEGORY

CLADSTONE PREMIUM

SOMANY
DURAGRES
Timeless Elegance

CLAD STONE

300 X 600 M M



BARO COLLINS BIANCO



BARO BLAIR BEIGE



BARO BLAIR COTTA



BARO BLAIR GREY



WALL

Planks




SOMANY
DURAGRES
 Timeless Elegance



196X1200MM

Planks



196x1200MM
04 N/Box Area: 0.94 m2

- WATER ABSORPTION
Av. E≤0.08%
- WEATHER
RESISTANCE
- CHEMICAL
RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH

ABRASION RESISTANCE

CATEGORY

DAZZLE

GROUP 5

DAZZLE COLLECTION

SOMANY
DURAGRES
Timeless Elegance



DAZZLE

196 X 1200 MM



STRIO DAZZLE MOHAWK WOOD TEAK



V3



STRIO DAZZLE PECAN WOOD NATURAL



V4




FLOOR

Planks



196x1200MM
04 N/Box Area: 0.94 m2



FINISH
MATT CARVING

ABRASION RESISTANCE
GROUP 5

CATEGORY
CARVING WOOD
COLLECTION

SOMANY
DURAGRES
Timeless Elegance

CARVING WOOD COLLECTION

196 X 1200 M M

NEW ARRIVAL



STRIO IMP ABBEY WOOD HAYA

V4

NEW ARRIVAL



STRIO IMP ENTICE WOOD ROJO

V4

NEW ARRIVAL



STRIO IMP LAOS WOOD NATURAL

V4

NEW ARRIVAL



STRIO IMP OLARIA WOOD PINE

V4

NEW ARRIVAL



STRIO IMP JINKOH WOOD NATURAL A & B

V4

NEW ARRIVAL



STRIO IMP WILDER WOOD ROBBLE A & B

V4



FLOOR

Planks



196x1200MM
04 N/Box Area: 0.94 m2

WATER ABSORPTION
Av. E≤0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH

MATT/WOOD

ABRASION RESISTANCE

GROUP 5

CATEGORY

EXOTIC WOOD
COLLECTION

SOMANY
DURAGRES
Timeless Elegance



EXOTIC WOOD

— 196 X 1200 M M —

HDR

SCAN FOR 360° VIEW

V4

STRIO AKIO WOOD ROBBLE

SCAN FOR 360° VIEW

V3

STRIO BENZ WOOD ROBBLE

HDR

SCAN FOR 360° VIEW

V4

STRIO BURL WOOD TEAK

SCAN FOR 360° VIEW

V3

STRIO BURL WOOD BRICH

SCAN FOR 360° VIEW

V3

STRIO HEACTOR WOOD NATURAL

SCAN FOR 360° VIEW

V3

STRIO HEACTOR WOOD TEAK



FLOOR



Planks

196x1200MM
04 N/ Box Area: 0.94 m2

- WATER ABSORPTION
Av. E≤0.08%
- WEATHER
RESISTANCE
- CHEMICAL
RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH

MATT/WOOD

ABRASION RESISTANCE

GROUP 5

CATEGORY

EXOTIC WOOD
COLLECTION

SOMANY
DURAGRES
Timeless Elegance

EXOTIC WOOD

196 X 1200 M M



STRIO ARGENT WOOD ASH

V4



Planks



196x1200MM
04 N/Box Area: 0.94 m2

- WATER ABSORPTION
Av. E≤0.08%
- WEATHER
RESISTANCE
- CHEMICAL
RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH

MATT/WOOD

ABRASION RESISTANCE

GROUP 5

CATEGORY

EXOTIC WOOD
COLLECTION

SOMANY
DURAGRES
Timeless Elegance

EXOTIC WOOD

196 X 1200 M M



STRIO ROVERE WOOD NATURAL

V4



STRIO ROVERE WOOD ROBBLE

V4



STRIO ROVERE WOOD TEAK

V4





STRIO NADIA MAHOGANY

V2



FLOOR



FINISH

SATIN MATT

ABRASION RESISTANCE

GROUP 4

CATEGORY

EXOTIC PREMIUM
WOOD COLLECTION

SOMANY
DURAGRES
Timeless Elegance

EXOTIC WOOD

— 196 X 1200 M M —



STRIO AKONA WOOD ROBBLE*

 V_{Δ} 

STRIO CANARIUM WOOD GREY

 $V\Delta$ 

STRIO CANARIUM WOOD ROBBLE

 V_{Δ} 

STRIO CANARIUM WOOD TEAK

 $\forall \Delta$ 

Planks

EXOTIC WOOD

196 X 1200 MM



STRIO NEWPORT WOOD V4/ CARVING MATT



STRIO SALIS WOOD GRIS V4



STRIO SALIS WOOD ROBBLE V4



STRIO SALIS WOOD WANGE V4


WATER ABSORPTION
Av. E≤0.08%


WEATHER
RESISTANCE


CHEMICAL
RESISTANCE


MOR
[Min. 32 N/mm²]


INTERIOR


EXTERIOR

FINISH

SATIN MATT/CARVING

ABRASION RESISTANCE

GROUP 5

CATEGORY

EXOTIC PREMIUM
WOOD COLLECTION



EXOTIC WOOD

196 X 1200 MM



STRIO TASMANIAN WOOD TEAK V4




STRIO TASMANIAN WOOD ROBBLE V4



STRIO VERANO WOOD TEAK V3

Planks



196x1200MM
04 N/ Box Area: 0.94 m2


WATER ABSORPTION
Av. E≤0.08%


WEATHER
RESISTANCE


CHEMICAL
RESISTANCE


MOR
(Min. 32 N/mm²)


INTERIOR


EXTERIOR

FINISH
MATT+HDR WOOD

ABRASION RESISTANCE
GROUP 5

CATEGORY
NATURAL ROCK COLLECTION



NATURAL ROCK

196 X 1200 M M




SCAN FOR
360°
VIEW

 V4

STRIO TRAVERTINO BEIGE




SCAN FOR
360°
VIEW

 V4

STRIO TRAVERTINO CREMA




SCAN FOR
360°
VIEW

 V3


STRIO TRAVERTINO GREY




DESIGN, PATTERN & SHADE VARIATION GUIDE

The classification is as follow:


- V0** No Variation
- V1** Minimal Variation
- V2** Slight Variation
- V3** Random Variation
- V4** Substantial Variation
- *** For Roto Color Printing Variations are marked as R1, R2 & R3




V0 No Variation




V1 Uniform appearance



V2 Slight variation



V3 Moderate variation



V4 Substantial variation




VEILCRAFT (VC) SHIELD

Not only look and style; the buzz word for the Gen X tile is timeless elegance. Here comes the revolutionary patented "VeilCraft (VC) Shield" technology, a 'high abrasion resistant glaze composition', known as VC (VeilCraft) Shield. This is the first ever patented technology in Indian Ceramic Industry. This not only gives you the perfect aesthetics for your space but also the lifelong protection to your floor.

Result Of The abrasion test at 25,000 revolutions as per the PEI Methodology



Natural Granite



Marble



Traditional Tile




VC Shield Tile



Polished Vitrified Tile

Patent Certificate to
“High Abrasion Resistant Glaze”
applied on VC Shield Tiles



Dear Business Associate,
Greetings from Somany Ceramics!

We are pleased to present the Duragres Catalogue 2024 – Unit 1. This catalogue reflects our commitment to offering excellence and showcases the magic our products can bring to any space. With exciting, user-friendly, and interactive features, including visually assisted 360-degree renders, QR codes, and state-of-the-art visuals, each page provides essential information at a glance. You will find detailed specifications such as sizes, packaging details, coverage, and technical parameters for every tile on every page. This Duragres Master Edition highlights our newly launched Slip Shield and Cladstone tiles, along with several line extensions, including Moroccan patterns and our core collections. Our tiles are enhanced with special coatings and finishes like Dazzle, Glossy, and Lapato, delivering the most realistic look and feel possible, even in print. The catalogue is also a comprehensive showcase of all our offerings. We feature an extensive collection in various finishes and sizes to meet the demands of the market. In addition to stone, wood, and marble-finish tiles, we are introducing special concept-based collections, including:

- 600x1200 mm: Tesoro, Stylos, and Valor series
- 600x600 mm: Slip Shield, Moroccan, and Terrazzo collections
- 300x600mm: Cladstone collection
- 300x300 mm: Moroccan designs
- 196X1200mm: Planks

Be sure to explore our endless collection—a perfect blend of design, inspiration, and imagination, crafted to meet evolving consumer needs. We sincerely hope you enjoy exploring our exquisite product range. We value your feedback and look forward to your suggestions for future improvements.

“Wishing you great success in your sales endeavours!”

Best Regards,

Rahul Sharma
Joint President



Ezy Fix
TILE ADHESIVE



HIGH STRENGTH POLYMER MODIFIED TILE ADHESIVE

BENEFITS

- » READY AND EASY TO USE
- » EXCELLENT BONDING WITH ALL SURFACES
- » FAST SETTING
- » SELF-CURING

USES

- » FOR FIXING ALL TYPE OF TILES
- » FOR NEW FLOORING AND RENOVATION
- » CAN BE USED FOR TILE ON TILE



Our
PORTFOLIO



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

PACKAGING DETAILS FOR DURAGRES WALL & FLOOR TILES

Nominal Size (mm)	No. of tiles per carton	Avg. Wt. (kg) per carton	Coverage Area per carton
300x300MM	10	15.0	0.90 Sq.mt. / 9.69 Sq.Ft.
196x1200MM	4.0	17.5	0.94 Sq.mt. / 10.12 Sq.Ft.

TECHNICAL SPECIFICATION FOR DURAGRES WALL & FLOOR TILES

Characteristics	Requirement as per ISO 13006 : 2018 Ev≤0.5% Group B1a (Annex G)	Our Value	Test Method
A) Dimensions & surface quality			
i) Length & Width	± 0.30%	± 0.10%	ISO-10545-2
ii) Thickness	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.30%	± 0.10%	
iv) Rectangularity	± 0.30%	± 0.10%	
v) Surface Flatness			
a) Center Curvature(%) (Max.Deviation)	± 0.40%	± 0.35%	
b) Edge Curvature(%) (Max.Deviation)	± 0.40%	± 0.35%	
c) Corner Warpage(%) (Max.Deviation)	± 0.40%	± 0.35%	
vi) Surface Quality	Min. 95% of tiles will be free from visible defects	Min. 95% of tiles will be free from visible defects	
B) Physical Properties			
i) Water Absorption	Av. ≤0.5 %, Individual 0.6% max	Av 0.30%	ISO 10545-3
ii) Modulus of Rupture in [N/mm²]	Av. 35, Individual 32 Min	Avg-36	SO 10545-4
iii) Breaking Strength in N	1300	Min 1400	
iv) Moisture Expansion in mm/m	Test method available	Max 0.02	ISO-10545-10
v) Scratch Hardness of surface (Mohs)	N.A	Min 5	IS 13630 Part 13
vi) Resistance to Abrasion of glazed tiles (Class I to V)	Report Abrasion Class & cycle passed	Class IV (for Non VC).	ISO 10545-7
vii) Coefficient of linear thermal expansion from embiant temperature to 100° C	Test method available	Max 5 X 10 ⁻⁴ K ⁻¹ max	ISO 10545-8
viii) Thermal Shock Resistance	Test method available	10 cycle passed	ISO-10545-9
ix) Crazing Resistance	Required	4 cycle passed	/ISO 10545-11
x) Impact Resistance as Co-efficient of Restitution(COR)	Test method available	≥0.65	ISO 10545-5
xi) Bulk Density (gm/cc)	N.A	2.3	IS 13630 Part 2
xii) Coefficient of Friction	Where required manufacturer to declare value	Depends upon Glazed surface	ISO 10545-17
xiii) Forst Resistance	Required	100 cycle passed	ISO 10545-12
C) Chemical Resistance			
i) Stain Resistance	Min Class -3	Min Class-1	ISO 10545-14
ii) Resistance to household chemicals	Min Class B	Min Class AA	ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Manufacturer is to state classification	Min Class AA	

PACKAGING DETAILS FOR DURAGRES WALLTILES

Nominal Size(mm)	No. of tile per carton	Avg. Wt.(kg) per carton	Coverage area per carton
300X600MM CLADSTONE	5	19	0.90 sq.mtr. / 9.687 sq. ft.

TECHNICAL SPECIFICATION FOR DURAGRES WALL TILES

Characteristics	Requirement as per IS 15622 :2017 Avrage 0.08<E≤3% Group B1b	Requirement as per IS 13006 0.5% < E.≤ 3%-Group B1b(Annex H)	OUR VALUE	Test Method
A. Dimension & Surface Quality				
i Length & Width	± 0.10%	± 0.30%	± 0.10%	IS 13630 Part 1/ ISO 10545-2
ii Thickness	± 5.0%	± 5.0%	± 4.0%	
iii Straightness of Side	± 0.10%	± 0.30%	± 0.10%	
iv Rectangularity	± 0.10%	± 0.30%	± 0.10%	
v Surface Flatness				
a Center curvature (%) (max. Deviation)	± 0.50%	± 0.40%	± 0.2%	
b Edge curvature (%) (max. Deviation)	± 0.50%	± 0.40%	± 0.2%	
c Corner warpage %(max. Deviation)	± 0.50%	± 0.40%	± 0.2%	
vi Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
A Physical Properties				
i Water Absorption	Av E≤0.8 %, Individual 0.1 max	Av 0.05 EV ≤ 3%, Individual 3.3% Max	Av ≤ 3.0%	IS 13630 Part 2/ ISO 10545-3
ii Modulus of Rupture [N/mm2]	Av 30, Individual 27 min	Av 30, Individual 27 min	Avg. 35 min	IS 13630 Part 6/ISO 10545-4
iii Breaking Strength in N	1100	1100	Min. 1200	
iv Moisture Expansion in mm/m	0.02	Test Method Available	Max. 0.02	IS 13630 Part 3/ ISO 10545-10
v Scratch Hardness of surface (Mohs)	Min 5	N/A	4-5 (depends on surface)	IS 13630 Part 13
vi Coefficient of linear thermal expansion from embiant temperature to 100° C	7 X 10 ⁻⁴ K ⁻¹ max	Test Method Available	Max 5 X 10 ⁻⁴ K ⁻¹	IS 13630 Part 4/ ISO 10545-8
vii Thermal Shock Resistance	10 cycle min	Test Method Available	10 Cycle passed	IS 13630 Part 5/ ISO 10545-9
viiiCrazing Resistance	4 cycle @ 7.5 bar min	Required	4 Cycle passed	IS 13630 Part 9/ISO 10545-11
ix Impact Resistance as Co-efficient of Restitution (COR)	0.55 Min.	Test Method Available	0.60-0.70	IS 13630 Part 14/ISO 10545-5
x Bulk Density (gm/cc)	2.0	N.A.	Avg. 2.0	IS 13630 Part 2
xi Frost Resistance	Required	Required	100 Cycle passed	IS 13630 Part 10/ISO 10545-12
A Chemical Resistance				
i Stain Resistance	Min Class 1	Min Class 3	Min Class-1 Min Class-3	IS 13630 Part 8/ISO 10545-14
ii Resistance to household chemicals	Min Class AA	Min Class B	Min Class AA	IS 13630 Part 8/ISO 10545-13
iii Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Manufacturer is to state classification	Min Class AA	

PACKAGING DETAILS FOR DURAGRES WALL & FLOOR TILES

Nominal Size (mm)	No. of tiles per carton	Avg. Wt. (kg) per carton	Coverage Area per carton
600x600MM	4.0	26.0	1.44 Sq.mt. / 15.50 Sq.Ft.
600x1200MM	2.0	27.0	1.44 Sq.mt. / 15.50 Sq.Ft.

TECHNICAL SPECIFICATION FOR DURAGRES WALL & FLOOR TILES

Characteristics	Requirement as per IS 15622 : 2017 E≤0.08% Group B1a	Requirement as per ISO 13006 : 2018 Ev≤0.5% Group B1a (Annex G)	Our Value	Test Method
A) Dimensions & surface quality				
i) Length & Width	± 0.10%	± 0.30%	± 0.10%	IS 13630 Part 1/ISO-10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.10%	± 0.30%	± 0.10%	
iv) Rectangularity	± 0.10%	± 0.30%	± 0.10%	
v) Surface Flatness				
a) Center Curvature(%) (Max.Deviation)	± 0.50%	± 0.40%	± 0.2	
b) Edge Curvature(%) (Max.Deviation)	± 0.50%	± 0.40%	± 0.2	
c) Corner Warpage(%) (Max.Deviation)	± 0.50%	± 0.40%	± 0.2	
vi) Surface Quality	Min. 95% of tiles will be free from visible defects	Min. 95% of tiles will be free from visible defects	Min. 95% of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Av. E ≤0.08%, Individual 0.1 max	Av. ≤0.5 %, Individual 0.6% max	Av 0.08 %	IS 13630 Part 2/ISO 10545-3
ii) Modulus of Rupture in [N/mm ²]	Av. 35, Individual 32 Min	Av. 35, Individual 32 Min	Avg-36,	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1300	1300	1400 Min	
iv) Moisture Expansion in mm/m	0.02	Test method available	Max 0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N.A.	4-6 (Depends on surface)	IS 13630 Part 13
vi) Resistance to Abrasion of glazed tiles (Class I to V)	Min II	Report Abrasion Class & cycle passed	Class V (for VC), Class IV (for Non VC), Class III (For polished)	IS 13630 Part 11/ISO-10545-7
vii) Coefficient of linear thermal expansion from ambient temperature to 100° C	6 X 10 ⁻⁶ K ⁻¹ max	Test method available	Max 5 X 10 ⁻⁶ K ⁻¹	IS 13630 Part 4/ISO-10545-8
viii) Thermal Shock Resistance	10 cycle Min	Test method available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
ix) Crazeing Resistance	4 cycle @ 7.5bar min.	Required	4 cycle passed	IS 13630 Part 9/ISO-10545-11
x) Impact Resistance as Co-efficient of Restitution(COR)	Min 0.55	Test method available	≥0.65	IS 13630 Part 14/ISO-10545-5
xi) Bulk Density (gm/cc)	2.2	N.A	2.3	IS 13630 Part 2
xii) Coefficient of Friction	Where required manufacturer to declare value	Where required manufacturer to declare value	Depends upon Glazed surface	ISO 10545-17
xiii) Forst Resistance	Required	Required	100 cycle passed	IS 13630 Part 10/ISO-10545-12
C) Chemical Resistance				
i) Stain Resistance	Min Class -1	Min Class -3	Min. Class-1/Class-3	IS 13630 Part 8/ISO-10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class B	Min Class AA	IS 13630 Part 8/ISO-10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Manufacturer is to state classification	Min Class AA	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see physical sample before placing the order *Technical specifications for Somany Duragres tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation, company will not entertain complaints, once the tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs. *GVT tiles have resistance to most of the stains and chemicals, but it is recommended to take care during laying and everyday maintenance.



NOTES