

ACCREDITATIONS



Somany Ceramics Limited : Noida: F-36, Sector- 6; Ph.: 0120-4627900.
Ahmedabad: 601 TO 606, 6th Floor, Alps Euphoria, Opp. Adani CNG Pump, B/S. Gota Flyover, S G Highway, AHMEDABAD – 382481
 Mobile Landline: 7303597773 & 7303597774
 Registered office: 2, Red Cross Place, Kolkata- 700001, Ph: (033) 224874006/5913.
www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic



DURAGRES
 Timeless Elegance



ZAMEEN SE JUDEY

DURAGRES PORTFOLIO 2023

GLAZED
 VITRIFIED
 TILES
 COLLECTION

UNIT 1 NORTH ZONE/EAST ZONE

SP/SOM/DURAGRES/MASTER-6/CAT/04-23/3K/C&N



Who we are

With a humble beginning in 1969, Somany Ceramics Limited has been a front-runner serving millions of customers worldwide. Riding high on Late Shri H. L. Somany's dream, the company not only achieved unparalleled success, but also established its presence as an unchallenged leader in the Indian tiles sector.

Catering to the needs of its esteemed customers, Somany has always tried to relentlessly set benchmarks and create trends in home interior segment. Brand Somany has captured the memories of millions of its customers in their joy and emotions, and the brand love it enjoys is its true testimony.

Somany Ceramics has 11 manufacturing facilities spread across India, catering to the domestic as well as international demand. It has cemented its position in the industry as the producer of highest quality of ceramic glazed tiles, vitrified tiles, sanitary ware or porcelain floor tiles. Somany started off with a clear distinctive position, that of being innovative, distinctive and close to its customers.

To sustain a dream of such a magnitude, it is always important to stay ahead of the time. This truth, realized by Late Shri H.L. Somany is still being executed through continuous innovation, ignited with a passion of excellence.

With Late Shri H. L. Somany as Founder, Shri Shreekant Somany as the CMD and Shri Abhishek Somany as the MD and CEO, the company is heading towards an unprecedented expansion and growth.





Tiles for every Corner

Somany Ceramics uses advanced manufacturing techniques and state-of-the-art technology to produce tiles that meet international quality standards. This unique collection of tiles brings together the unique combination of strength, durability and variety that adds an everlasting touch of luxurious finesse to the interiors.

One of the things that sets Somany Ceramics apart is our commitment to both style and quality. Our tiles are available in a wide range of colours, patterns, and finishes, so you can choose the perfect option to complement your unique sense of style. Crafted through extensive research, these tiles provide exquisite designs and fit. The range is extensive including Lucido, Dazzle, Metal, Wood et all providing choices inspired by nature, contemporary design or classic timeless design, we have something for everyone.

But we know that looks aren't everything - which is why we also prioritize durability and longevity. Our tiles are made to withstand the wear and tear of everyday life, whether you have kids running around, pets scratching at the floor, or just a lot of foot traffic in your home. You can trust that our tiles will continue to look great for years to come, making them a smart investment in your home's value.

CONTENTS

01 600X1200MM

69 600X600MM


109 300X300MM

121 196X1200MM

FINISHING TOUCH.



LUCIDO FINISH



FULL NANO POLISHED



LAPATO FINISH



DAZZLE FINISH



ENGRAVO MATT FINISH



WOOD FINISH



RUSTIC FINISH




STONE FINISH



VELVET FINISH

INSIDE PAGE GUIDE




*Scan QR codes for 360-degree views on our fast-moving sku.



600X1200MM

SATIN/RUSTIC/WOOD/FULL POLISHED/MATT/LUCIDO/STONE/VELVET





FINISH
VELVET

ABRASION RESISTANCE
GROUP 3

CATEGORY
GOLD VELVET



GRANDE VELVET STATUARIO VENATO

V4




GRANDE VELVET NUVOLATO VERDE

V4




GRANDE VELVET INEDITA NERO

V3






LUCIDO



GRANDE LUCIDO ARGUS BLACK FP V3



GRANDE LUCIDO ARGUS BLACK DECORE FP V1



MATCHING FLOOR

Lapato



LEVIGATO HOWARD NERO -600X600MM

600x1200MM

CUTTING OPTIONS


2 PCS 600x600MM	3 PCS 196x1200MM
--------------------	---------------------

02 N/ Box Area: 1.44 m²



LUCIDO

LUCIDO




GRANDE LUCIDO PORTORO GOLD FP

V3




GRANDE LUCIDO PULPIS BRONCE FP

V3



GRANDE LUCIDO EMPERADOR BRONCE FP

V4



GRANDE LUCIDO TIGNER NERO FP

V3

600x1200MM




02 N/ Box Area: 1.44 m²

CUTTING OPTIONS



2 PCS 600x600MM



3 PCS 196x1200MM




FLOOR WALL




- WATER ABSORPTION
 Av. E ≤ 0.08%
- WEATHER
 RESISTANCE
- CHEMICAL
 RESISTANCE
- MOR
 [Min. 32 N/mm²]
- INTERIOR
 EXTERIOR

FINISH: LUCIDO
 ABRASION RESISTANCE: GROUP 3
 CATEGORY: LUCIDO


LUCIDO



GRANDE LUCIDO TELENDOS BLUE V4



GRANDE LUCIDO TELENDOS BROWN V4



GRANDE LUCIDO TELENDOS BLACK V4



600x1200MM

CUTTING OPTIONS

2 PCS 600x600MM	3 PCS 196x1200MM
--------------------	---------------------

02 N/ Box Area: 1.44 m²





- WATER ABSORPTION
 Av. E ≤ 0.08%
- WEATHER
 RESISTANCE
- CHEMICAL
 RESISTANCE
- MOR
 [Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH: SATIN POLISH
 ABRASION RESISTANCE: GROUP 3
 CATEGORY: GOLD SATIN

SATIN POLISH



GRANDE ARENISCA BEIGE SATIN

V2



GRANDE ARENISCA GREY SATIN

V2



GRANDE ARENISCA MIST

V2



FLOOR WALL

600x1200MM

02 N/ Box Area: 1.44 m²

CUTTING OPTIONS

2 PCS 600x600MM

3 PCS 196x1200MM

stylos



GRANDE STYLOS PREXURY SKY BLUE V3



GRANDE STYLOS PREXURY SKY BLUE DECOR V1




stylos

LARGEST WALL TILES CONCEPT



GRANDE STYLOS ALONZA BOTTICHINO DECOR FP V1



CHROMA BIANCO



GRANDE STYLOS ALONZA BOTTICHINO FP V3



GS CRAYON BIANCO VC


MATCHING FLOOR

stylos


LARGEST WALL TILES CONCEPT




GRANDE STYLOS SVENELTO FUSION BLUE V4



GRANDE STYLOS VETRI GOLD V4



GRANDE STYLOS ARAUCO VEINS V3



stylos
LARGEST WALL TILES CONCEPT



GRANDE STYLOS ARLES CAFE DECOR FP V1




GRANDE STYLOS ARLES MARFIL FP V3



GRANDE STYLOS ARLES CAFE FP V3





CHROMA BIANCO



GS CRAYON BIANCO VC

MATCHING FLOOR



GRANDE STYLOS CREOS BROWN DECOR FP V1



GRANDE STYLOS CREOS CREMA FP V4



GRANDE STYLOS CREOS BROWN FP V4



GRANDE STYLOS CREOS GREY DECOR A FP V2




GRANDE STYLOS CREOS GREY DECOR B FP V2



GRANDE STYLOS CREOS GREY LIGHT FP V4




GRANDE STYLOS CREOS GREY DARK FP V4



stylos
 LARGEST WALL TILES CONCEPT


stylos

LARGEST WALL TILES CONCEPT



GRANDE STYLOS FLAVIO STATUARIO DECOR FP

V3



GRANDE STYLOS FLAVIO STATUARIO FP

V4



GRANDE STYLOS LOIREN CALACATTA DECOR A FP

V3



GRANDE STYLOS LOIREN CALACATTA DECOR A FP

V3



GRANDE STYLOS LOIREN CALACATTA FP

V4

600x1200MM



CUTTING OPTIONS



FLOOR WALL

stylos
LARGEST WALL TILES CONCEPT



GRANDE STYLOS OTTONE DECOR FP



V1



GRANDE STYLOS OTTONE CREMA FP



V3



GRANDE STYLOS OTTONE BROWN FP



V3



stylos

LARGEST WALL TILES CONCEPT



GRANDE STYLOS MARMOLEUM OCEAN BLUE DECOR FP

V1



GRANDE STYLOS MARMOLEUM OCEAN BLUE LIGHT FP

V3



GRANDE STYLOS MARMOLEUM OCEAN BLUE DARK FP

V3



SCAN FOR 360° VIEW

stylos

LARGEST WALL TILES CONCEPT



GRANDE STYLOS ROSETA GOLD DECORE FP

V1



GRANDE STYLOS ROSETA CREMA FP

V3



GRANDE STYLOS ROSETA GOLD FP

V3



SCAN FOR 360° VIEW

600x1200MM



02 N/ Box Area: 1.44 m²

CUTTING OPTIONS



2PCS 600x600MM



3PCS 196x1200MM



FLOOR WALL

stylos



GRANDE STYLOS NEO ROSETA GREY DECOR FP

V1



GRANDE STYLOS ROSETA LIGHT GREY FP

V3



GRANDE STYLOS ROSETA DARK GREY FP

V3



600x1200MM

CUTTING OPTIONS



stylos
LARGEST WALL TILES CONCEPT



GRANDE STYLOS VETRO CARRARA DECOR FP

V3



GRANDE STYLOS VETRO CARRARA DECOR FP

V3





GRANDE STYLOS VETRO CARRARA FP

V4



GRANDE STYLOS MASSA ONYX BROWN

V4




SCAN FOR 360° VIEW



SCAN FOR 360° VIEW

NEW ARRIVAL



FINISH: FULL NANO POLISHED

ABRASION RESISTANCE: GROUP 3

CATEGORY: DIAMOND

VALOR




GRANDE VALOR CANTOS CREMA FP V3



GRANDE VALOR CANTOS LIGHT GREY FP V3



GRANDE VALOR CANTOS BROWN FP V3



GRANDE VALOR CANTOS DARK GREY FP V3



VALOR

VALOR



GRANDE VALOR CLASSIC ARMANI GREY LIGHT FP V3



GRANDE VALOR DUMO BLUE DARK FP V3



GRANDE VALOR PRIMA BRECCIA BEIGE FP V3



GRANDE VALOR CLASSIC ARMANI GREY DARK FP V3




GRANDE VALOR DUMO BLUE LIGHT FP V3



GRANDE VALOR GEA BOTTOCHINO BEIGE FP V3



GRANDE VALOR PRIMA PERLA ONYX FP V3



VALOR

VALOR



GRANDE VALOR PEZZATO BEIGE LIGHT FP

V3



GRANDE VALOR STATUARIO SELECT FP

V4



GRANDE VALOR VELETA BROWN FP

V3



GRANDE VALOR VELETA GREY DARK FP

V3



GRANDE VALOR TRAVERTINO CAFE FP

V3



GRANDE VALOR TRAVERTINO MARFIL FP

V3




GRANDE VALOR VELETA CREMA FP

V3



GRANDE VALOR VELETA GREY LIGHT FP

V3






- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER RESISTANCE
- CHEMICAL RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH: FULL NANO POLISHED
 ABRASION RESISTANCE: GROUP 3
 CATEGORY: DIAMOND

VALOR



NEW ARRIVAL

GRANDE VALOR ALPAS TRAVERTINO GREY FP

V3

600x1200MM


02 N/ Box Area: 1.44 m²

CUTTING OPTIONS


2PCS 600x600MM

3PCS 196x1200MM






INVERSO





GRANDE BEAM ONYX FP A,B

V1



INVERSO



GRANDE LUCIDO BLUE RIPPLE FP A,B

V1

GRANDE LUCIDO WAVELATE FP A,B

V1


INVERSO




GRANDE ESPEJO A,B

V1





INVERSO



GRANDE ICARIA GREY MIRROR FP A,B

V1






V3



V3



V3



V1




V3



V3



V3





V3



V3



V2



V4




V3



V3



V3





SCAN FOR 360° VIEW



SCAN FOR 360° VIEW

GRANDE ROSSO PEZZATO FP V3

GRANDE STATURIO FP V3



SCAN FOR 360° VIEW




SCAN FOR 360° VIEW

GRANDE TRAVERTINO BEIGE FP V3

GRANDE TRAVERTINO GREY FP V3



GRANDE TRAVERTINO NEXT CREMA FP V2



FLOOR WALL

ENGRAVO



GRANDE IMP INGRESSO BEIGE

V2



GRANDE IMP CHIMERA WOOD ROBBLE

V3



SCAN FOR
360°
VIEW



GRANDE IMP CHIMERA WOOD PINE

V3



SCAN FOR
360°
VIEW



GRANDE IMP CHIMERA WOOD TEAK

V3



SCAN FOR
360°
VIEW

ENGRAVO



GRANDE IMP TEMPUS BEIGE

V2



SCAN FOR
360°
VIEW



GRANDE IMP NANTES GOLD

V4



SCAN FOR
360°
VIEW



GRANDE IMP CARNIA GOLD

V3



SCAN FOR
360°
VIEW

600x1200MM



02 N/ Box Area: 1.44 m²

CUTTING OPTIONS



2 PCS
600x600MM



3 PCS
196x1200MM



FLOOR WALL



- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER RESISTANCE
- CHEMICAL RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH: MATT/ENGRAVO
 ABRASION RESISTANCE: GROUP 5
 CATEGORY: GOLD IMPRESSION

ENGRAVO



GRANDE IMP OPHELIA BEIGE V3




GRANDE IMP GORBEA WHITE V3



GRANDE IMP INTRUSION WHITE V4



ENGRAVO



GRANDE IMP CORNICE GREY V3



GRANDE IMP TRAESA GOLD V3



SCAN FOR 360° VIEW



GRANDE IMP TRAESA VERDE V3




SCAN FOR 360° VIEW

ENGRAVO




GRANDE IMP CAVALETO GREY V4




GRANDE IMP VORNOF METAL V4



SCAN FOR 360° VIEW



GRANDE IMP URBEX BROWN V3






GRANDE GS CAVIAR BEIGE LIGHT VC

V3



GRANDE GS ESCARA GREY LIGHT VC

V3




GRANDE GS SOLIDO WHITE VC


V0

NEW ARRIVAL

600x1200MM



CUTTING OPTIONS




02 N/ Box Area: 1.44 m²

2PCS 600x600MM

3PCS 196x1200MM






GRANDE GS BEZONS GREY LIGHT VC V3



GRANDE GS BEZONS GREY DARK VC V3




GRANDE LECCO CREMA VC V1



GRANDE LECCO LIGHT GREY VC V1



GRANDE LECCO GREY VC V1



GRANDE LECCO DARK GREY VC V1





- WATER ABSORPTION
 Av. E ≤ 0.08%
- WEATHER
 RESISTANCE
- CHEMICAL
 RESISTANCE
- MOR
 [Min. 32 N/mm²]
- INTERIOR
 EXTERIOR

FINISH
 WOOD

ABRASION RESISTANCE
 GROUP 5

CATEGORY
 GOLD/GOLD PREMIUM



GRANDE CELLO WOOD NATURAL



V3



GRANDE BURL WOOD BRICH




V4









GRANDE BURL WOOD TEAK

V4





- 
 WATER ABSORPTION
 Av. E ≤ 0.08%
- 
 WEATHER
 RESISTANCE
- 
 CHEMICAL
 RESISTANCE
- 
 MOR
 [Min. 32 N/mm²]
- 
 INTERIOR
- 
 EXTERIOR

FINISH
WOOD

ABRASION RESISTANCE
GROUP 5

CATEGORY
GOLD/GOLD PREMIUM

NEW ARRIVAL



GRANDE BERNES WOOD CHERRY


V4

NEW ARRIVAL



GRANDE BERNES WOOD PINE

V4





GRANDE LAVA BEIGE

V4



GRANDE LAVA NATURAL

V4



GRANDE PEGASUS CREMA

V3



GRANDE PEGASUS GREY LIGHT

V3







600x1200MM

CUTTING OPTIONS

2PCS
600x600MM
 3PCS
195x1200MM

02 N/Box Area: 1.44 m²



- 
 WATER ABSORPTION
 Av. E ≤ 0.08%
- 
 WEATHER
 RESISTANCE
- 
 CHEMICAL
 RESISTANCE
- 
 MOR
 [Min. 32 N/mm²]
- 
 INTERIOR
- 
 EXTERIOR

FINISH
RUSTIC

ABRASION RESISTANCE
GROUP 5

CATEGORY
GOLD



GRANDE CEMENTOR GREY

V3



NEW ARRIVAL

GRANDE KRISTALUS LIGHT GREY

V3




NEW ARRIVAL

GRANDE KRISTALUS DARK GREY

V3

600x1200MM



02 N/ Box Area: 1.44 m²

CUTTING OPTIONS



2PCS
600x600MM



3PCS
196x1200MM



FLOOR WALL



600X600MM

LAPATO/RUSTIC/WOOD/FULL POLISHED/MATT/LUCIDO/STONE






- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER RESISTANCE
- CHEMICAL RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH
LUCIDO

ABRASION RESISTANCE
GROUP 3

CATEGORY
LUCIDO

LUCIDO



LUCIDO EMPERADOR BRONCE FP V3

600x600MM CUTTING OPTIONS

4 N/Box Area: 1.44 m²

4 PCS 300x300MM

3 PCS 150x600MM





- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER RESISTANCE
- CHEMICAL RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH: FULL NANO POLISHED
 ABRASION RESISTANCE: GROUP 3
 CATEGORY: DIAMOND

VALOR



VALOR MARAIS GREY FP V1

600x600MM | CUTTING OPTIONS


4 W/ Box
Area: 1.44 m²

4 PCS
300x300MM

3 PCS
150x600MM



VALOR




VALOR ONYX BLUE FP V1


VALOR



VALOR ONYX DIANO FP V1



VALOR




VALOR NIKOI NATURAL FP V1

VALOR



VALOR PRIMA CALCATUX WHITE FP V1




VALOR PRIMA ELEGANSO GOLD FP V1



VALOR PRIMA ONIXERA CREMA FP V1

600x600MM | CUTTING OPTIONS
 4 N/ Box
Area: 1.44 m²
 4 PCS | 3 PCS




FINISH
 FULL NANO POLISHED

ABRASION RESISTANCE
 GROUP 3

CATEGORY
 DIAMOND



ALBASTRO HONEY FP V3



BLOOM NATURAL FP V4




CALCUTTA WHITE FP V4



CELINO DARK FP V2



CELINO LIGHT FP V2



LARSEN WHITE FP V4



600x600MM
 Area: 1.44 m²

CUTTING OPTIONS
 4 W/ Box 300x300MM
 4 PCS
 3 PCS 150x600MM





DAINO BEIGE FP V3



EMERALD MINT FP V4




GLACIER WHITE FP V0



MYRA ROSE FP V4



MYRA DARK FP V4



STATUARIO FP V4



IMPERIAL DIANO BEIGE FP V3




IMPERIAL DIANO GREY FP V3



KARNIS GREY LIGHT FP V4



PRIME BOTTICHI NO BROWN FP V3




ROSSALIA FP V3









SEGESTA BIANCO FP V4



SEGESTA GOLD FP V4





- 
WATER ABSORPTION
Av. E ≤ 0.08%
- 
WEATHER
RESISTANCE
- 
CHEMICAL
RESISTANCE
- 
MOR
[Min. 32 N/mm²]
- 
INTERIOR
- 
EXTERIOR


FINISH
LAPATO

ABRASION RESISTANCE
GROUP 3

CATEGORY
DIAMOND



LEVIGATO HOWARD BIANCO V1



LEVIGATO HOWARD NERO V1



LEVIGATO LAMBERT AZURE V1



LEVIGATO LAMBERT BROWN V1



LEVIGATO LAMBERT CREMA V1



LEVIGATO PLAZO BIANCO SP V1



LEVIGATO PLAZO GREPHITE SP V1



600x600MM CUTTING OPTIONS
 4 N/Box Area: 1.44 m²
 4PCS 300x300MM
 3PCS 150x600MM



ENGRAVO






ENGRAVO




IMP ANTONIA BIANCO V4



IMP ANTONIA GREY V4



IMP LINUS CALACUTTA V4



IMP OPHELIA BEIGE V3




IMP TERISTA CAFÉ V3



IMP TERISTA PERLA V3

600x600MM CUTTING OPTIONS
 4 N/Box Area: 1.44 m²
 4PCS 300x300MM
 3PCS 150x600MM



FINISH: MATT/WOOD
 ABRASION RESISTANCE: GROUP 5
 CATEGORY: GOLD PLUS


VALOR



VALOR SALERNO WOOD TEAK V4



VALOR SALERNO WOOD MAHOGNY V4





WOOD SCAPE TEAK



CAMARU CEDAR



HECTOR WOOD TEAK



MADERA WOOD



REAL WOOD MAHOGANY



REAL WOOD PINE









REAL WOOD TEAK

600x600MM | CUTTING OPTIONS

4 N/Box
Area: 1.44 m²
 4 PCS
300x300MM
 3 PCS
150x600MM





- 
 WATER ABSORPTION
 Av. E ≤ 0.08%
- 
 WEATHER
 RESISTANCE
- 
 CHEMICAL
 RESISTANCE
- 
 MOR
 [Min. 32 N/mm²]
- 
 INTERIOR
- 
 EXTERIOR

FINISH
STONE

ABRASION RESISTANCE
GROUP 5

CATEGORY
GOLD PLUS/PREMIUM



LAVA BEIGE V4



LAVA NATURAL V4

600x600MM
4 N/Box
Area: 1.44 m²

CUTTING OPTIONS

4 PCS
300x300MM

3 PCS
150x600MM



- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER RESISTANCE
- CHEMICAL RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH
STONE

ABRASION RESISTANCE
GROUP 5

CATEGORY
SILVER/GOLD
GOLD PREMIUM



ARABESQUE CREMA V1



DECOR ARABESQUE CREMA V1



PEGASUS GREY DARK V4



PEGASUS GREY LIGHT V4



PEGASUS BEIGE V4




PEGASUS CREMA V4




SEUL BEIGE V4



SEUL BROWN V4





FINISH
RUSTIC

ABRASION RESISTANCE
GROUP 5

CATEGORY
GOLD PREMIUM



PIZARRA BEIGE V1



PIZARRA BIANCO V1




PIZARRA BROWN V1



PORTLAND GRIS V1



PORTLAND BIANCO V1



PORTLAND NERO V1



600x600MM CUTTING OPTIONS

4 N/Box
Area: 1.44 m²

4 PGS
300x300MM

3 PGS
150x600MM

TERRAZZO SERIES



ETHOS BEIGE V3



ETHOS COTTO V3



ETHOS GRAPHITO V3




ETHOS GREY V3




TERRAZZO ETON BEIGE V1









TERRAZZO ETON BIANCO V1



TERRAZZO MORLEY GREY V1





- 
WATER ABSORPTION
Av. E ≤ 0.08%
- 
WEATHER
RESISTANCE
- 
CHEMICAL
RESISTANCE
- 
MOR
[Min. 32 N/mm²]
- 
INTERIOR
- 
EXTERIOR


FINISH
MATT

ABRASION RESISTANCE
VC (25K REV. PASSED)

CATEGORY
GOLD PLUS PRO




GS DAINO BEIGE VC V3



GS DELMON BEIGE VC V1



GS DELMON GREY VC V1



GS ESCARA BEIGE VC V3



GS ESCARA GREY DARK VC V3



GS ESCARA GREY LIGHT VC V3



FLOOR WALL

600x600MM CUTTING OPTIONS
 4 N/Box Area: 1.44 m²
 4 PCS 300x300MM
 3 PCS 150x600MM



GS MONTANA BIANCA VC V1



GS MONTANA GREY VC V1



GS LIVING STONE CREMA VC V3




GS SEGESTA BIANCA VC V4



GS SEGESTA GOLD VC V4



GS STAR WOOD VC V1




GS LARSEN WHITE VC V4




GS CRAYON BIANCO VC V1



GS SOLIDO CEMENT GREY VC V0



GS SOLIDO CREMA VC V0









GS SOLIDO WHITE VC V0

600x600MM | CUTTING OPTIONS

4 Pcs / Box Area: 1.44 m²
 4 Pcs 300x300MM
 3 Pcs 150x600MM





- 
 WATER ABSORPTION
 Av. E ≤ 0.08%
- 
 WEATHER
 RESISTANCE
- 
 CHEMICAL
 RESISTANCE
- 
 MOR
 [Min. 32 N/mm²]
- 
 INTERIOR
- 
 EXTERIOR

FINISH
MATT

ABRASION RESISTANCE
VC (25K REV. PASSED)


CATEGORY
GOLD PLUS
SILVERPLUS



CHROMA BIANCO V1



CHROMA GRIS V1



CRAYON NEGRO V1



RANGER BEIGE V1



RANGER GRIS V1



600x600MM
CUTTING OPTIONS
4 N/Box Area: 1.44 m²
4 PCS 300x300MM
3 PCS 150x600MM



- WATER ABSORPTION
 Av. E ≤ 0.08%
- WEATHER
 RESISTANCE
- CHEMICAL
 RESISTANCE
- MOR
 [Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH
MATT

ABRASION RESISTANCE
VC (25K REV. PASSED)

CATEGORY
GOLD/GOLD PLUS
SILVER PLUS



PLAZO GRAPHITE V1



PLAZO BEIGE V1



PLAZO BIANCO V1

SOLIDO SERIES



SOLIDO NERO V0



600x600MM CUTTING OPTIONS
 4 N/Box Area: 1.44 m²
 4 PCS 300x300MM
 3 PCS 150x600MM

DURAGRES
SLIM 8MM



300X300MM

RUSTIC/WOOD/MATT/STONE




SOMANY
DURAGRES
Timeless Elegance




VIBE IMP GODLY WHITE DECOR



VIBE IMP GODLY WHITE



VIBE ASCONA DECOR




VIBE ASCONA IVORY



VIBE IMP GRAFICO

300x300MM
10 N/Box
Area: 0.90 m²



VIBE MAIOLICA FUSION



VIBE MOZART GRIS



VIBE NILES FUSION



VIBE CULTO BLUE



VIBE HORTA BLUE



VIBE TESSUTO BROWN



V2 VIBE IMP AUTUNNO PEARL	V4 VIBE IMP EROSION	V1 VIBE IMP GLORIA	V4 VIBE IMP NORDIC BLACK	V3 VIBE IMP OXIDAR
V4 VIBE IMP RUBIGO GREY	V4 VIBE ASCONA BEIGE	V4 VIBE ASCONA COTTO	V4 VIBE ASCONA MUSHROOM	V4 VIBE ASCONA AZURE
V4 VIBE ASTRAL	V4 VIBE CALCIO	V4 VIBE COTONE BROWN	V1 VIBE FREGIO BLUE	V4 VIBE REEF BLUE




300x300MM
10 N/Box
Area: 0.90 m²



300x300MM

10 N/Box
Area: 0.90 m²



WATER ABSORPTION
Av. E ≤ 0.08%

WEATHER
RESISTANCE

CHEMICAL
RESISTANCE

MOR
[Min. 32 N/mm²]

INTERIOR

EXTERIOR

FINISH
MATT

ABRASION RESISTANCE
GROUP 5

CATEGORY
GOLD



V1 VIBE PIEDRAS BONE



V1 VIBE PIEDRAS BROWN



V1 VIBE PIEDRAS CAFE




V2 VIBE MACERA CREMA



V2 VIBE MACERA OLIVE



V2 VIBE MACERA BIANCO




V2 VIBE MACERA GREY



V3 VIBE BYRON NATURAL




FLOOR WALL



FINISH
MATT

ABRASION RESISTANCE
GROUP 5

CATEGORY
GOLD



Planks




196X1200MM

RUSTIC/WOOD/MATT/STONE/DAZZLE



Planks



- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER RESISTANCE
- CHEMICAL RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH
DAZZLE

ABRASION RESISTANCE
GROUP 5


CATEGORY
DAZZLE COLLECTION

DURAGRES
Timeless Elegance


DAZZLE




STRIO DAZZLE MOHAWK WOOD TEAK



V3



STRIO DAZZLE PECAN WOOD NATURAL



V4



FLOOR

Planks



- WATER ABSORPTION
Av. E ≤ 0.08%
- WEATHER
RESISTANCE
- CHEMICAL
RESISTANCE
- MOR
[Min. 32 N/mm²]
- INTERIOR
- EXTERIOR

FINISH
MATT

ABRASION RESISTANCE
GROUP 5

CATEGORY
EXOTIC (PRM)
COLLECTION

DURAGRES
Timeless Elegance

EXOTIC WOOD



STRIO ASCOT WOOD TEAK V4



STRIO BURL WOOD BRICH V3



STRIO AKIO WOOD ROBBLE V4



STRIO BURL WOOD TEAK V4



STRIO ARGENT WOOD ASH V4



STRIO BENZ WOOD ROBBLE V3

196x1200MM
04 N/Box Area: 0.94 m²



FLOOR

EXOTIC WOOD



V3



V3



V3



V4



V3



V2

EXOTIC WOOD



V4



V4




V4



V4



V4



FINISH
SATIN MATT

ABRASION RESISTANCE
GROUP 4

CATEGORY
EXOTIC (PRM)
COLLECTION

EXOTIC WOOD



STRIO AKONA WOOD ROBBLE*

V4



STRIO CANARIUM WOOD GREY

V4



STRIO CANARIUM WOOD ROBBLE

V4



STRIO CANARIUM WOOD TEAK

V4



FLOOR

EXOTIC WOOD



STRIO SALIS WOOD GRIS

V4



STRIO SALIS WOOD ROBBLE

V4



STRIO SALIS WOOD WANGE

V4



STRIO TASMANIAN WOOD TEAK

V4

EXOTIC WOOD



STRIO TASMANIAN WOOD ROBBLE

V4



STRIO VERANO WOOD TEAK







V3



STRIO NEWPORT WOOD

V4/ CARVING MATT



- 
WATER ABSORPTION
Av. E ≤ 0.08%
- 
WEATHER RESISTANCE
- 
CHEMICAL RESISTANCE
- 
MOR
[Min. 32 N/mm²]
- 
INTERIOR
- 
EXTERIOR

FINISH
 MATT+HDR WOOD

ABRASION RESISTANCE
 GROUP 5

CATEGORY
 VINTAGE WOOD COLLECTION
 NATURAL ROCK COLLECTION

NATURAL ROCK



STRIO TRAVERTINO BEIGE V4




STRIO TRAVERTINO CREMA V4



STRIO TRAVERTINO GREY V3

196x1200MM
04 W/ Box Area: 0.94 m²



FINISH
MATT+HDR WOOD

ABRASION RESISTANCE
GROUP 5

CATEGORY
MODERN WOOD
COLLECTION

MODERN WOOD



STRIO TREND WOOD

V4



STRIO TREND WOOD

V4



STRIO TREND WOOD

V4



STRIO TREND WOOD

V4



STRIO TREND WOOD

V4



STRIO TREND WOOD

V4



STRIO TREND WOOD

V4



RANDOM PACKING



FLOOR

PACKAGING DETAILS FOR DURAGRES SLIM 8MM WALL & FLOOR TILES

Nominal Size (mm)	No. of tiles per carton	Avg. Wt. (kg) per carton	Coverage Area per carton
300x300MM	10	15.0	0.90 Sq.mt. / 9.68 Sq.Ft.

TECHNICAL SPECIFICATION FOR DURAGRES SLIM 8MM WALL & FLOOR TILES

Characteristics	Requirement as per ISO 13006 : 2018 Ev≤0.5% Group B1a (Annex G)	Our Value	Test Method
A) Dimensions & surface quality			
i) Length & Width	± 0.30%	± 0.10%	ISO-10545-2
ii) Thickness	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.30%	± 0.10%	
iv) Rectengularity	± 0.30%	± 0.10%	
v) Surface Flatness			
a) Center Curvature(%) (Max.Deviation)	± 0.40%	± 0.2	
b) Edge Curvature(%) (Max.Deviation)	± 0.40%	± 0.2	
c) Corner Warpage(%) (Max.Deviation)	± 0.40%	± 0.2	
vi) Surface Quality	Min. 95% of tiles will be free from visible defects	Min. 95% of tiles will be free from visible defects	
B) Physical Properties			
i) Water Absorption	Av. ≤0.5 %, Individual 0.6% max	Av 0.30%	ISO 10545-3
ii) Modulus of Rupture in [N/mm ²]	Av. 35, Individual 32 Min	Min-36	SO 10545-4
iii) Breaking Strength in N	1300	1300	
iv) Moisture Expansion in mm/m	Test method available	Test method not available	ISO-10545-10
vi) Resistance to Abrasion of glazed tiles (Class I to V)	Report Abrasion Class & cycle passed	Class IV (for Non VC), Class III (For polished)	ISO-10545-7
vii) Coefficient of linear thermal expansion from embiant temperature to 100° C	Test method available	Max 5 X 10 ⁻⁶ K ⁻¹	ISO-10545-8
viii) Thermal Shock Resistance	Test method available	10 cycle passed	ISO-10545-9
ix) Crazing Resistance	Required	4 cycle passed	ISO-10545-11
x) Impact Resistance as Co-efficient of Restitution(COR)	Test method available	0.75-0.90	ISO-10545-5
xii) Coefficient of Friction	Manufacturer to declare value	Depends upon Glazed surface	ISO 10545-17
xiii) Forst Resistance	Required	100 cycle passed	ISO-10545-12
C) Chemical Resistance			
i) Stain Resistance	Min Class -3	Class-3	ISO-10545-14
ii) Resistance to household chemicals	Min Class B	Min. Class GLB	ISO-10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Manufacturer is to state classification	Min. Class GLA	

Note: ** GVT tiles have resistance to most of the stains and chemicals, but it is recommended to take care during laying and everyday maintenance.

PACKAGING DETAILS FOR DURAGRES WALL & FLOOR TILES

Nominal Size (mm)	No. of tiles per carton	Avg. Wt. (kg) per carton	Coverage Area per carton
600x1200MM	2.0	27.0	1.44 Sq.mt. / 15.50 Sq.Ft.
600x600MM	4.0	26.0	1.44 Sq.mt. / 15.50 Sq.Ft.
196X1200MM	4.0	17.5	0.94 Sq.mt. / 10.12 Sq.Ft.

TECHNICAL SPECIFICATION FOR DURAGRES WALL & FLOOR TILES


Characteristics	Requirement as per IS 15622 : 2017 E≤ 0.08% Group B1a	Requirement as per ISO 13006 : 2018 Ev≤0.5% Group B1a (Annex G)	Our Value	Test Method
A) Dimensions & surface quality				
i) Length & Width	± 0.10%	± 0.30%	± 0.10%	IS 13630 Part 1/ISO-10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.10%	± 0.30%	± 0.10%	
iv) Rectengularity	± 0.10%	± 0.30%	± 0.10%	
v) Surface Flatness				
a) Center Curvature(%) (Max.Deviation)	± 0.50%	± 0.40%	± 0.2	
b) Edge Curvature(%) (Max.Deviation)	± 0.50%	± 0.40%	± 0.2	
c) Corner Warpage(%) (Max.Deviation)	± 0.50%	± 0.40%	± 0.2	
vi) Surface Quality	Min. 95% of tiles will be free from visible defects	Min. 95% of tiles will be free from visible defects	Min. 95% of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Av. E ≤0.08%, Individual 0.1 max	Av. ≤0.5 %, Individual 0.6% max	Av 0.08%	IS 13630 Part 2/ISO 10545-3
ii) Modulus of Rupture in [N/mm ²]	Av. 35, Individual 32 Min	Av. 35, Individual 32 Min	Av-38	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1300 Min.	1300 Min.	Av 1400	
iv) Moisture Expansion in mm/m	0.02	Test method available	Max 0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of suface (Mohs)	Min 5	N.A.	4-6 (Depends on surface)	IS 13630 Part 13
vi) Resistance to Abrasion of glazed tiles (Class I to V)	Min II	Report Abrasion Class & cycle passed	Class V (for VC), Class IV (for Non VC), Class III (For polished)	IS 13630 Part 11/ISO-10545-7
vii) Coefficient of linear thermal expansion from embiant temperature to 100° C	6 X 10 ⁻⁶ K ⁻¹ max	Test method available	Max 5 X 10 ⁻⁶ K ⁻¹	IS 13630 Part 4/ISO-10545-8
viii) Thermal Shock Resistance	10 cycle Min	Test method available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
ix) Crazing Resistance	4 cycle @ 7.5bar min.	Required	4 cycle passed	IS 13630 Part 9/ISO-10545-11
x) Impact Resistance as Co-efficient of Restitution(COR)	Min 0.55	Test method available	0.75-0.90	IS 13630 Part 14/ISO-10545-5
xi) Bulk Density (gm/cc)	2.2	N.A	2.3	IS 13630 Part 2
xii) Coefficient of Friction	Where required manufacturer to declare value	Where required manufacturer to declare value	Depends upon Glazed surface	ISO 10545-17
xiii) Forst Resistance	Requried	Required	100 cycle passed	IS 13630 Part 10/ISO-10545-12
C) Chemical Resistance				
i) Stain Resistance	Min Class -1	Min Class -3	Min. Class-1/Class-3	IS 13630 Part 8/ISO-10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class B	Min Class AA	IS 13630 Part 8/ISO-10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value ^f	Min Class AA	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see physical sample before placing the order *Technical specifications for Somany Duragres tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation, company will not entertain complaints, once the tiles are laid/fixd. Complaints will not be entertained for Borders, Highlighters & Motifs.

DESIGN, PATTERN & SHADE VARIATION GUIDE

The classification is as follow:


- V0** No Variation
- V1** Minimal Variation
- V2** Slight Variation
- V3** Random Variation
- V4** Substantial Variation
- *** For Roto Color Printing Variations are marked as R1, R2 & R3



VEILCRAFT (VC) SHIELD

Not only look and style; the buzz word for the Gen X tile is timeless elegance. Here comes the revolutionary patented "VeilCraft (VC) Shield" technology, a 'high abrasion resistant glaze composition', known as VC (VeilCraft) Shield. This is the first ever patented technology in Indian Ceramic Industry. This not only gives you the perfect aesthetics for your space but also the lifelong protection to your floor.

Result Of The abrasion test at 25,000 revolutions as per the PEI Methodology



Patent Certificate to "High Abrasion Resistant Glaze" applied on VC Shield Tiles



Dear Business Associate,
Greetings from Somany Ceramics!

Presenting Duragres Catalogue – 2023 Unit 1. This Catalogue we are presenting with utmost sincerity and with a mission to create the magic that our products have to offer.

With exciting user friendly and interactive initiatives like visually assistance of 360 degree renders-QR codes and State of the art visuals. Each page is loaded with instant information required for every tile like, Sizes, packaging, coverage and technical parametres. Be it 600X1200mm, 600X600mm, Lapato 600X600mm Tiles or newly launched 300x300mm Matching floor tiles in Slim 8MM, which are included to give breaks and easy navigation to have consumer centric approach.

Tiles are treated with special coatings / finish like Dazzle, Glossy and Lapato, which will enable to have look and feel of the product in the most realistic way possible in print.

This catalogue is also an effort to showcase all our offerings. We have wide collection of product offering in all available finish and size that market requires & industry is offering . Apart from Stone, wood and marble finish (Lapato) tiles we offer special concepts based collections like 600X1200mm Stylos and Valor series, 600X600mm Moroccan and Engravo Collection, 300X300mm Moroccan designs and special Dazzle finish tiles in various sizes. These tiles have been carved out of perfect mix of design concept , inspiration and imagination by keeping in mind consumer requirements.

We sincerely hope you will appreciate our product range and will request you to give us all relevant feedbacks for future improvement.

Happy Sales!

RAHUL SHARMA
Senior Vice President, GVT



