SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)



UNIT 04 RANGE VOL 2 | JAN 2026

DURAGRES

TESORO
collection

600 x 1200mm

SOMANY



DURAGRES

TESORO

collection

In the language of luxury, Tesoro whispers of hidden riches. Duragres Tesoro unveils nature's rarest expressions in tile form, embodying the apex of Somany's luxury vitrified tile collection. Born from exotic stone, marble, and wood, each tile captures authentic depth and organic beauty through precision craftsmanship and advanced engineering. Available in two finishes, Matt, offering soft, understated elegance, and Lappato, revealing textured depth and organic tactility. Presented in a 600x1200mm format, the collection adapts seamlessly across varied aesthetics, from minimalist modern to richly layered environments. Engineered for enduring performance, Tesoro features uniform body colour throughout, ensuring exceptional resistance to wear, tear, and chipping. With complementary tones and textures, designers and homeowners can create cohesive interiors where walls, floors, and accents speak a unified visual language.

Not merely a surface,
but a luxury that transcends time.

APPLICATION AREAS

- COMMERCIAL AREAS
- HOTELS AND RESTAURANTS
- SHOPS AND MALLS
- OUTDOOR FURNITURE
- HOSPITALS
- PUBLIC PLACES
- RESIDENTIAL AREAS
- SCHOOLS AND COLLEGES

For the visionaries who shape exceptional spaces



Tesoro empowers architects and designers to realise their most ambitious visions, from statement hotel lobbies and signature corporate interiors to bespoke luxury residences and elevated retail experiences. A curated palette of complementary tones and textures allows seamless transitions from floor to feature wall, while light–dark layering adds depth, contrast, and spatial character.



TECHNICAL FEATURES

SUPERIOR MATT SURFACE

Our matt finish surfaces feature a subtle, refined (low-reflection) finish that softens light and minimises glare. This makes them ideal for a variety of settings.

ABRASION RESISTANT FOR MODERATE TO HIGH TRAFFIC AREAS

Our tiles are designed to withstand the test of time, even in high-traffic areas. Their superior abrasion resistance of PEI - IV ensures durability and maintains their pristine appearance for years.

EASY TO CLEAN

They are easy to clean and maintain, thanks to their non-porous surface that resists dirt and stains.

- Non-Reflective
- Thermal Resistant
- Temperature Resistant
- Frost Resistant
- Chemical Resistant
- Water Repellent
- Abrasion & Wear Resistant
- Hygienic Surface

Index

600x1200mm

THE TESORO PALETTE

Warm neutrals, earthy browns, muted greens, and contemporary greys, a curated palette designed for layered surfaces and harmonious spatial transitions.



14
AERON AUREA BEIGE

20
AERON AUREA GREY

26
AERON AUREA OLIVE

32
AERON METODO GREY



56
ZION BEIGE

62
ZION BROWN

68
ZION OLIVE

74
ZION GREY



38
AERON HARO OLIVE

44
AERON HARO GREY

50
ZION NERO



WALL:
AERON
AUREA BEIGE

FLOOR:
AERON
AUREA BEIGE

THICKNESS:
9mm

WALL:
AERON
AUREA BEIGE

FLOOR:
AERON
AUREA BEIGE

THICKNESS:
9mm

TESORO COLLECTION

600x1200mm

AERON AUREA BEIGE



AERON AUREA BEIGE

SURFACE:
MATT

SIZE:
600x1200mm

THICKNESS:
9mm



V3



WALL:
AERON
AUREA GREY

FLOOR:
AERON
AUREA GREY

THICKNESS:
9mm



WALL:
AERON
AUREA GREY

FLOOR:
AERON
AUREA GREY

THICKNESS:
9mm



600x1200mm

AERON AUREA GREY



AERON AUREA GREY

SURFACE:
MATT

SIZE:
600x1200mm

THICKNESS:
9mm



V3



WALL:
AERON
AUREA OLIVE

FLOOR:
AERON
AUREA OLIVE

THICKNESS:
9mm

WALL:
AERON
AUREA
OLIVE

FLOOR:
AERON
AUREA
OLIVE

THICKNESS:
9mm

600x1200mm

AERON AUREA OLIVE



AERON
AUREA OLIVE

SURFACE:
MATT

SIZE:
600x1200mm

THICKNESS:
9mm



V3



WALL:
AERON
METODO GREY

FLOOR:
AERON
METODO GREY

THICKNESS:
9mm

WALL:
AERON
METODO GREY

FLOOR:
AERON
METODO GREY

THICKNESS:
9mm

TESORO COLLECTION

600x1200mm

AERON METODO GREY



AERON
METODO
GREY

SURFACE:
MATT

SIZE:
600x1200mm

THICKNESS:
9mm



V3



WALL:
AERON
HARO OLIVE

FLOOR:
AERON
HARO OLIVE

THICKNESS:
9mm

WALL:
AERON
HARO
OLIVE

FLOOR:
AERON
HARO
OLIVE

THICKNESS:
9mm

600x1200mm

AERON HARO OLIVE



AERON
HARO OLIVE

SURFACE:
MATT

SIZE:
600x1200mm

THICKNESS:
9mm



V3



WALL:
AERON
HARO GREY

FLOOR:
AERON
HARO GREY

THICKNESS:
9mm

WALL:
AERON
HARO
GREY

FLOOR:
AERON
HARO
GREY

THICKNESS:
9mm

600x1200mm

AERON HARO GREY



AERON
HARO GREY

SURFACE:
MATT

SIZE:
600x1200mm

THICKNESS:
9mm



V3



WALL:
ZION
NERO

FLOOR:
ZION
NERO

THICKNESS:
9mm

WALL:
ZION
NERO

FLOOR:
ZION
NERO

THICKNESS:
9mm

600x1200mm

ZION NERO



ZION
NERO

SURFACE:
LAPPATO

SIZE:
600x1200mm

THICKNESS:
9mm



V3



WALL:
ZION
BEIGE

FLOOR:
ZION
BEIGE

THICKNESS:
9mm



WALL:
ZION
BEIGE

FLOOR:
ZION
BEIGE

THICKNESS:
9mm



TESORO COLLECTION

600x1200mm

ZION BEIGE



ZION
BEIGE

SURFACE:
LAPPATO

SIZE:
600x1200mm

THICKNESS:
9mm

V3



WALL:
ZION
BROWN

FLOOR:
ZION
BROWN

THICKNESS:
9mm



WALL:
ZION
BROWN

FLOOR:
ZION
BROWN

THICKNESS:
9mm



TESORO COLLECTION

600x1200mm

ZION BROWN



ZION
BROWN

SURFACE:
LAPPATO

SIZE:
600x1200mm

THICKNESS:
9mm



V3



WALL:
ZION
OLIVE

FLOOR:
ZION
OLIVE

THICKNESS:
9mm



WALL:
ZION
OLIVE

FLOOR:
ZION
OLIVE

THICKNESS:
9mm



TESORO COLLECTION

600x1200mm

ZION OLIVE



ZION
OLIVE

SURFACE:
LAPPATO

SIZE:
600x1200mm

THICKNESS:
9mm



V3



WALL:
ZION
GREY

FLOOR:
ZION
GREY

THICKNESS:
9mm

WALL:
ZION
GREY

FLOOR:
ZION
GREY

THICKNESS:
9mm

TESORO COLLECTION

600x1200mm

ZION GREY



ZION
GREY

SURFACE:
LAPPATO

SIZE:
600x1200mm

THICKNESS:
9mm



V3

TECHNICAL SPECIFICATION

PACKAGING DETAIL FOR TESORO COLLECTION				
Nominal Size(mm)	**Thickness(mm)**	**Average weight per carton (Kgs)**	**No. of tiles per carton**	**Coverage area per carton**
600x1200mm	9 mm	27.5 Kgs	2	1.44 Sq.Mtr / 15.50 Sq.Ft.

TECHNICAL SPECIFICATION FOR TESORO COLLECTION				
Characteristics	Requirement as per IS 15622:2017 < E ≤ 0.08 Group BIa	Requirement as per ISO 13006:2018 0.5 ≤ E ≤ 3% Group B I a	Our Values	Test Method
A) Dimension & Surface Quality				
I) Length & Width	± 0.1 %	± 0.3 %	± 0.1 %	IS 13630 Part 1 / ISO 10545-2
ii) Thickness	± 5.0 %	± 5.0 %	± 4.0 %	
iii) Straightness of Side	± 0.1 %	± 0.3 %	± 0.1 %	
iv) Rectangularity	± 0.1 %	± 0.3 %	± 0.1 %	
v) Surface Flatness				
a) Center Curvature (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
b) Edge Curvature (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
c) Corner Warpage (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
I) Water Absorption	Avr. E ≤ 0.08% Individual 0.1 Max	Avr. ≤ 0.5%, Individual 0.6 Max	Avr. E ≤ 0.08 %	IS 13630 Part 2 / ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Avr. 35, Individual 32 Min	Avr. 35, Individual 32 Min	Avr. 35, Individual 32 Min	IS 13630 Part 6 / ISO 10545-4
iii) Breaking Strength in N	Min 1300	Min 1300	Min 1300	
iv) Moisture Expansion in mm/m	0.02	Test method available	0.02	IS 13630 Part 3 / ISO-10545-10
v) Scratch Hardness of Surface (Mohs)	Min 5	N. A	Min.5	IS 13630 Part 13
vi) Resistant to Abrasion of Glazed Tiles (Class I to V)	Min II	Abrasion Class & Cycle passed	Class-IV	IS 13630 Part 11 / ISO 10545-7
vii) Coefficient of Linear Thermal Expansion From Ambient Temperature to 100° C	6 X 10^{-6} K^{-1} max	Test method available	6 X 10^{-6} K^{-1} max	IS 13630 Part 4 / ISO 10545-8
viii) Thermal Resistant	10 cycle Min	Test method available	10 cycle passed	IS 13630 Part 5 / ISO-10545-9
ix) Crazing Resistant	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9 / ISO 10545-11
x) Impact Resistant as Coefficient of Restitution (COR)	0.55 min	Required	0.55 Min	ISO 10545-5
xi) Frost Resistant	Required	Required	100 Cycle Passed	IS 13630 Part 10 / ISO 10545-12
C) Chemical Resistant (Glazed Tiles)				
I) Stain Resistant	Min Class 1	Min Class 3	Min Class-1	IS 13630 Part 8 & ISO 10545-14
ii) Resistant to Household Chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8 / ISO 10545-13
iii) Resistant to Acids and Alkalis (With Exception of Hydrofluoric Acid and its Compounds)	Required if agreed	Declared Value[f]	Min Class AA	

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

TILE VISUALISER

SOMANY



Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser to the immersive Panoramic-Studio Visualiser,** and even the AI-powered Your-Space-Studio Visualiser, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at **www.somanyceramics.com** or call on **Toll Free: 1800 103 0004**

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome

Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com