SOMANY

**Somany Ceramics Limited**
**Corporate Office:** F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
**Ahmedabad Office:** 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump,
B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
**Registered Office:** 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
**www.somanyceramics.com | E-mail: customer.care@somanyceramics.com**

**Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)**

UNIT-1 / DURAGRES / 600x1200mm / CAT / MAY 2025

# DURAGRES
collection

600x1200mm

**9mm thickness**



SOMANY

DURAGRES
collection

# A Curated World of Versatile Surfaces

Step into a world inspired by nature's finest surfaces with Somany's Duragres collection, blending beauty, durability, and functionality while embracing modern minimalism and artistic aesthetics-all with low maintenance. The collection offers distinctive finishes to suit every taste: the mirror-like shine of Full Polished; the ultra-reflective opulence of High Gloss; Engravo (Polish Carving), perfect for those seeking a blend of tactile luxury and visual interest; Impression (Matt Carving), offering subtle dimension and timeless elegance through intricately carved matt textures; and Plume, with its sophisticated, feather-like texture, aiming to evoke tranquillity and calm. The Robusto surface brings stone aesthetics and enduring strength, delivering character to any space, while replication of ancient rock textures is beautifully achieved through the Etchtech surface of Eternastone. From inspiration to execution, crafting a welcoming home or designing luxury interiors transforms spaces into sanctuaries where design and emotion are seamlessly woven together.





# Surfaces that Capture Nature's Rich Palette

## TECHNICAL FEATURES

- Water Repellent
- Blended Smoothness
- Non-Reflective
- Thermal Resistant
- Frost Resistant
- Chemical Resistant
- Abrasion & Wear Resistant
- Temperature Resistant
- Hygienic and Safe
- Load and Stress Resistant

**Superior Gloss Surface**

A stunning, high-gloss finish that elevates any space. The reflective surface amplifies light, creating a brighter and more luxurious ambience.

**Abrasion Resistant For Moderate To High Traffic Areas**

Our tiles are designed to withstand the test of time, even in high-traffic areas. Their superior abrasion resistance of PEI-4 ensures durability and maintains their pristine appearance for years.

**Easy To Clean**

They are easy to clean and maintain, thanks to their non-porous surface that resists dirt and stains.

**Reflective Gloss Index <8**

Our tiles feature a subtle, low-reflection finish, reducing glare and creating a more comfortable visual experience. This makes them ideal for various settings, including spaces with significant natural light.

## APPLICATION AREAS

- Residential Areas
- Commercial Areas
- Hospitals
- Public Places
- Shops And Malls
- Hotels and Restaurants
- Schools and Colleges
- Outdoor Furniture





# INDEX


## ROBUSTO 08 to 23


GRANDE CHROMAT BIANCO DECOR GRNL ROBUSTO


GRANDE CHROMAT BIANCO ROBUSTO


GRANDE CHROMAT CASTILLA ROBUSTO


GRANDE CHROMAT TOSCANA ROBUSTO


GRANDE CHROMAT RUST ROBUSTO


GRANDE CHROMAT CLAY ROBUSTO

## ETCHTECH (ETERNASTONE) 24 to 47


GRANDE TEXTUS BIANCO DÉCOR ET GRNL


GRANDE TEXTUS BIANCO ET GLS


GRANDE TEXTUS AQUA ET GLS


GRANDE HENDRIX CREMA DÉCOR ET GRNL


GRANDE HENDRIX CREMA ET


GRANDE HENDRIX BROWN ET


GRANDE PRESTON GREY LIGHT DÉCOR ET GRNL


GRANDE PRESTON GREY LIGHT ET


GRANDE PRESTON GREY DARK ET


GRANDE JAVIER GREY ET


GRANDE JAVIER NERO ET

## ENGRAVO (Polish Carving) 48 to 61


GRANDE ENGRAVO LUMIA BLUE FP


GRANDE ENGRAVO BELLUNO FP


GRANDE ENGRAVO BELLUNO DÉCOR FP


GRANDE ENGRAVO WEEZER WHITE FP


GRANDE ENGRAVO DANELLO


GRANDE ENGRAVO DANELLO DÉCOR

## IMPRESSION (Matt Carving) 62 to 71


GRANDE IMP BAXTER BEIGE LIGHT


GRANDE IMP BAXTER BEIGE DARK


GRANDE IMP BAXTER GREY LIGHT


GRANDE IMP BAXTER GREY DARK

## PLUME 72 to 77


GRANDE EL PALERMO GREY PLUME (HARMONY)


GRANDE EL IMP PALERMO GREY HL PLUME (HARMONY)

## HIGH GLOSS 78 to 101


GRANDE LUCIDO PARALLAX GRAPHITE


GRANDE LUCIDO PROVENZA AQUA


GRANDE LUCIDO PROVENZA GREY


GRANDE LUCIDO OBSCURA BLACK


GRANDE LUCIDO ENGRAVO OBSCURA BLACK DÉCOR


GRANDE LUCIDO TEMPEST RED


GRANDE LUCIDO VOLARE BLACK


GRANDE LUCIDO CLAYTON BLUE


GRANDE LUCIDO OBSIDIAN AQUA


GRANDE LUCIDO ENGRAVO OBSIDIAN AQUA DECOR


GRANDE LUCIDO BENTLEY BLACK

## FULL POLISHED 102 to 141


GRANDE ENGRAVO AVOLA AQUA DÉCOR FP


GRANDE AVOLA AQUA LIGHT FP


GRANDE AVOLA AQUA DARK FP


GRANDE ENGRAVO FAVARA CREMA DÉCOR FP


GRANDE FAVARA CREMA FP


GRANDE FAVARA BEIGE FP


GRANDE BETILO PEARL FP


GRANDE ENGRAVO BETILO PEARL DÉCOR FP


GRANDE ORVITO AQUA FP


GRANDE ENGRAVO ORVITO AQUA DÉCOR FP


GRANDE EL ORTONA SILVER FP (HARMONY)


GRANDE ENGRAVO ORTONA SILVER HL FP (HARMONY)


GRANDE EL ORTONA TAUPE FP (HARMONY)


GRANDE EL ORTONA CREMA FP (HARMONY)


GRANDE EL PALERMO GREY FP (HARMONY)


GRANDE TORCELLO ONYX FP (HARMONY)


GRANDE ENGRAVO TORCELLO ONYX HL FP (HARMONY)


GRANDE EL ARIELA STVARIO FP (HARMONY)



# ROBUSTO

SURFACE

The Robusto Surface masterfully captures the authentic essence of stone, echoing the timeless whispers of rock and sand. Its delicately textured matt finish, enhanced by a subtle sheen, refines the stone-like aesthetic while exuding understated elegance. Intricate decor elements naturally weave into the stone's design, echoing the organic beauty and unpredictable patterns crafted by nature over time. Designed for endurance, it offers exceptional resistance to scratches, stains, and moisture, making it an impeccable choice for high-traffic spaces. Whether gracing outdoor landscapes or wet areas, its advanced engineering minimises dirt accumulation, ensuring effortless maintenance and enduring beauty.

MOH'S SCALE HARDNESS ≥ 6

ABRASION RESISTANT PEI-IV

SLIP RESISTANT R 9

GRANDE CHROMAT BIANCO DÉCOR
GRNL ROBUSTO

SURFACE: **ROBUSTO**



**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW





WALL: GRANDE CHROMAT BIANCO DÉCOR GRNL ROBUSTO
SIZE: 600X1200MM | SURFACE: ROBUSTO



WALL & TABLE: GRANDE CHROMAT BIANCO DÉCOR
GRNL ROBUSTO & GRANDE CHROMAT CASTILLA ROBUSTO
SIZE: 600X1200MM | SURFACE: ROBUSTO

**600x 1200mm**

Thickness **9mm**

FLOOR: GRANDE CHROMAT BIANCO ROBUSTO
SIZE: 600X1200MM | SURFACE: ROBUSTO

## GRANDE CHROMAT BIANCO ROBUSTO

SURFACE: **ROBUSTO**



**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW



## GRANDE CHROMAT CASTILLA ROBUSTO

SURFACE: **ROBUSTO**



**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW



WALL & FLOOR: **GRANDE CHROMAT TOSCANA ROBUSTO**
SIZE: **600X1200MM** | SURFACE: **ROBUSTO**

FLOOR: **GRANDE CHROMAT RUST ROBUSTO**
SIZE: **600X1200MM** | SURFACE: **ROBUSTO**







WALL: GRANDE CHROMAT CASTILLA ROBUSTO
SIZE: 600X1200MM | SURFACE: ROBUSTO

**600x 1200mm**

Thickness **9mm**

FLOOR & WALL: GRANDE CHROMAT TOSCANA ROBUSTO
SIZE: 600X1200MM | SURFACE: ROBUSTO

GRANDE CHROMAT TOSCANA
ROBUSTO

SURFACE: **ROBUSTO**



**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW





GRANDE CHROMAT RUST
ROBUSTO

SURFACE: **ROBUSTO**



**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW



GRANDE CHROMAT CLAY
ROBUSTO

SURFACE: **ROBUSTO**



**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW





WALL: GRANDE CHROMAT CLAY ROBUSTO
SIZE: 600X1200MM | SURFACE: ROBUSTO



# ETERNASTONE
collection

POWERED BY

# ETCHTECH
SURFACE

In the heart of the earth, where time carves its masterpiece, the Eternastone Collection was born - powered by ETCHTECH Surface. It seamlessly integrates shapes and elevations, creating punch-like surfaces in random phases, bringing the beauty of natural contours and imperfections to tile surfaces. Inspired by the intricate artistry of nature, delicate leaf-like motifs and organic textures are embedded into the design, adding a touch of elegance and sophistication. The Surface captures the tactile feel of natural stone, with subtle ridges, rich veins, and an earthy matte finish. The glazed vitrified body ensures exceptional durability, making it perfect for both indoor elegance and outdoor resilience.




MOH'S SCALE
HARDNESS ≥ 7




ABRASION
RESISTANT
PEI-V




SLIP
RESISTANT
R 9 & R 10

GRANDE TEXTUS BIANCO DÉCOR
ET GRNL

SURFACE: **ETCHTECH**



**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW





WALL: GRANDE TEXTUS BIANCO DÉCOR ET GRNL
SIZE: 600X1200MM | SURFACE: ETCHTECH



WALL: GRANDE TEXTUS BIANCO DÉCOR
ET GRNL & GRANDE TEXTUS BIANCO ET GLS
SIZE: 600X1200MM | SURFACE: ETCHTECH

**600x 1200mm**

Thickness
**9mm**

FLOOR: GRANDE CHROMAT CLAY ROBUSTO
SIZE: 600X1200MM | SURFACE: ROBUSTO

## GRANDE TEXTUS BIANCO
## ET GLS

SURFACE: **ETCHTECH**



**600x1200mm**

Thickness
**9mm**

FACES 3 | V3

360 VIEW



## GRANDE TEXTUS AQUA
## ET GLS

SURFACE: **ETCHTECH**



**600x1200mm**

Thickness
**9mm**

FACES 3 | V3

360 VIEW



## GRANDE HENDRIX CREMA DÉCOR ET GRNL

SURFACE: **ETCHTECH**



**600x1200mm**

Thickness
**9mm**

FACES 3 | V3

360 VIEW





WALL: GRANDE HENDRIX CREMA DÉCOR ET GRNL
SIZE: 600X1200MM | SURFACE: ETCHTECH



WALL: GRANDE HENDRIX CREMA DÉCOR
ET GRNL & GRANDE HENDRIX BROWN ET
SIZE: 600X1200MM | SURFACE: ETCHTECH

**600x**
**1200mm**

Thickness
**9mm**

FLOOR: GRANDE HENDRIX CREMA ET
SIZE: 600X1200MM | SURFACE: ETCHTECH

GRANDE HENDRIX CREMA
ET

SURFACE: **ETCHTECH**

**600x1200mm**

Thickness
**9mm**

FACES 4 | V1

360 VIEW





GRANDE HENDRIX BROWN
ET

SURFACE: **ETCHTECH**

**600x1200mm**

Thickness
**9mm**

FACES 4 | V1

360 VIEW





GRANDE PRESTON GREY LIGHT
DÉCOR ET GRNL

SURFACE: **ETCHTECH**



**600x1200mm**

Thickness
**9mm**

FACES 3 | V3

360 VIEW





WALL: GRANDE PRESTON GREY LIGHT DÉCOR ET GRNL
SIZE: 600X1200MM | SURFACE: ETCHTECH



WALL: GRANDE PRESTON GREY LIGHT DÉCOR ET GRNL & GRANDE PRESTON GREY LIGHT ET
SIZE: 600X1200MM | SURFACE: ETCHTECH

**600x 1200mm**

Thickness
**9mm**

FLOOR: GRANDE CHROMAT CLAY ROBUSTO
SIZE: 600X1200MM | SURFACE: ROBUSTO

ZOOM VIEW



## GRANDE PRESTON GREY
## LIGHT ET

SURFACE: **ETCHTECH**

**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW







ZOOM VIEW



## GRANDE PRESTON GREY
## DARK ET

SURFACE: **ETCHTECH**

**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW







WALL: GRANDE JAVIER NERO ET &
GRANDE JAVIER GREY ET
SIZE: 600X1200MM | SURFACE: ETCHTECH

**600x 1200mm**

Thickness
**9mm**

FLOOR: GRANDE CHROMAT BIANCO ROBUSTO
SIZE: 600X1200MM | SURFACE: ROBUSTO

ZOOM VIEW



## GRANDE JAVIER
## GREY ET

SURFACE: **ETCHTECH**



**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW



ZOOM VIEW



## GRANDE JAVIER
## NERO ET

SURFACE: **ETCHTECH**



**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW





# ENGRAVO

(Polish Carving)

With Engravo, the texture and tactile sensation take centre stage, enhanced by a lustrous, glossy finish that highlights the intricate carvings. This finish is meticulously crafted to add depth and intricate detailing to the surface of the tile. Subtle engravings create a sense of artistry and craftsmanship, making each piece unique. Perfect for those seeking a blend of tactile luxury and visual interest.

MOH'S SCALE HARDNESS ≥ 5

ABRASION RESISTANT PEI-III

SLIP RESISTANT R 9

REFLECTIVE GLOSS INDEX >95%

GRANDE ENGRAVO
LUMIA BLUE FP

SURFACE: **ENGRAVO**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW





WALL: GRANDE ENGRAVO LUMIA BLUE FP
SIZE: 600X1200MM | SURFACE: ENGRAVO

## GRANDE ENGRAVO BELLUNO FP

SURFACE: **ENGRAVO**



**600x1200mm**

Thickness **9mm**

FACES 1 | V1

360 VIEW



## GRANDE ENGRAVO BELLUNO DÉCOR FP

SURFACE: **ENGRAVO**



**600x1200mm**

Thickness **9mm**

FACES 1 | V1

360 VIEW





WALL: GRANDE ENGRAVO BELLUNO DÉCOR FP
SIZE: 600X1200MM | SURFACE: ENGRAVO

**600x 1200mm**

Thickness
**9mm**

FLOOR & WALL: GRANDE ENGRAVO BELLUNO FP
SIZE: 600X1200MM | SURFACE: ENGRAVO

GRANDE ENGRAVO WEEZER
WHITE FP

SURFACE: **ENGRAVO**



**600x1200mm**

Thickness
**9mm**

FACES 3 | V3

360 VIEW







FLOOR: GRANDE ENGRAVO WEEZER WHITE FP
SIZE: 600X1200MM | SURFACE: ENGRAVO

GRANDE ENGRAVO
DANELLO

SURFACE: **ENGRAVO**



**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW





GRANDE ENGRAVO DANELLO
DÉCOR

SURFACE: **ENGRAVO**



**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW





WALL: GRANDE ENGRAVO DANELLO DÉCOR
& GRANDE ENGRAVO DANELLO
SIZE: 600X1200MM | SURFACE: ENGRAVO

**600x 1200mm**

Thickness
**9mm**

FLOOR: GRANDE CHROMAT BIANCO ROBUSTO
SIZE: 600X1200MM | SURFACE: ROBUSTO



# IMPRESSION

(Matt Carving)

Impression features a matt surface with finely carved textures that bring depth and character to any space. It is thoughtfully designed to draw the eye and invite touch, creating a multi-sensory experience of subtle sophistication. Its refined texture and understated elegance make it an ideal choice for both contemporary and timeless interiors.




MOH'S SCALE HARDNESS ≥ 4

ABRASION RESISTANT PEI-IV

SLIP RESISTANT R 9

GRANDE IMP BAXTER
BEIGE LIGHT

SURFACE: **IMPRESSION**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V2

360 VIEW





GRANDE IMP BAXTER
BEIGE DARK

SURFACE: **IMPRESSION**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V2

360 VIEW





WALL: GRANDE IMP BAXTER BEIGE LIGHT
SIZE: 600X1200MM | SURFACE: IMPRESSION

**600x 1200mm**

Thickness **9mm**



FLOOR & WALL: GRANDE IMP BAXTER BEIGE LIGHT
SIZE: 600X1200MM | SURFACE: IMPRESSION

GRANDE IMP BAXTER
GREY LIGHT

SURFACE: **IMPRESSION**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V2

360 VIEW





GRANDE IMP BAXTER
GREY DARK

SURFACE: **IMPRESSION**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V2

360 VIEW





WALL: GRANDE IMP BAXTER GREY DARK
SIZE: 600X1200MM | SURFACE: IMPRESSION

**600x 1200mm**

Thickness **9mm**

FLOOR: GRANDE IMP BAXTER GREY DARK
SIZE: 600X1200MM | SURFACE: IMPRESSION



HARMONY
collection

# PLUME

The Plume offers a sophisticated, feather-like texture that gently sweeps across the tile's surface. Available in a range of sizes, Plume offers the elegance of 600*1200mm for intimate spaces and a grander presence in 800*1600mm, making it the perfect solution for a variety of spaces, providing a comprehensive decor solution.  The magical feel of the finish creates a sense of flowing movement, adding fluidity and natural beauty to the design. It's the perfect choice for spaces aiming to evoke tranquillity and calm.




MOH'S SCALE
HARDNESS ≥ 5




ABRASION
RESISTANT
PEI-IV




SLIP
RESISTANT
R 10

## GRANDE EL PALERMO
## GREY PLUME

SURFACE: **PLUME**





**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW

**Also Available in 800x1600mm**





## GRANDE EL IMP PALERMO
## GREY HL PLUME

SURFACE: **PLUME GLINT**





**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW

**Also Available in 800x1600mm**




WALL: GRANDE EL IMP PALERMO GREY HL PLUME
SIZE: 600X1200MM | SURFACE: PLUME GLINT

**600x 1200mm**

Thickness **9mm**

FLOOR & WALL: GRANDE EL PALERMO GREY PLUME
SIZE: 600X1200MM | SURFACE: PLUME



# HIGH GLOSS

High Gloss is a finish that amplifies the vibrancy of colour and design, offering a smooth, highly reflective surface. The effect is clean and polished, making this finish a popular choice for modern and contemporary spaces. It creates a polished environment that can visually expand a room, making it perfect for urban settings and open-plan areas.




MOH'S SCALE HARDNESS ≥ 3




ABRASION RESISTANT PEI-III




REFLECTIVE GLOSS INDEX >95%

GRANDE LUCIDO PARALLAX
GRAPHITE

SURFACE: **HIGH GLOSS**





**600x1200mm**

Thickness
**9mm**

FACES 3 | V3

360 VIEW





WALL & FLOOR: GRANDE LUCIDO PARALLAX GRAPHITE
SIZE: 600X1200MM | SURFACE: HIGH GLOSS

GRANDE LUCIDO PROVENZA
AQUA

SURFACE: **HIGH GLOSS**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW







GRANDE LUCIDO PROVENZA
GREY

SURFACE: **HIGH GLOSS**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW





WALL: GRANDE LUCIDO PROVENZA AQUA
SIZE: 600X1200MM | SURFACE: HIGH GLOSS

**600x 1200mm**

Thickness **9mm**

FLOOR: ENORME KS EL DIVINITY ASH FP
SIZE: 600X1200MM | SURFACE: FULL POLISHED

## GRANDE LUCIDO OBSCURA
## BLACK

SURFACE: **HIGH GLOSS**





**600x1200mm**

Thickness
**9mm**

FACES 3 | V3

360 VIEW

## GRANDE LUCIDO ENGRAVO OBSCURA
## BLACK DÉCOR

SURFACE: **ENGRAVO**





**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW



WALL: GRANDE LUCIDO ENGRAVO
OBSCURA BLACK DÉCOR
SIZE: 600X1200MM | SURFACE: ENGRAVO

**600x 1200mm**

Thickness
**9mm**

FLOOR: GRANDE LUCIDO OBSCURA BLACK
SIZE: 600X1200MM | SURFACE: HIGH GLOSS

GRANDE LUCIDO TEMPEST
RED

SURFACE: **HIGH GLOSS**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW





WALL: GRANDE LUCIDO TEMPEST RED
SIZE: 600X1200MM | SURFACE: HIGH GLOSS

GRANDE LUCIDO VOLARE
BLACK

SURFACE: **HIGH GLOSS**



**600x1200mm**

Thickness
**9mm**

FACES 3 | V3

360 VIEW



GRANDE LUCIDO CLAYTON
BLUE

SURFACE: **HIGH GLOSS**



**600x1200mm**

Thickness
**9mm**

FACES 3 | V3

360 VIEW





WALL: GRANDE LUCIDO VOLARE BLACK
SIZE: 600X1200MM | SURFACE: HIGH GLOSS

**600x 1200mm**

Thickness **9mm**

FLOOR & WALL: ENORME KS EL DIVINITY ASH FP
SIZE: 800X1600MM | SURFACE: FULL POLISHED

## GRANDE LUCIDO OBSIDIAN AQUA

SURFACE: **HIGH GLOSS**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW



## GRANDE LUCIDO ENGRAVO OBSIDIAN AQUA DECOR

SURFACE: **ENGRAVO**



**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW





WALL: GRANDE LUCIDO OBSIDIAN AQUA
TABLE: GRANDE LUCIDO ENGRAVO OBSIDIAN AQUA DECOR
SIZE: 600X1200MM | SURFACES: HIGH GLOSS / ENGRAVO

**600x 1200mm**

Thickness **9mm**

FLOOR: GRANDE ENGRAVO WEEZER WHITE FP
SIZE: 600X1200MM | SURFACE: ENGRAVO

GRANDE LUCIDO BENTLEY
BLACK

SURFACE: **HIGH GLOSS**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW





WALL: GRANDE LUCIDO BENTLEY BLACK
SIZE: 600X1200MM | SURFACE: HIGH GLOSS



# FULL POLISHED

The Full Polished finish exudes a sense of sophistication and elegance. A marble-inspired design that seamlessly integrates organic leaf motifs and intricate patterns, adding decorative highlights to create an opulent finish. This surface treatment brings out the inherent qualities of the tile, providing a mirror-like sheen that reflects light, enhancing the overall visual appeal of the space. The high reflectivity of the surface adds depth and vibrancy to any interior, making it ideal for spaces that require a touch of luxury and grandeur.




MOH'S SCALE
HARDNESS ≥ 3




ABRASION
RESISTANT
PEI-III




REFLECTIVE
GLOSS INDEX
>95%

## GRANDE ENGRAVO AVOLA AQUA DÉCOR FP

SURFACE: **ENGRAVO**





**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW





WALL: GRANDE ENGRAVO AVOLA AQUA DÉCOR FP
SIZE: 600X1200MM | SURFACE: ENGRAVO



WALL: GRANDE ENGRAVO AVOLA AQUA
DÉCOR & GRANDE AVOLA AQUA LIGHT FP
SIZE: 600X1200MM | SURFACE: ENGRAVO & FULL POLISHED

**600x 1200mm**

Thickness **9mm**

FLOOR: GRANDE AVOLA AQUA DARK FP
SIZE: 600X1200MM | SURFACE: FULL POLISHED

GRANDE AVOLA AQUA
LIGHT FP

SURFACE: **FULL POLISHED**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW



GRANDE AVOLA AQUA
DARK FP

SURFACE: **FULL POLISHED**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW



## GRANDE ENGRAVO FAVARA CREMA DÉCOR FP

SURFACE: **ENGRAVO**



**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW





WALL: GRANDE ENGRAVO FAVARA CREMA DÉCOR FP
SIZE: 600X1200MM | SURFACE: ENGRAVO



WALL: GRANDE ENGRAVO FAVARA CREMA
DÉCOR FP & GRANDE FAVARA CREMA FP
SIZE: 600X1200MM | SURFACE: ENGRAVO & FULL POLISHED

**600x 1200mm**

Thickness
**9mm**

FLOOR: GRANDE FAVARA BEIGE FP
SIZE: 600X1200MM | SURFACE: FULL POLISHED

## GRANDE FAVARA
## CREMA FP

SURFACE: **FULL POLISHED**



**600x1200mm**

Thickness
**9mm**

FACES 2 | V2

360 VIEW



## GRANDE FAVARA
## BEIGE FP

SURFACE: **FULL POLISHED**



**600x1200mm**

Thickness
**9mm**

FACES 2 | V2

360 VIEW



GRANDE BETILO
PEARL FP

SURFACE: **FULL POLISHED**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V2

360 VIEW



GRANDE ENGRAVO BETILO
PEARL DÉCOR FP

SURFACE: **ENGRAVO**



**600x1200mm**

Thickness
**9mm**

FACES 1 | V2

360 VIEW




WALL: GRANDE ENGRAVO BETILO PEARL
DÉCOR FP & GRANDE BETILO PEARL FP
SIZE: 600X1200MM | SURFACE: ENGRAVO & FULL POLISHED

**600x 1200mm**

Thickness
**9mm**

FLOOR: GRANDE BETILO PEARL FP
SIZE: 600X1200MM | SURFACE: FULL POLISHED

GRANDE ORVITO
AQUA FP

SURFACE: **FULL POLISHED**





**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW

GRANDE ENGRAVO ORVITO
AQUA DÉCOR FP

SURFACE: **ENGRAVO**





**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW



WALL: GRANDE ENGRAVO ORVITO AQUA
DÉCOR FP & GRANDE ORVITO AQUA FP
SIZE: 600X1200MM | SURFACE: ENGRAVO & FULL POLISHED

**600x 1200mm**

Thickness **9mm**

FLOOR: ENORME KS EL IMP MODICA PEARL
SIZE: 800X1600MM | SURFACE: IMPRESSION



HARMONY
collection

# FULL POLISHED

The Harmony Collection represents an exquisite fusion of vivid designs, advanced surface finishes, and exceptional craftsmanship. The collection stands as a testament to innovation within the realm of ceramic design, offering a diverse array of finishes and textures that cater to various aesthetic and functional needs. Alongside its 600×1200 mm format, the collection is also available in an 800×1600 mm size, making it a comprehensive surface solution for both contemporary and expansive design environments.




MOH'S SCALE HARDNESS ≥ 3




ABRASION RESISTANT PEI-III




REFLECTIVE GLOSS INDEX >95%

## GRANDE EL ORTONA
## SILVER FP

SURFACE: **FULL POLISHED**





**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW

**Also Available in 800x1600mm**





## GRANDE ENGRAVO ORTONA
## SILVER HL FP

SURFACE: **ENGRAVO**





**600x1200mm**

Thickness
**9mm**

FACES 1 | V1

360 VIEW

**Also Available in 800x1600mm**



WALL: GRANDE ENGRAVO ORTONA SILVER HL FP
SIZE: 600X1200MM | SURFACE: ENGRAVO & FULL POLISHED

**600x 1200mm**

Thickness **9mm**

FLOOR & WALL: GRANDE EL ORTONA SILVER FP
SIZE: 600X1200MM | SURFACE: FULL POLISHED

## GRANDE EL ORTONA
## TAUPE FP

SURFACE: **FULL POLISHED**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW



**Also Available in 800x1600mm**



## GRANDE EL ORTONA
## CREMA FP

SURFACE: **FULL POLISHED**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW



**Also Available in 800x1600mm**



WALL: GRANDE EL ORTONA CREMA FP
SIZE: 600X1200MM | SURFACE: FULL POLISHED

**600x 1200mm**

Thickness **9mm**

FLOOR: GRANDE EL ORTONA TAUPE FP
SIZE: 600X1200MM | SURFACE: FULL POLISHED

# HARMONY
collection

GRANDE EL PALERMO
GREY FP

SURFACE: **FULL POLISHED**



**600x1200mm**

Thickness
**9mm**

FACES 4 | V3

360 VIEW



**Also Available in 800x1600mm**





FLOOR & WALL: GRANDE EL PALERMO GREY FP
SIZE: 600X1200MM | SURFACE: FULL POLISHED

## GRANDE TORCELLO
## ONYX FP

SURFACE: **FULL POLISHED**





**600x1200mm**

Thickness
**9mm**

FACES 3 | V3

360 VIEW

**Also Available in 800x1600mm**



## GRANDE ENGRAVO TORCELLO
## ONYX HL FP

SURFACE: **ENGRAVO**





**600x1200mm**

Thickness
**9mm**

FACES 3 | V3

360 VIEW

**Also Available in 800x1600mm**



WALL: GRANDE ENGRAVO TORCELLO ONYX HL FP
SIZE: 600X1200MM | SURFACE: ENGRAVO & FULL POLISHED

**600x 1200mm**

Thickness **9mm**

FLOOR & WALL: GRANDE TORCELLO ONYX FP
SIZE: 600X1200MM | SURFACE: FULL POLISHED

# HARMONY
collection

GRANDE EL ARIELA
STVARIO FP

SURFACE: **FULL POLISHED**





**600x1200mm**

Thickness
**9mm**

FACES 4 | V4

360 VIEW

**Also Available in 800x1600mm**





FLOOR & WALL: GRANDE EL ARIELA STVARIO FP
SIZE: 600X1200MM | SURFACE: FULL POLISHED

# DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



**V1** Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follows:

V1 Minimal Variation V2 Slight Variation V3 Moderate Variation V4 Substantial Variation





| PACKAGING DETAIL FOR 600X1200MM DURAGRES | | | | |
|---|---|---|---|---|
| **Nominal Size(mm)** | **Thickness(mm)** | **Avg. weight per carton(Kgs)** | **No. of tiles per carton** | **Coverage area per carton** |
| 600x1200mm | 9 mm | 27.7 kgs | 2 | 1.44 Square Meter / 15.50 Square Feet |

| TECHNICAL SPECIFICATIONS FOR 600X1200MM DURAGRES | | | | |
|---|---|---|---|---|
| **Characteristics** | **Requirement as per IS 15622 :2017 E ≤ 0.08 Group B I a** | **Requirement as per ISO 13006:2018 Ev≤ 0.5%-Group B I a (Annex G)** | **Our Values** | **Test Method** |
| **A) Dimension & Surface Quality** | **Rectified** | | | |
| **I) Length & Width** | ± 0.10% | ± 0.30% | ± 0.10% | IS 13630 Part 1/ ISO 10545-2 |
| **ii) Thickness** | ± 5.0% | ± 5.0% | ± 4.0% | |
| **iii) Straightness of Side** | ± 0.10% | ± 0.30% | ± 0.10% | |
| **iv) Rectengularity** | ± 0.10% | ± 0.30% | ± 0.10% | |
| **v) Surface Flatness** | | | | |
| **a) Center curvature (%) ( max.Deviation)** | ± 0.5% | ± 0.4% | ± 0.02% | |
| **b) Edge curvature (%) ( max.Deviation)** | ± 0.5% | ± 0.4% | ± 0.02% | |
| **c) Corner warpage (%) ( max.Deviation)** | ± 0.5% | ± 0.4% | ± 0.02% | |
| **vi) Surface Quality** | Min. 95 % of tiles will be free from visible defects | Min. 95 % of tiles will be free from visible defects | Min. 95 % of tiles will be free from visible defects | |
| **B) Physical Properties** | | | | |
| I) **Water Absorption** | Average 0.8<E, Individual Max 0.1% | E≤ 0.5, Individual max 0.6% | Av 0.08 % | IS 13630 Part 2/ ISO 10545-3 |
| **ii) Modulus of Rupture [N/mm2]** | Avg. 35, Individual 32 min | Avg 35, Individual 32 min | Avg-38 | IS 13630 Part 6/ISO 10545-4 |
| **iii) Breaking Strength in N** | 1300 | 1300 | Min 1400 | |
| **iv) Moisture Expansion in mm/m** | 0.02 | Test Method Available | 0.02 Max | IS 13630 Part 3/ISO-10545-10 |
| **v) Scratch Hardness of surface (Mohs)** | Min 5 | N/A | 4-6 (depends on surface) | IS 13630 Part 13 |
| **vi) Resistant to Abrasion of Glazed Tiles (Class I to V)** | Min II | Report abrasion class and cycles passed | Class V (for VC), Class IV (for Non VC), Class III (For polished) | IS 13630 Part 11 /ISO 10545-7 |
| **vii) Coefficient of linear thermal expansion from ambient temperature to 100° C** | 6 X $10^{-6}$ $K^{-1}$ max | Test Method Available | Max 5.5 X $10^{-6}$ $K^{-1}$ | IS 13630 Part 4/ ISO 10545-8 |
| **viii) Thermal Resistant** | 10 cycle min | Test Method Available | Passed 10 cycle | IS 13630 Part 5/ISO-10545-9 |
| **ix) Crazing Resistant** | 4 cycle @ 7.5bar min | Required | Passed 4 cycle | IS 13630 Part 9/ISO 10545-11 |
| **x) Impact Resistant as Coefficient of Restitution (COR)** | 0.55 Min | Test Method Available | 0.75-0.90 | IS 13630 part 14/ISO 10545-5 |
| **xi) Bulk Density (gm/cc)** | 2.2 | N.A | 2.25 | IS 13630 Part 2 |
| **xii) Coefficient of Friction** | Where required manufacturer to declare value | Where required manufacturer to declare value | Depends upon Glazed surface | ISO 10545-17 |
| **xiii) Frost Resistant** | Required | Required | 100 Cycle Passed | IS 13630 Part 10/ISO 10545-12 |
| **C) Chemical Resistant (Glazed Tiles)** | | | | |
| I) **Stain Resistant** | Min Class 1 | Min Class 3 | Min Class-1/ Class-3 | IS 13630 Part 8 &ISO 10545-14 |
| **ii) Resistant to household chemicals** | Min Class AA | Min. Class B | Min Class AA | IS 13630 Part 8/ ISO 10545-13 |
| **iii) Resistant to acids and alkalis (with exception of hydrofluoric acid and its compounds)** | Required if agreed | Manufacturer is to state classification | Min Class AA | |

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers to check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

# SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner




## Lasting Bonds Made Ezy

**Behind Every Stunning Tile, there's a Stronger Bond!**
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at **www.somanyceramics.com** or call on **Toll Free: 1800 103 0004**

SOMANY Bathware

SOMANY French Collection



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome

Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com