



SOMANY

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.

Ahmedabad: 601 to 606, 6th floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad, Gujarat-382481. Ph.: 079-27661103 / 27661104

Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913

www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic



Find us at:
www.instagram.com/SomanyCeramics



GVT RANGE / CAT OCTOBER 2023

DURAGRES
Timeless Elegance

SOMANY
TILES | BATHWARE

ZAMEEN SE JUDEY

**GLAZED
VITRIFIED
TILES**

COLLECTION

600x600mm

UNIT - 4 | FOR SOUTH

EUPHORIC

Feel the joy of beauty. Feast your senses on the spectacular views. Experience the euphoria of choosing something outstanding at every step.

APPLICATION

- 
Residences
- 
Hotels
- 
Offices
- 
Railway Stations
- 
Restaurants
- 
Shops
- 
Airports
- 
Malls
- 
Bathrooms
- 
Kitchens

FEATURES

- 
Impact Resistance
- 
Acid Resistance
- 
Ecology & Sustainable
- 
Resistance To Staining
- 
Frost Resistance
- 
Break Resistance
- 
Thermal Shock Resistance
- 
Easy to Clean





Shifting the focus from minimalism to mighty force guaranteed makes for an interior design trend guaranteed to get heads turning. Shifting the focus from minimalism to mighty force guaranteed makes for an interior design trend guaranteed to get heads turning.

INDEX

Full Polish	06
Matt	13
VC	24
Rustic	26

600x
600MM

600x600MM | Full Polish




600x600MM | Full Polish




VALOR AMES BEIGE FP
FULL POLISH | 600x600MM



VALOR AMES GREY FP
FULL POLISH | 600x600MM



VALOR AMSTERDAM FP
FULL POLISH | 600x600MM



VALOR BIANCO VENECIA FP
FULL POLISH | 600x600MM



VALOR AMES BROWN FP
FULL POLISH | 600x600MM



VALOR AMES DARK GREY FP
FULL POLISH | 600x600MM



VALOR ENZO STATURIO FP
FULL POLISH | 600x600MM



VALOR CARICIA GREY FP
FULL POLISH | 600x600MM



VALOR ALBESTRO HONEY FP
FULL POLISH | 600x600MM



VALOR ARVE BEIGE FP
FULL POLISH | 600x600MM




VALOR DAINO BEIGE FP
FULL POLISH | 600x600MM



VALOR DAINO GOLD FP
FULL POLISH | 600x600MM




VALOR ELIOS LIGHT FP
FULL POLISH | 600x600MM



VALOR ELIOS DARK FP
FULL POLISH | 600x600MM



VALOR JURASSIC LIGHT GREY FP
FULL POLISH | 600x600MM




VALOR JURASSIC DARK GREY FP
FULL POLISH | 600x600MM




VALOR IMPERIAL DAINO BEIGE FP
FULL POLISH | 600x600MM





VALOR IMPERIAL DAINO GREY FP
FULL POLISH | 600x600MM



VALOR JURASSIC CREMA FP
FULL POLISH | 600x600MM



VALOR JURASSIC BROWN FP
FULL POLISH | 600x600MM



VALOR GLACIER WHITE FP
FULL POLISH | 600x600MM



VALOR LANAI GREY FP
FULL POLISH | 600x600MM



VALOR PRIME
BOTTICCHINO BROWN FP
FULL POLISH | 600x600MM



Raise The Bar of *Elegance*



VALOR JURASSIC LIGHT GREY FP | VALOR JURASSIC DARK GREY FP



Surrender to Hypnotism of *Beauty*

An energizing shade that fill your ambiance and eyes with unmatched vigor and refreshes your senses...continuously.

- VERSATILE SOLUTIONS
- EASIER TO LAY
- RESISTANT TO CHEMICAL
- FROST RESISTANT
- RESISTANT TO STAINS
- WIDE RANGE

600x600MM | Full Polish



600x600MM | Matt



VALOR STATUARIO FP
FULL POLISH | 600x600MM



VALOR SEGESTA BIANCO FP
FULL POLISH | 600x600MM



VALOR SEGESTA GOLD FP
FULL POLISH | 600x600MM



VALOR AGEROLA GREY
MATT | 600x600MM



VALOR CARPE BROWN
MATT | 600x600MM



VALOR GREFINE BEIGE
MATT | 600x600MM



VALOR BALMA LIGHT GREY
MATT | 600x600MM




VALOR BALMA DARK GREY
MATT | 600x600MM



VALOR GREFINE MUSHROOM
MATT | 600x600MM




VALOR BRITTSTONE GREY LIGHT
MATT | 600x600MM



V-4



VALOR BRITTSTONE GREY DARK
MATT | 600x600MM




V-4



NEW

VALOR DUSTY BEIGE
MATT | 600x600MM



V-4



NEW


VALOR DUSTY BROWN
MATT | 600x600MM



V-4



VALOR BRITTSTONE BEIGE
MATT | 600x600MM



V-4



VALOR BRUCE WALNUT
MATT | 600x600MM




V-1



NEW

VALOR DUSTY GREY
MATT | 600x600MM



V-4



NEW


VALOR DUSTY DARK GREY
MATT | 600x600MM



V-4




VALOR CRAYON NEGRO
MATT | 600x600MM




V-1




VALOR DELMON BEIGE
MATT | 600x600MM



V-1



VALOR LISTON BEIGE
MATT | 600x600MM



V-4



VALOR LISTON BROWN
MATT | 600x600MM



V-4



Let your Space Defy The *Convention*




VALOR CRAYON NEGRO




Choose The *Ultimate*

Lavish backdrop or luxe floors, enwrap your ambiance and senses with the design eleating the grandeur of the place exponetially.


-  VERSATILE SOLOUTIONS
-  EASIER TO LAY
-  RESISTANT TO CHEMICAL
-  FROST RESISTANT
-  RESISTANT TO STAINS
-  WIDE RANGE





VALOR LISTON GREY LIGHT
MATT | 600x600MM





VALOR LISTON GREY DARK
MATT | 600x600MM





VALOR MONTANA GREY
MATT | 600x600MM




VALOR MONTANA BIANCO
MATT | 600x600MM




VALOR MET LIGHT GREY
MATT | 600x600MM





VALOR MET BEIGE
MATT | 600x600MM




VALOR MORTAR GRIS
MATT | 600x600MM




VALOR MORO BROWN
MATT | 600x600MM





VALOR MET DARK GREY
MATT | 600x600MM



VALOR MET BROWN
MATT | 600x600MM



VALOR NAGO NERO
MATT | 600x600MM



VALOR NAMI GREY
MATT | 600x600MM





HDR

V-4

VALOR KALIDA WOOD BROWN
MATT | 600x600MM



NEW



V-1

VALOR SPYKER BROWN
MATT | 600x600MM



NEW




HDR

V-3

VALOR ROC BEIGE
MATT | 600x600MM



NEW



V-3

VALOR ROC LIGHT GREY
MATT | 600x600MM



HDR

V-3

VALOR REAL WOOD PINE
MATT | 600x600MM



HDR

V-3

VALOR REAL WOOD TEAK
MATT | 600x600MM



NEW



V-3

VALOR ROC BROWN
MATT | 600x600MM



NEW



V-3

VALOR ROC DARK GREY
MATT | 600x600MM



Be Aligned with Trend and *Tradition*



VALOR MONTANA BIANCO | VALOR MORO BROWN | VALOR REAL WOOD TEAK



Ambiance That Awakens your *Senses*

Feast your eyes with the scene of beauty that simply steals your heart. The enigmatic charm of black merges with soothing grains of white to entrance to till eternity.


- VERSATILE SOLUTIONS
- EASIER TO LAY
- RESISTANT TO CHEMICAL
- FROST RESISTANT
- RESISTANT TO STAINS
- WIDE RANGE




VALOR ESCARA GREY LIGHT
VC | 600x600MM



VALOR ESCARA BEIGE
VC | 600x600MM



VALOR SOLIDO BEIGE
VC | 600x600MM




VALOR SOLIDO CEMENT GREY
VC | 600x600MM




VALOR PLAZO BIANCO
VC | 600x600MM




VALOR PLAZO GRAPHITE
VC | 600x600MM




VALOR SOLIDO CREMA
VC | 600x600MM




VALOR SOLIDO NERO
VC | 600x600MM



VALOR ROSETA LIGHT GREY
VC | 600x600MM



VALOR ROSETA DARK GREY
VC | 600x600MM



VALOR SOLIDO WHITE
VC | 600x600MM




VALOR DAINO BEIGE
VC | 600x600MM








VALOR ETHOS BEIGE RT
RUSTIC | 600x600MM




VALOR ETHOS GREY RT
RUSTIC | 600x600MM




VALOR GRITSTONE LIGHT GREY RT
RUSTIC | 600x600MM




VALOR GRITSTONE DARK GREY RT
RUSTIC | 600x600MM




VALOR ETHOS GRAPHITO RT
RUSTIC | 600x600MM




VALOR ETHOS COTTO RT
RUSTIC | 600x600MM




VALOR GRITSTONE BROWN RT
RUSTIC | 600x600MM




VALOR GIZA RUST RT
RUSTIC | 600x600MM



VALOR GRITSTONE CREMA RT
RUSTIC | 600x600MM



VALOR GRITSTONE BEIGE RT
RUSTIC | 600x600MM



VALOR HECTOR WOOD TEAK RT
RUSTIC | 600x600MM



VALOR MADERA WOOD RT
RUSTIC | 600x600MM



Surfaces that celebrate the *Grandeur*



VALOR GRITSTONE LIGHT GREY RT | VALOR GRITSTONE DARK GREY RT



Curated with *Innovation*

The Flawless luxury of white with a tinge of beige scattered generously makes this design appealing and alluring.


-  VERSATILE SOLUTIONS
-  EASIER TO LAY
-  RESISTANT TO CHEMICAL
-  FROST RESISTANT
-  RESISTANT TO STAINS
-  WIDE RANGE




VALOR NEO PIZARRA BIANCO RT
RUSTIC | 600x600MM




VALOR PIZARRA GREY RT
RUSTIC | 600x600MM




VALOR NEO PIZARRA BEIGE RT
RUSTIC | 600x600MM



VALOR NEO PIZARRA BROWN RT
RUSTIC | 600x600MM



VALOR PIZARRA GOLD RT
RUSTIC | 600x600MM



VALOR NEO PORTLAND NERO RT
RUSTIC | 600x600MM



VALOR PIZARRA GREY RT | VALOR NEO PORTLAND NERO RT




VEILCRAFT (VC) SHIELD

Not only look and style; the buzz word for the Gen X tile is timeless elegance. Here comes the revolutionary patented "VeilCraft (VC) Shield" technology, a 'high abrasion resistant glaze composition', known as VC (VeilCraft) Shield. This is the first ever patented technology in Indian Ceramic Industry. This not only gives you the perfect aesthetics for your space but also the lifelong protection to your floor.


Result Of The abrasion test at 25,000 revolutions as per the PEI Methodology



Natural Granite




Marble



Traditional Tile




VC Shield Tile



Polished Vitrified Tile

Patent Certificate for
“High Abrasion Resistant Glaze”
applied on VC Shield Tiles



TECHNICAL SPECIFICATION

PACKING DETAILS FOR GVT TILES				
Nominal Size	Thickness(mm)	No. of tiles per carton	Average weight per carton (Kgs)	Coverage area per carton
600X600mm	9	4	28	1.44 Sq.Mtr / 15.50 Sq.ft

TECHNICAL SPECIFICATION FOR GVT TILES				
Characteristics	Requirement as per IS 15622 : 2017 < E ≤ 0.08 Group Bla	Requirement as per ISO 13006 ≤ 0.5% Group Bla	Our Values	Test Method
A) Dimension & Surface Quality				
I) Length & Width	± 0.1%	± 0.3%	± 0.1%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	± 0.1%	± 0.3%	± 0.1%	
iv) Rectangularity	± 0.1%	± 0.3%	± 0.1%	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
b) Edge curvature (%) { max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
c) Corner warpage (%) (max.Deviation)	± 0.5%	± 0.4%	± 0.2 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
I) Water Absorption	Av E ≤ 0.08 %, Individual 0.1 max	Av ≤ 0.5 %, Individual 0.6% max	Avg. E≤ 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Av 35, Individual 32 min	Av 35, Individual 32 min	Avg, 35 Ind 32	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	Min. 1300	Min. 1300	Min. 1300	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N/A	Min.5 (for VC & RT), Min.3 (for Polished)	IS 13630 Part 13
vi) Resistance to Abrasion of glazed tiles(Class I to V)	Min II	Abrasion Class & Cycle passed	Class-V (for VC & RT), Class-III (for Polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from ambient temperature to 100° c	6 X 10 ⁻⁶ K ⁻¹ Max	Test Method Available	Max 6 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Shock Resistance	10 cycle min	Test Method Available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
ix) Crazing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Re stitution	0.55 min	Required	Min 0.55	ISO 10545-5
xi) Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
I) Stain Resistance	Min. Class 1 (For Matt) Min. Class 2 (For Polished)	Min Class 3	Min Class-1	IS 13630 Part 8 &ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value ¹	Min Class AA	

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. “ Technical Specification” for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

SOMANY
Bathware

Our PORTFOLIO



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

SOMANY

Ezy Fix
TILE ADHESIVE



HIGH STRENGTH POLYMER MODIFIED TILE ADHESIVE



BENEFITS

- » READY AND EASY TO USE
- » EXCELLENT BONDING WITH ALL SURFACES
- » FAST SETTING
- » SELF-CURING

USES

- » FOR FIXING ALL TYPE OF TILES
- » FOR NEW FLOORING AND RENOVATION
- » CAN BE USED FOR TILE ON TILE