



Power of Desire



SOMANY

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.
Ahmedabad: Office no. 7-14, 4th Floor, Aggarwal Mall, Opp. Sola Bhagwat Vidyapeeth, S.G. Road, Sola, Ph.: 079-66042500 to 599
Registered office: 2, Red Cross Place, Kolkata - 700001; Ph. (033) 22487406/5913
www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic



Find us at:
www.instagram.com/SomanyCeramics



DURAGRES / CAT / FEBRUARY 2022

DURAGRES
Timeless Elegance

SOMANY
Tiles | Bathware

ZAMEEN SE JUDEY

600x
1200mm

GLAZED VITRIFIED TILES




UNIT-4
FOR SOUTH




GRANDE VALOR PERLINO BEIGE FP

FULL POLISH


600X1200MM




GRANDE LUCIDO GALAXY AZUL
High Gloss, 600x1200mm



GRANDE LUCIDO GALAXY BEIGE
High Gloss, 600x1200mm




GRANDE LUCIDO MARMO BLUE
High Gloss, 600x1200mm



GRANDE LUCIDO MARMO BROWN
High Gloss, 600x1200mm



GRANDE VALOR PERLINO BEIGE FP
Full Polish, 600x1200mm



GRANDE VALOR PERLINO GREY FP
Full Polish, 600x1200mm





GARDE VALOR BURRBERRY BEIGE FP
Full Polish, 600x1200mm




GARDE VALOR BURRBERRY BROWN FP
Full Polish, 600x1200mm



GRANDE VALOR VALENCIA BEIGE FP
Full Polish, 600x1200mm




GRANDE VALOR VALENCIA COFFEE FP
Full Polish, 600x1200mm




GRANDE VALOR BRECCIA GOLD FP
Full Polish, 600x1200mm






GRANDE VALOR LUCIDO PORTORO BLACK
High Gloss, 600x1200mm



GRANDE VALOR ARMANI BEIGE FP
Full Polish, 600x1200mm



GRANDE VALOR ARMANI GREY FP
Full Polish, 600x1200mm



GRANDE VALOR BOTTOCHINO NEXT BEIGE FP
Full Polish, 600x1200mm



GRANDE VALOR BOTTOCHINO NEXT CREMA FP
Full Polish, 600x1200mm



GRANDE VALOR BRECCIA BEIGE FP
Full Polish, 600x1200mm






GRANDE VALOR CALLIS DARK GREY FP
GRANDE VALOR CALLIS LIGHT GREY FP

600X1200MM

FULL POLISH



GRANDE VALOR BRECCIA GREY FP
Full Polish, 600x1200mm



GRANDE VALOR BRILLAR LIGHT FP
Full Polish, 600x1200mm



GRANDE VALOR BRILLAR DARK FP
Full Polish, 600x1200mm



GRANDE VALOR CALLIS BEIGE FP
Full Polish, 600x1200mm



GRANDE VALOR CALLIS LIGHT GREY FP
Full Polish, 600x1200mm




GRANDE VALOR CALLIS DARK GREY FP
Full Polish, 600x1200mm





GRANDE VALOR CALLIS BROWN FP
Full Polish, 600x1200mm



GRANDE VALOR CLAUDIA WHITE FP
Full Polish, 600x1200mm



GRANDE VALOR DAINO BEIGE FP
Full Polish, 600x1200mm



GRANDE VALOR ELEANA BEIGE FP
Full Polish, 600x1200mm



GRANDE VALOR FORZENTA LIGHT GREY FP
Full Polish, 600x1200mm




GRANDE VALOR FORZENTA DARK GREY FP
Full Polish, 600x1200mm





GRANDE VALOR GEMSTONE HONEY FP
Full Polish, 600x1200mm



GRANDE VALOR GLACIER WHITE FP
Full Polish, 600x1200mm



GRANDE VALOR NAVONNA BEIGE FP
Full Polish, 600x1200mm



GRANDE VALOR NEO CARARRA FP
Full Polish, 600x1200mm



GRANDE VALOR NEO DAINO BEIGE FP
Full Polish, 600x1200mm




GRANDE VALOR NEO STATUARIO FP
Full Polish, 600x1200mm






GRANDE VALOR ORLIN WHITE FP
Full Polish, 600x1200mm



GRANDE VALOR PARISION IVORY FP
Full Polish, 600x1200mm



GRANDE VALOR PERLATO BEIGE FP
Full Polish, 600x1200mm



GRANDE VALOR STATURIO FP
Full Polish, 600x1200mm





600X1200MM

GRANDE VALOR AUTUMN GREY


MATT



GRANDE VALOR AUTUMN SKY
Matt, 600x1200mm



GRANDE VALOR AUTUMN GREY
Matt, 600x1200mm



GRANDE VALOR AUTUMN IVORY
Matt, 600x1200mm



GRANDE VALOR AUTUMN BROWN RT
Matt, 600x1200mm



GRANDE VALOR CEMENT BEIGE
Matt, 600x1200mm



GRANDE VALOR CEMENT COFFEE
Matt, 600x1200mm






GRANDE VALOR CEMENT DARK GREY
Matt, 600x1200mm



GRANDE VALOR CEMENT LIGHT GREY
Matt, 600x1200mm



GRANDE VALOR COLLAGE GREY
Matt, 600x1200mm




GRANDE VALOR COLLAGE BEIGE
Matt, 600x1200mm






GRANDE VALOR ARDOIS GREY RT
Rustic, 600x1200mm



GRANDE VALOR ARDOIS BLACK RT
Rustic, 600x1200mm



GRANDE VALOR GLACIER WHITE VC
Matt, 600x1200mm



GRANDE VALOR BRITTSTONE LIGHT GREY
Matt, 600x1200mm



GRANDE VALOR BRITTSTONE DECOR
Dry Application, 600x1200mm



GRANDE VALOR BRITTSTONE DARK GREY
Matt, 600x1200mm





GRANDE VALOR LISTON LIGHT GREY
GRANDE VALOR LISTON GREY DECOR

600X1200MM

MATT



GRANDE VALOR LISTON LIGHT GREY
Matt, 600x1200mm



GRANDE VALOR LISTON GREY DECOR
Carving, 600x1200mm



GRANDE VALOR LISTON GREY
Matt, 600x1200mm



GRANDE VALOR LISTON BEIGE
Matt, 600x1200mm



GRANDE VALOR LISTON BROWN DECOR
Carving, 600x1200mm



GRANDE VALOR LISTON BROWN
Matt, 600x1200mm





GRANDE IMPRESSION MARTIN BEIGE DECOR
Carving, 600x1200mm



GRANDE MARTIN BEIGE
Matt, 600x1200mm



GRANDE HOLZ WOOD BROWN RT
Rustic, 600x1200mm



GRANDE VALOR SANDSTONE BROWN
Matt, 600x1200mm



GRANDE VALOR SANDSTONE BEIGE
Matt, 600x1200mm




GRANDE VALOR SANDSTONE LIGHT GREY
Matt, 600x1200mm





GRANDE VALOR SANDSTONE DARK GREY
Matt, 600x1200mm




GRANDE IMPRESSION VALOR TAIGA DECOR
Carving, 600x1200mm



GRANDE VALOR TAIGA GRIS
Matt, 600x1200mm



GRANDE VALOR URBIS BONE
Matt, 600x1200mm



GRANDE IMPRESSION URBIS DECOR
Carving, 600x1200mm



GLAZED VITRIFIED TILES
600x1200MM

FINISH: MATT



GRANDE VALOR VALDIVA GREY
Matt, 600x1200mm



GRANDE IMPRESSION VALDIVA DECOR
Carving, 600x1200mm






GRANDE IMPRESSION ROSSO BEIGE
GRANDE IMPRESSION ROSSO BEIGE DECOR
GRANDE IMPRESSION ROSSO BROWN

600X1200MM

CARVING




GRANDE IMPRESSION IMPERIAL STATUARIO
Carving, 600x1200mm



GRANDE IMPRESSION MICHAEL ANGEILO BEIGE
Carving, 600x1200mm



GRANDE IMPRESSION MICHAEL ANGEILO COFFEE
Carving, 600x1200mm



GRANDE IMPRESSION MICHAEL ANGEILO GREY
Carving, 600x1200mm



GRANDE IMPRESSION MICHAEL ANGEILO GREY LIGHT
Carving, 600x1200mm



GRANDE IMPRESSION MONALISA CREMA
Carving, 600x1200mm





GRANDE IMPRESSION MONALISA GREY
Carving, 600x1200mm



GRANDE IMPRESSION MONALISA METAL
Carving, 600x1200mm



GRANDE IMPRESSION MONALISA NERO
Carving, 600x1200mm



GRANDE IMPRESSION ROSSO BEIGE
Carving, 600x1200mm



GRANDE IMPRESSION ROSSO BEIGE DECOR
Carving, 600x1200mm




GRANDE IMPRESSION ROSSO BROWN
Carving, 600x1200mm






GRANDE IMPRESSION ROSSO LIGHT GREY
Carving, 600x1200mm



GRANDE IMPRESSION ROSSO GREY DECOR
Carving, 600x1200mm



GRANDE IMPRESSION ROSSO DARK GREY
Carving, 600x1200mm



GRANDE IMPRESSION SPIDER BEIGE
Carving, 600x1200mm



GRANDE IMPRESSION SPIDER GREY
Carving, 600x1200mm



GRANDE IMPRESSION TERRAZO BEIGE
Carving, 600x1200mm





GRANDE VALOR MILLENIUM WOOD BROWN
Carving, 600x1200mm



GRANDE PRECIOUS MILLENIUM WOOD DECOR
Dry Application, 600x1200mm



GRANDE VALOR MILLENIUM WOOD NATURAL
Carving, 600x1200mm



GRANDE METALON ARLON COPPER
Metallic, 600x1200mm



GRANDE METALON FORDWOOD
Metallic, 600x1200mm






DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles to resemble and look authentically identical to natural material (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between two.

Recognising this situation, it is necessary to be informed on the grade of design & pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of variation.



V1 Uniform Appearance **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follow:

V1 Minimal Variation **V3** Random Variation **V2** Slight Variation **V4** Substantial Variation



High Definition Image

While laying the tiles please follow the arrow on the back of the tiles.

For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing with any boric/talk powder

Notes

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. "Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

PACKAGING DETAIL FOR FLOOR TILES

Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
600x1200MM	9.0 mm	28.5 Kgs.	2 Pcs	1.44 Sq.mt / 15.50 Sq.ft

TECHNICAL SPECIFICATIONS FOR FLOOR TILES

Characteristics	Requirement as per IS 15622 :2017 E ≤ 0.08% Group B I a	Requirements as per ISO 13006 ≤ 0.5% Group B Ia	Our Values	Test Method
A) Dimension & Surface Quality				
i) Length & Width	±0.10%	±0.5%	±0.10%	IS 13630 Part 1/ ISO 10545-2
ii) Thickness	± 5.0%	± 5.0%	± 4.0%	
iii) Straightness of Side	±0.10%	±0.50%	±0.10%	
iv) Rectengularity	±0.10%	±0.60%	±0.10%	
v) Surface Flatness				
a) Center curvature (%) (max.Deviation)	±0.50 %	±0.50 %	±0.2 %	
b) Edge curvature (%) (max.Deviation)	±0.50 %	±0.50 %	±0.2 %	
c) Corner warpage (%) (max.Deviation)	± 0.50 %	± 0.50 %	± 0.2 %	
vi) Surface Quality	>95 % free from visible defects	>95 % free from visible defects	>95 % free from visible defects	
B) Physical Properties				
i) Water Absorption	Av E ≤ 0.08 %, Individual 0.1 max	Av ≤ 0.5 %, Individual 0.6% max	Av E ≤ 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii) Modulus of Rupture [N/mm2]	Av 35, Individual 32 min	Av 35, Individual 32 min	Avg. 40	IS 13630 Part 6/ISO 10545-4
iii) Breaking Strength in N	1300	1300	Min 1500	
iv) Moisture Expansion in mm/m	0.02	Test method available	0.02	IS 13630 Part 3/ISO-10545-10
v) Scratch Hardness of surface (Mohs)	Min 5	N.A.	Min-6 (For VC), Min-5 (For Rustic), Min-3 (For Polished)	IS 13630 Part 13
vi) Surface Abrasion Resistance	Min II	Abrasion Class & Cycle passed	Class V(for VC), Class IV(for Rustic), Class III(for Polished)	IS 13630 Part 11 /ISO 10545-7
vii) Coefficient of linear thermal expansion from embiant temperature to 100° C	6 X 10 ⁻⁶ K ⁻¹	Test method available	Max. 6 X 10 ⁻⁶ K ⁻¹	IS 13630 Part 4/ ISO 10545-8
viii) Thermal Shock Resistance	10 cycle min	Required	10 cycle Passed	IS 13630 Part 5/ISO-10545-9
ix) Crazing Resistance	4 cycle @ 7.5bar min	N.A.	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x) Impact Resistance as Co-efficient of Restitution	0.55 min	Test method available	0.75-0.90	ISO 10545-5
xi) Frost Resistance	Required	Required	100 Cycle passed	IS 13630 Part 10/ISO 10545-12
C) Chemical Resistance (glazed Tiles)				
i) Stain Resistance	Min Class-1	Min Class-3	Min Class-1(For Matt), Class-2 (For polished)	IS 13630 Part 8 &ISO 10545-14
ii) Resistance to household chemicals	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Declared Value ^f	Min Class AA	

Note: