



**DURAGRES**  
Timeless Elegance

**SOMANY**  
Tiles | Bathware

**ZAMEEN SE JUDEY**

**800x1600mm**  
**GLAZE VITRIFIED TILES**  
COLLECTION



*Choice of the Superstar*  
*Salman Khan*

DURAGRES / CAT / OCTOBER 2020

**UNIT-4** FOR SOUTH

**SOMANY**

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.  
Ahmedabad: Office no. 7-14, 4th Floor, Aggarwal Mall, Opp. Sola Bhagwat Vidyapeeth, S.G. Road, Sola, Ph.: 079-66042500 to 599  
Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913  
www.somanyceramics.com | e-mail marketing@somanyceramics.com

**Toll Free No. 1800-103-0004** (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:  
www.somanyceramics.com



Find us at:  
www.facebook.com/SomanyCeramic



Find us at:  
www.twitter.com/SomanyCeramic



enchancing elements  
to gladden your senses



800 x 1600 mm

Lucido | Full Polish | Sugar | Rustic | Carving | Matt



STAIN  
RESISTANT



EASY TO  
CLEAN



FROST  
RESISTANT



EASY TO  
LAY



RESISTANT  
TO ACID



ENORME LUCIDO ACE ARMANI CAFÉ FP LUCIDO, 800X1600MM  
ENORME LUCIDO ACE ARMANI CAFÉ FP LUCIDO, 800X1600MM

SOMANY<sup>®</sup>  
DURAGRES

LUCIDO 800 x 1600MM








800x1600MM | LUCIDO



ENORME LUCIDO ACE ARMANI CAFE FP  
Lucido, 800x1600mm




ENORME LUCIDO BOSCO BRECCIA GREY  
Lucido, 800x1600mm





SOMANY<sup>®</sup>  
DURAGRES


800x1600MM | LUCIDO



ENORME LUCIDO EMPERADOR DE NERO FP  
Lucido, 800x1600mm




ENORME LUCIDO EMPERADOR IRISH BROWN  
Lucido, 800x1600mm






800x1600MM | LUCIDO




ENORME PRIME LUCIDO NIGHT NERO  
Lucido, 800x1600mm





800x1600MM | LUCIDO



SOMANY  
DURAGRES




ENORME LUCIDO NYLO GREY DARK FP  
Lucido, 800x1600mm



ENORME LUCIDO NYLO BLACK  
Lucido, 800x1600mm




ENORME LUCIDO PEACOCK BLACK  
Lucido, 800x1600mm







800x1600MM | LUCIDO




ENORME LUCIDO PORTORO BLACK  
Lucido, 800x1600mm

V3




ENORME LUCIDO RED CHIGAN  
Lucido, 800x1600mm

V3




SOMANY<sup>®</sup>  
DURAGRES

800x1600MM | LUCIDO




ENORME LUCIDO REYMI GREY FP  
Lucido, 800x1600mm

V2



ENORME LUCIDO ROSSO TRAVERTINO  
Lucido, 800x1600mm

V4





ENORME ARENADO GREY DARK FP

ENORME ARENADO GREY DARK FP


SOMANY  
DURAGRES

FULL POLISH 800 x 1600MM





800x1600MM | FULL POLISH



ENORME ACE ARMANI NATURAL FP  
Full Polish, 800x1600mm



ENORME ARENA BEIGE FP  
Full Polish, 800x1600mm




SOMANY  
DURAGRES


800x1600MM | FULL POLISH



ENORME ARENADO CREMA FP  
Full Polish, 800x1600mm



ENORME ARENADO GREY DARK FP  
Full Polish, 800x1600mm








800x1600MM | FULL POLISH



ENORME ARENADO GREY LIGHT FP  
Full Polish, 800x1600mm




SOMANY  
DURAGRES


800x1600MM | FULL POLISH




ENORME BRECCIA NATURAL FP  
Full Polish, 800x1600mm



ENORME ARLON NATURAL FP  
Full Polish, 800x1600mm



ENORME BRECCIA DORATA FP  
Full Polish, 800x1600mm





800x1600MM | FULL POLISH



ENORME CLARA BOTTOCHINO BEIGE FP  
Full Polish, 800x1600mm




SOMANY  
DURAGRES


800x1600MM | FULL POLISH



ENORME ETERNA NATURAL FP  
Full Polish, 800x1600mm



ENORME ETERNA GREY FP  
Full Polish, 800x1600mm



ENORME KRONO BEIGE FP  
Full Polish, 800x1600mm





STAIN RESISTANT  
EASY TO CLEAN  
FROST RESISTANT  
EASY TO LAY  
RESISTANT TO ACID

≡ ENORME LUCINA CAFE FP

SOMANY<sup>®</sup>  
DURAGRES

FULL POLISH 800 x 1600MM






800x1600MM | FULL POLISH



ENORME LIEM BEIGE FP  
Full Polish, 800x1600mm





800x1600MM | FULL POLISH


SOMANY  
DURAGRES




ENORME LUNESIS SUPER WHITE FP  
Full Polish, 800x1600mm



ENORME LUCINA CAFE FP  
Full Polish, 800x1600mm



ENORME MORSE DIANO FP  
Full Polish, 800x1600mm





800x1600MM | FULL POLISH



ENORME NEO DIANO BEIGE FP  
Full Polish, 800x1600mm



SOMANY  
DURAGRES


800x1600MM | FULL POLISH



ENORME NYLO GREY LIGHT FP  
Full Polish, 800x1600mm



ENORME NUBA WHITE FP  
Full Polish, 800x1600mm



ENORME PRIME ATLAS CREMA FP  
Full Polish, 800x1600mm







800x1600MM | FULL POLISH



ENORME PRIME BRECCIA AURUM FP  
Full Polish, 800x1600mm



ENORME PRIME BRECCIA GOLD FP  
Full Polish, 800x1600mm





SOMANY<sup>®</sup>  
DURAGRES


800x1600MM | FULL POLISH



ENORME PRIME DYNA GOLD FP  
Full Polish, 800x1600mm



ENORME PRIME EMPRADOR CLASSIC FP  
Full Polish, 800x1600mm





STAIN RESISTANT EASY TO CLEAN FROST RESISTANT EASY TO LAY RESISTANT TO ACID

ENORME RIOHA STATUARIO MIRROR-A  
ENORME RIOHA STATUARIO MIRROR-B


SOMANY<sup>®</sup>  
DURAGRES

FULL POLISH 800 x 1600MM






800x1600MM | FULL POLISH




ENORME PRIME WILLIAM GREY FP  
Full Polish, 800x1600mm

V3



ENORME QUARRY BOTTOCHINO BROWN FP  
Full Polish, 800x1600mm

V4



SOMANY  
DURAGRES

800x1600MM | FULL POLISH


NEW



ENORME RIOHA STATUARIO MIRROR-A  
ENORME RIOHA STATUARIO MIRROR-B  
Full Polish, 800x1600mm

V3

NEW







800x1600MM | FULL POLISH



ENORME RIOHA STATUARIO FP  
Full Polish, 800x1600mm





SOMANY  
DURAGRES


800x1600MM | FULL POLISH




ENORME ROSABELA GREY FP  
Full Polish, 800x1600mm



ENORME ROSABELA CREMA FP  
Full Polish, 800x1600mm



ENORME STATUARIO GOLD FP  
Full Polish, 800x1600mm






800x1600MM | FULL POLISH



ENORME VERONA BEIGE FP  
Full Polish, 800x1600mm



ENORME VIOLA BEIGE FP  
Full Polish, 800x1600mm





SOMANY  
DURAGRES

800x1600MM | FULL POLISH



ENORME VIOLA GREY FP  
Full Polish, 800x1600mm



ENORME WHITE FP  
Full Polish, 800x1600mm





ENORME ROSABELA GREY FP  
ENORME ROSABELA GREY FP

SOMANY  
DURAGRES

FULL POLISH 800 x 1600MM






800x1600MM | SUGAR



ENORME CRYSTALO SATURNO CREMA  
Sugar, 800x1600mm



ENORME CRYSTALO SATURNO BROWN  
Sugar, 800x1600mm



800x1600MM | MATT

SOMANY  
DURAGRES



ENORME PRIME SATIN ANTIQUE BEIGE  
Matt, 800x1600mm





800x1600MM | CARVING

NEW



ENORME IMPRESSION CLARA BOTTICINO BEIGE  
Carving, 800x1600mm

V2




NEW



ENORME IMPRESSION SAVONA BURBERRY BEIGE  
Carving, 800x1600mm

V3



800x1600MM | CARVING

SOMANY  
DURAGRES



ENORME PRIME LAVICA GRIS  
Carving, 800x1600mm

V3





800x1600MM | RUSTIC



ENORME CALIZA GREY DARK  
Rustic, 800x1600mm



ENORME CALIZA GREY LIGHT  
Rustic, 800x1600mm



800x1600MM | RUSTIC

SOMANY  
DURAGRES



ENORME CALIZA SAND  
Rustic, 800x1600mm



ENORME PRIME ZENITH GREY  
Rustic, 800x1600mm





800x1600MM | RUSTIC



ENORME TRONCO WOOD TEAK  
Rustic, 800x1600mm



SOMANY  
DURAGRES


ENORME TRONCO WOOD TEAK



### DESIGN, PATTERN & SHADE VARIATION GUIDE


Current development efforts have made ceramic tiles to resemble and look authentically identical to natural material (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between two.

Recognising this situation, it is necessary to be informed on the grade of design & pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of variation.



The classification is as follow:

**V1** Minimal Variation    **V3** Random Variation    **V2** Slight Variation    **V4** Substantial Variation



While laying the tiles please follow the arrow on the back of the tiles.  
For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing with any boric/talk powder

**Notes**

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. " Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

PACKING DETAIL FOR 800x1600MM GVT TILES				
Nominal Size	Thickness(mm)	Average weight per carton (Kgs)	No. of tiles per carton	Coverage area per carton
800x1600mm	9.0	53.00	2	2.56sq.mtr. / 27.555sq.ft.

TECHNICAL SPECIFICATION FOR 800x1600MM GVT TILES				
Characteristics	Requirement as per IS 15622 :2017 0.08 < E ≤ 3% Group Blb	Requirement as per ISO 13006 ≤ 0.5% Group Bla	Our Values	Test Method
<b>A) Dimension &amp; Surface Quality</b>				
<b>I) Length &amp; Width</b>	± 0.10%	± 0.5%	± 0.10%	IS 13630 Part 1/ ISO 10545-2
<b>ii) Thickness</b>	± 5.0%	± 5.0%	± 4.0%	
<b>iii) Straightness of Side</b>	± 0.10%	± 0.50%	± 0.10%	
<b>iv) Rectengularity</b>	± 0.10%	± 0.60%	± 0.10%	
<b>v) Surface Flatness</b>				
<b>a) Center curvature (%) ( max.Deviation)</b>	± 0.50%	± 0.50%	± 0.2 %	
<b>b) Edge curvature (%) { max.Deviation)</b>	± 0.50%	± 0.50%	± 0.2 %	
<b>c) Corner warpage (%) ( max.Deviation)</b>	± 0.50%	± 0.50%	± 0.2 %	
<b>vi) Surface Quality</b>	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
<b>B) Physical Properties</b>				
<b>i) Water Absorption</b>	Av. 0.08<E ≤ 3 %, Individual 3.3 max	Av ≤ 0.5 %, Individual 0.6% max	Avg. E≤ 0.5 %	IS 13630 Part 2/ ISO 10545-3
<b>ii) Modulus of Rupture [N/mm2]</b>	Av 30, Individual 27 min	Av 35, Individual 32 min	Avg.35	IS 13630 Part 6/ISO 10545-4
<b>iii) Breaking Strength in N</b>	1100	1300	>1300	
<b>iv) Moisture Expansion in mm/m</b>	0.02	Test Method Available	N/A	IS 13630 Part 3/ISO-10545-10
<b>v) Scratch Hardness of surface (Mohs)</b>	Min 5	N/A	Min-6(for VC),Min-5(for non VC), Min-3(for polished)	IS 13630 Part 13
<b>vi) Resistance to Abrasion of glazed tiles( Class I to V )</b>	Min II	Abrasion Class & Cycle passed	Class-V(for VC),Class-IV (for non VC), Class-III(for polished)	IS 13630 Part 11 /ISO 10545-7
<b>vii) Coefficient of linear thermal expansion from embiant temperature to 100° C</b>	7 X 10 <sup>-6</sup> K <sup>-1</sup> max	Test Method Available	Max 6 X 10 <sup>-6</sup> K <sup>-1</sup> max	IS 13630 Part 4/ ISO 10545-8
<b>viii) Thermal Shock Resistance</b>	10 cycle min	Test Method Available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
<b>ix) Crazing Resistance</b>	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
<b>Impact Resistance as Co-efficient of Restitution</b>	0.55 min	Required	0.75-0.90	ISO 10545-5
<b>Frost Resistance</b>	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
<b>C) Chemical Resistance (glazed Tiles)</b>				
<b>i) Stain Resistance</b>	Min Class 1	Min Class 3	Min Class-1(For Matt), Class-2( for polished)	IS 13630 Part 8 &ISO 10545-14
<b>ii) Resistance to household chemicals</b>	Min Class AA	Min Class GB	Min Class AA	IS 13630 Part 8/ ISO 10545-13
<b>iii) Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)</b>	Required if agreed	Declared Value	Min Class AA	