

DURAGRES

800x1600mm

9mm thickness



SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph.: 0120-4627900
Ahmedabad Office: 601 to 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover,
S.G. Highway, Ahmedabad-382481; Ph.: 079-27661103 & 04
Registered Office: 2, Red Cross Place, Kolkata-700001; Ph.: 033-22487406/5913
www.somanyceramics.com | e-mail: customer.care@somanyceramics.com
Toll Free No. 1800-103-0004 (Timing-10:00 am to 6:30 pm; Mon-Fri)

DURAGRES / CAT / FEBRUARY - 2025

SOMANY



ART MEETS CURATED
CRAFTSMANSHIP

Timeless Elegance, Versatile Surfaces

So many Tiles embody elegance and innovation, crafted to transform spaces with timeless beauty and superior craftsmanship. From the luminous allure of High Gloss to the intricate textures of Engravo, Impression, and the ultra-smooth, glass-like finish of Full Polished, each collection is designed to inspire. Precision-engineered for durability, these tiles offer exceptional resistance to impact, stains, and wear, ensuring lasting perfection.

Whether elevating grand interiors or refining outdoor spaces, these tiles harmonise artistry with functionality. Step into a realm where luxury meets performance, and let every surface tell a story of enduring sophistication.

Application Areas



RESIDENTIAL
AREAS



COMMERCIAL
AREAS



HOSPITALS



SHOPS
AND MALLS



HOTELS AND
RESTAURANTS




SCHOOLS
AND COLLEGES



OUTDOOR
FURNITURE



PUBLIC
PLACES



Excellence Redefined

TECHNICAL FEATURES



SUPERIOR GLOSS SURFACE

Our tiles feature a stunning, high-gloss finish that elevates any space. The reflective surface amplifies light, creating a brighter and more luxurious ambience.

EASY TO CLEAN

Our Strong Surface Tiles are easy to clean and maintain, thanks to their non-porous surface that resists dirt and stains



ABRASION RESISTANCE FOR MODERATE TO HIGH TRAFFIC AREAS

Our tiles are designed to withstand the test of time, even in high-traffic areas. Their superior abrasion resistance of PEI-4 ensures durability and maintains their pristine appearance for years.

REFLECTIVE GLOSS INDEX < 8

Our tiles feature a subtle, low-reflection finish, reducing glare and creating a more comfortable visual experience. This makes them ideal for various settings, including spaces with significant natural light.




PRECISION
IN EVERY PATTERN

Range, Colours, Size & Finishes

Finish
HIGH GLOSS

Page No.
10-23



ENORME KS LUCIDO
AKTON BLACK

ENORME KS LUCIDO
AMALFI GOLD

ENORME KS LUCIDO
MILDEN BLACK

Finish
FULL POLISHED

Page No.
24-73



ENORME KS EL
ORVIETO GREY FP

ENORME KS EL
CORATO BEIGE FP

ENORME KS
ELDEN BEIGE FP

ENORME KS
ELDEN GRIGIO FP

ENORME KS EL
CATANIA BEIGE FP

ENORME KS EL
CATANIA GREY FP



ENORME KS EMPOLI
ONYX PEARL FP

ENORME KS EL
AQUINO CREMA FP

ENORME KS EL
AQUINO SILVER FP

ENORME KS
ARPINO IVORY FP

ENORME KS EL
LASA NATURAL FP

ENORME KS
BELLINI VERDE FP

Finish
FULL POLISHED

Page No.
74-117



ENORME KS TAJMAHAL
NATURAL FP

ENORME KS
ACQUILEA GOLD FP

ENORME KS COMISO
ONYX BIANCO FP

ENORME KS
ARMANI GREY FP

ENORME KS
CALACATTA FP

ENORME KS
CALACATTA VERDE FP



ENORME KS
CALLIS BIANCO FP

ENORME KS EL
DIVINITY ASH FP

ENORME KS EON
ANTELAO CREMA FP

ENORME KS IRISH
BIANCO FP

ENORME KS
PERLATO CREMA FP

Finish
ENGRAVO
Page No. 118-123

Finish
IMPRESSION

Page No.
124-145



ENORME KS EL
ENGRAVO CASCINA
NATURAL FP


ENORME KS IMP
ORBINO PEARL

ENORME KS IMP
ORBINO GREY

ENORME KS EL IMP
MODICA IVORY

ENORME KS EL IMP
MODICA PEARL

ENORME KS IMP
RADDIX WHITE



HIGH GLOSS

800 x 1600 mm

The High Gloss Collection embodies luxury with its mirror-like finish, reflecting light to create a spacious and elegant ambience. Its sleek, polished surface enhances depth and vibrancy, adding a touch of sophistication to any space. Designed for durability, these tiles resist stains and moisture, ensuring long-lasting beauty. Perfect for upscale interiors, they blend timeless charm with modern brilliance.

THICKNESS

9mm



SIZE

800 x 1600mm




FINISH

High Gloss






ENORME KS
LUCIDO AKTON BLACK



Size : 800x1600mm
Surface : High Gloss
Thickness : 9 mm
Variation : V3



360 VIEW

FLOOR 
ENORME KS LUCIDO AKTON BLACK
Size: 800 x 1600mm | Finish: High Gloss





FLOOR ▾
ENORME KS LUCIDO AKTON BLACK
Size: 800 x 1600mm | Finish: High Gloss

WALL ▾
ENORME KS ACQUILEA GOLD FP
Size: 800 x 1600mm | Finish: Full Polished



ENORME KS
LUCIDO AMALFI GOLD



Size : 800x1600mm
 Surface : High Gloss
 Thickness : 9 mm
 Variation : V3



360 VIEW

WALL ▾
 ENORME KS LUCIDO AMALFI GOLD
 Size: 800 x 1600mm | Finish: High Gloss

FLOOR ▾
 ENORME KS EL LASA NATURAL FP
 Size: 800 x 1600mm | Finish: Full Polished





WALL & FLOOR ▾
ENORME KS LUCIDO AMALFI GOLD
Size: 800 x 1600mm | Finish: High Gloss

WALL & FLOOR ▾
ENORME KS EL LASA NATURAL FP
Size: 800 x 1600mm | Finish: Full Polished



ENORME KS
LUCIDO MILDEN BLACK



Size : 800x1600mm
Surface : High Gloss
Thickness : 9 mm
Variation : V3




360 VIEW

WALL ▾
ENORME KS LUCIDO MILDEN BLACK
Size: 800 x 1600mm | Finish: High Gloss



WALL ▾
ENORME KS LUCIDO MILDEN BLACK
Size: 800 x 1600mm | Finish: High Gloss

WALL & FLOOR ▾
ENORME KS EL CATANIA BEIGE FP
Size: 800 x 1600mm | Finish: Full Polished



9mm

FULL POLISHED

800 x 1600 mm

The Full Polish Collection redefines elegance with its ultra-smooth, glass-like finish, enhancing spaces with unmatched brilliance. Its high-reflective surface amplifies light, creating a sense of depth and grandeur. Engineered for resilience, it ensures lasting elegance. Ideal for luxurious interiors, the collection offers an exquisite balance of style and contemporary allure.

THICKNESS

9mm



SIZE

800 x 1600mm




FINISH

Full Polished






ENORME KS
EL ORVIETO GREY FP



Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**



360 VIEW

WALL & FLOOR 
ENORME KS EL ORVIETO GREY FP
Size: 800 x 1600mm | Finish: Full Polished





WALL & FLOOR ▾
ENORME KS EL ORVIETO GREY FP
Size: 800 x 1600mm | Finish: Full Polished

WALL & FLOOR ▾
ENORME KS EL AQUINO SILVER FP
Size: 800 x 1600mm | Finish: Full Polished



ENORME KS
EL CORATO BEIGE FP



Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**



360 VIEW

WALL ▾
ENORME KS EL CORATO BEIGE FP
Size: 800 x 1600mm | Finish: Full Polished

FLOOR ▾
ENORME KS EL AQUINO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished



WALL ▾
ENORME KS EL CORATO BEIGE FP
Size: 800 x 1600mm | Finish: Full Polished

WALL & FLOOR ▾
ENORME KS EL AQUINO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished



ENORME KS
ELDEN BEIGE FP



Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**




360 VIEW

WALL & FLOOR 
ENORME KS ELDEN BEIGE FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR 
ENORME KS ELDEN BEIGE FP
Size: 800 x 1600mm | Finish: Full Polished




ENORME KS
ELDEN GRIGIO FP




Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**



360 VIEW


WALL & FLOOR 
ENORME KS ELDEN GRIGIO FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR 
ENORME KS ELDEN GRIGIO FP
Size: 800 x 1600mm | Finish: Full Polished




ENORME KS
EL CATANIA BEIGE FP




Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**




360 VIEW

WALL & FLOOR 
ENORME KS EL CATANIA BEIGE FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR 
ENORME KS EL CATANIA BEIGE FP
Size: 800 x 1600mm | Finish: Full Polished



ENORME KS
EL CATANIA GREY FP




Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**



360 VIEW


FLOOR ▾
ENORME KS EL CATANIA GREY FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR 
ENORME KS EL CATANIA GREY FP
Size: 800 x 1600mm | Finish: Full Polished




ENORME KS
EMPOLI ONYX PEARL FP




Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**



360 VIEW


WALL & FLOOR 
ENORME KS EMPOLI ONYX PEARL FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR 
ENORME KS EMPOLI ONYX PEARL FP
Size: 800 x 1600mm | Finish: Full Polished




ENORME KS
EL AQUINO CREMA FP




Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**



360 VIEW


WALL & FLOOR 
ENORME KS EL AQUINO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR 
ENORME KS EL AQUINO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished




ENORME KS
EL AQUINO SILVER FP



Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**



360 VIEW

WALL & FLOOR 
ENORME KS EL AQUINO SILVER FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR ▾
ENORME KS EL AQUINO SILVER FP
Size: 800 x 1600mm | Finish: Full Polished



ENORME KS
ARPINO IVORY FP



Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**





360 VIEW

FLOOR ▾
ENORME KS ARPINO IVORY FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR ▾
ENORME KS ARPINO IVORY FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
EL LASA NATURAL FP




Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**



360 VIEW




WALL & FLOOR 
ENORME KS EL LASA NATURAL FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR ▾
ENORME KS EL LASA NATURAL FP
Size: 800 x 1600mm | Finish: Full Polished




ENORME KS
BELLINI VERDE FP




Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**



360 VIEW


WALL & FLOOR 
ENORME KS BELLINI VERDE FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR 
ENORME KS BELLINI VERDE FP
Size: 800 x 1600mm | Finish: Full Polished




ENORME KS
TAJMAHAL NATURAL FP



Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**



360 VIEW

WALL & FLOOR 
ENORME KS TAJMAHAL NATURAL FP
Size: 800 x 1600mm | Finish: Full Polished




WALL & FLOOR ▾
ENORME KS TAJMAHAL NATURAL FP
Size: 800 x 1600mm | Finish: Full Polished

CENTRE AREA ▾
ENORME KS LUCIDO AKTON BLACK
Size: 800 x 1600mm | Finish: High Gloss




ENORME KS
ACQUILEA GOLD FP



Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V4**




360 VIEW

WALL & FLOOR 
ENORME KS ACQUILEA GOLD FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR ▾
ENORME KS ACQUILEA GOLD FP
Size: 800 x 1600mm | Finish: Full Polished

ENORME KS
COMISO ONYX BIANCO FP




Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**





360 VIEW




WALL & FLOOR 
ENORME KS COMISO ONYX BIANCO FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR 
ENORME KS COMISO ONYX BIANCO FP
Size: 800 x 1600mm | Finish: Full Polished




ENORME KS
ARMANI GREY FP



Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**



360 VIEW



WALL & FLOOR 
ENORME KS ARMANI GREY FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR ▾
ENORME KS ARMANI GREY FP
Size: 800 x 1600mm | Finish: Full Polished




ENORME KS
CALACATTA FP




Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**




360 VIEW

WALL & FLOOR 
ENORME KS CALACATTA FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR 
ENORME KS CALACATTA FP
Size: 800 x 1600mm | Finish: Full Polished

WALL 
ENORME KS LUCIDO AKTON BLACK
Size: 800 x 1600mm | Finish: High Gloss




ENORME KS
CALACATTA VERDE FP



Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**



360 VIEW

WALL & FLOOR 
ENORME KS CALACATTA VERDE FP
Size: 800 x 1600mm | Finish: Full Polished




WALL & FLOOR ▾
ENORME KS CALACATTA VERDE FP
Size: 800 x 1600mm | Finish: Full Polished

WALL ▾
ENORME KS IMP ORBINO GREY
Size: 800 x 1600mm | Finish: Impression




ENORME KS
CALLIS BIANCO FP




Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V4**




360 VIEW

WALL & FLOOR 
ENORME KS CALLIS BIANCO FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR 
ENORME KS CALLIS BIANCO FP
Size: 800 x 1600mm | Finish: Full Polished

WALL 
ENORME KS ELDEN GRIGIO FP
Size: 800 x 1600mm | Finish: Full Polished




ENORME KS
EL DIVINITY ASH FP




Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V3**



360 VIEW



FLOOR 
ENORME KS EL DIVINITY ASH FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR 
ENORME KS EL DIVINITY ASH FP
Size: 800 x 1600mm | Finish: Full Polished




ENORME KS
EON ANTELAO CREMA FP



Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V2**



360 VIEW



WALL & FLOOR 
ENORME KS EON ANTELAO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR ▾
ENORME KS EON ANTELAO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished



ENORME KS
IRISH BIANCO FP



Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V2**



360 VIEW

WALL & FLOOR ▾
ENORME KS IRISH BIANCO FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR ▾
ENORME KS IRISH BIANCO FP
Size: 800 x 1600mm | Finish: Full Polished

WALL ▾
ENORME KS EL ORVIETO GREY FP
Size: 800 x 1600mm | Finish: Full Polished




ENORME KS
PERLATO CREMA FP



Size : **800x1600mm**
Surface : **Full Polished**
Thickness : **9 mm**
Variation : **V2**




360 VIEW

WALL & FLOOR 
ENORME KS PERLATO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished



WALL & FLOOR ▾
ENORME KS PERLATO CREMA FP
Size: 800 x 1600mm | Finish: Full Polished



9mm

ENGRAVO

800 x 1600 mm

The Engravo Collection redefines luxury, combining intricate craftsmanship with a radiant polished finish. Its carved textures create a captivating play of light and depth, adding elegance to any space. Designed for both classic and modern interiors, these tiles exude timeless charm, elevating walls and floors with a seamless blend of artistry and sophistication.

THICKNESS

9mm



SIZE

800 x 1600mm




FINISH

Engravo






ENORME KS
EL ENGRAVO CASCINA NATURAL FP




Size : **800x1600mm**
Surface : **Engravo**
Thickness : **9 mm**
Variation : **V3**




360 VIEW

WALL & FLOOR 
ENORME KS EL ENGRAVO CASCINA NATURAL FP
Size: 800 x 1600mm | Finish: Engravo



WALL & FLOOR 
ENORME KS EL ENGRAVO CASCINA NATURAL FP
Size: 800 x 1600mm | Finish: Engravo



THICKNESS
9mm



SIZE
800 x 1600mm



FINISH
Impression



IMPRESSION

800 x 1600 mm

The Impression Collection is a work of art, offering exceptional texture and depth, designed to bring a sophisticated yet natural appeal to any space. Its finely carved surface adds a tactile dimension, enhancing the beauty of intricate patterns with a subtle matte finish. The fusion of artistic detailing and muted elegance makes it the perfect choice for creating applications with timeless charm.




ENORME KS
IMP ORBINO PEARL




Size : **800x1600mm**
Surface : **Impression**
Thickness : **9 mm**
Variation : **V3**



360 VIEW


WALL & FLOOR 
ENORME KS IMP ORBINO PEARL
Size: 800 x 1600mm | Finish: Impression



WALL & FLOOR 
ENORME KS IMP ORBINO PEARL
Size: 800 x 1600mm | Finish: Impression




ENORME KS
IMP ORBINO GREY




Size : 800x1600mm
Surface : Impression
Thickness : 9 mm
Variation : V3



360 VIEW

WALL & FLOOR 
ENORME KS IMP ORBINO GREY
Size: 800 x 1600mm | Finish: Impression



WALL & FLOOR 
ENORME KS IMP ORBINO GREY
Size: 800 x 1600mm | Finish: Impression



ENORME KS
EL IMP MODICA IVORY




Size : **800x1600mm**
Surface : **Impression**
Thickness : **9 mm**
Variation : **V3**



360 VIEW

FLOOR 
ENORME KS EL IMP MODICA IVORY
Size: 800 x 1600mm | Finish: Impression



WALL & FLOOR 
ENORME KS EL IMP MODICA IVORY
Size: 800 x 1600mm | Finish: Impression



ENORME KS
EL IMP MODICA PEARL



Size : **800x1600mm**
Surface : **Impression**
Thickness : **9 mm**
Variation : **V3**



360 VIEW

WALL ▾
ENORME KS EL IMP MODICA PEARL
Size: 800 x 1600mm | Finish: Impression

FLOOR ▾
ENORME KS IMP ORBINO GREY
Size: 800 x 1600mm | Finish: Impression




WALL ▾
ENORME KS EL IMP MODICA PEARL
Size: 800 x 1600mm | Finish: Impression

FLOOR ▾
ENORME KS IMP ORBINO GREY
Size: 800 x 1600mm | Finish: Impression




ENORME KS
IMP RADDIX WHITE




Size : **800x1600mm**
Surface : **Impression**
Thickness : **9 mm**
Variation : **V3**



360 VIEW

WALL & FLOOR 
ENORME KS IMP RADDIX WHITE
Size: 800 x 1600mm | Finish: Impression




WALL & FLOOR 
ENORME KS IMP RADDIX WHITE
Size: 800 x 1600mm | Finish: Impression

VARIATION GUIDE

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follows:

V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

TECHNICAL SPECIFICATION

| PACKAGING DETAIL FOR 800x1600mm GVT TILES | | | | |
|---|-----------|------------------------------|-------------------------|------------------------------|
| Nominal Size (mm) | Thickness | Avg. Weight per Carton (Kgs) | No. of Tiles Per Carton | Coverage Area Per Carton |
| 800X1600 MM DURAGRES | 9.0 mm | 51 Kgs. / Box (Appx) | 2 Pcs. | 2.56 Sq. Mtr / 27.55 Sq. Ft. |

| TECHNICAL SPECIFICATION FOR 800x1600mm GVT TILES | | | | |
|--|--|---|---|-------------------------------|
| Characteristics | Requirement as per IS 15622 :2017 E ≤ 0.08 Group B I a | Requirement as per ISO 13006:2018 E, ≤ 0.5% - Group B I a (Annex G) | Our Values | Test Method |
| A) Dimension & Surface Quality | | | | |
| i) Length & Width % | ± 0.10% | ± 0.30% | ± 0.10% | IS 13630 Part 1/ ISO 10545-2 |
| ii) Thickness % | ± 5.00% | ± 5.00% | ± 4.0% | |
| iii) Straightness of Side % | ± 0.10% | ± 0.30% | ± 0.10% | |
| iv) Rectangularity % | ± 0.10% | ± 0.30% | ± 0.10% | |
| v) Surface Flatness | | | | |
| a) Center curvature (%) (Max.Deviation) | ± 0.50% | ± 0.40% | ± 0.20 % | |
| b) Edge curvature (%) (Max.Deviation) | ± 0.50% | ± 0.40% | ± 0.20 % | |
| c) Corner warpage (%) (Max.Deviation) | ± 0.50% | ± 0.40% | ± 0.20 % | |
| (Vi) Surface Quality | Min. 95 % of tiles will be free from visible defects | Min. 95 % of tiles will be free from visible defects | Min. 95 % of tiles will be free from visible defects | |
| B) Physical Properties | | | | |
| i) Water Absorption | Average E ≤ 0.08%, Individual Max.0.1% | Av ≤ 0.5 %, Individual 0.6% max | Av 0.08 % | IS 13630 Part 2/ ISO 10545-3 |
| ii) Modulus of Rupture [N/mm ²] | Avr 35, Individual 32 Min | Avr 35, Individual 32 Min | Avg-38, | IS 13630 Part 6/ISO 10545-4 |
| iii) Breaking Strength in N | 1300 | 1300 | Min 1400 | |
| iv) Moisture Expansion in mm/m | 0.02 | Test method available | Max 0.02 | IS 13630 Part 3/ISO-10545-10 |
| v) Scratch Hardness of surface (Mohs) | Min 5 | N.A | 4-6 (depends on surface) | IS 13630 Part 13 |
| vi) Resistance to Abrasion of glazed tiles (Class I to V) | Min II | Report abrasion class and cycles passed | Class V (for VC), Class IV (for Non VC), Class III (For polished) | IS 13630 Part 11 /ISO 10545-7 |
| vii) Coefficient of Linear Thermal Expansion from Ambient Temperature to 100 0 C | 6 X 10 ⁻⁶ K ⁻¹ max | Test method available | Max 5 X 10 ⁻⁶ K ⁻¹ | IS 13630 Part 4/ ISO 10545-8 |
| viii) Thermal Shock Resistance | 10 cycle Min | Test method available | 10 cycle passed | IS 13630 Part 5/ISO-10545-9 |
| ix) Craze Resistance | 4 cycle @ 7.5bar min | Required | 4 cycle passed | IS 13630 Part 9/ISO 10545-11 |
| x) Impact Resistance as Co-efficient of Restitution (COR) | 0.55 min | Test method available | 0.75-0.90 | IS 13630 Part 14/ISO 10545-5 |
| xi) Bulk Density (gm/cc) | 2.2 | N.A | 2.25 | IS 13630 Part 2 |
| xii) Coefficient of Friction | Where required manufacturer to declare value | Where required manufacturer to declare value | Depends upon Glazed surface | ISO 10545-17 |
| xiii) Frost Resistance | Required | Required | 100 Cycle Passed | IS 13630 Part 10/ISO 10545-12 |
| c) Chemical Resistance (glazed Tiles) | | | | |
| i) Stain Resistance | Min Class 1 | Min Class 3 | Min Class-1/ Class-3 | IS 13630 Part 8 &ISO 10545-14 |
| ii) Resistance to Household Chemicals | Min Class AA | Min Class B | Min Class AA | |
| iii) Resistance to Acids and Alkalis (with exception of hydrofluoric acid and its compounds) | Required if agreed | Manufacturer is to state classification | Min Class AA | IS 13630 Part 8/ ISO 10545-13 |

Note: ** GVT tiles have resistance to most of the stains and chemicals, but it is recommended to take care during laying and everyday maintenance.

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers to check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

SOMANY[®] Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner

SOMANY[®]
Bathware

SOMANY
French Collection



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!

Experience the power of reliable tiling with Somany EZY Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany EZY Fix delivers a bond that's built to last.



For detailed instructions scan the QR code



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit



EASY TO USE



HIGH STRENGTH
POLYMER FORTIFIED
ADHESIVE



WIDE APPLICATION
RANGE



HIGHLY
FLEXIBLE




SUITABLE FOR
WET WALL
SURFACES



SELF - CURING
ADHESIVE



SUITABLE FOR
TILE ON TILE
APPLICATION



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004

Toll Free: 1800-103-0004 | www.somanyceramics.com

