



SOMANY

Somany Ceramics Limited : Noida: F-36, Sector-6; Ph.: 0120-4627900.

Ahmedabad: 601 to 606, 6th floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad, Gujarat-382481. Ph.: 079-27661103 / 27661104

Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913

www.somanyceramics.com | e-mail marketing@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00am to 6:30pm; Mon-Fri)



Visit us at:
www.somanyceramics.com



Find us at:
www.facebook.com/SomanyCeramic



Find us at:
www.twitter.com/SomanyCeramic



Find us at:
www.instagram.com/SomanyCeramics



MARVELA / CAT / JANUARY 2024

MARVELA
FLORTUFF

SOMANY
TILES | BATHWARE


ZAMEEN SE JUDEY

**WALL
& FLOOR
TILES**
600x1200mm

NEW
ARRIVAL

UNIT - 2
FOR ALL INDIA

Admired for Elegance.
Celebrated For Strength.



Celebrate **Creativity...**

With your passion for dreaming beyond the conformity of creativity; why should you select the tiles that limit your possibilities? Presenting Somany Marvela FlorTuff - an enchanting collection in sizes and variants that naturally fits into any design philosophy to bring seamless beauty to the fore.

**600x
1200MM**

Product Advantages And Specifications

Hygienic and suitable for contact with food



Easy to clean



Scratch proof and abrasion-resistant



UV-resistant



Frostproof



Resistant to heat and high temperatures



Guaranteed flatness and stability over time



Impact Resistant & More Durable



Resistant to mould, mildew and fungus



Stainproof



Waterproof



Application Area



Kitchen



Living Room



Bedroom



Bathroom



Shops



Hotels

From cozy bed space to convenience of kitchen space and vibrant kids' room to splendid hotels, Marvela FLORTUFF is a choice you ought to make if you wish to make them look simply stunning. The stylish designs contained in the collection give a touch of royalty and grandeur to the spaces and add an air of distinction to the ambiance.

Dark Variant
Comes with the
High Gloss

Light Variant
Comes with the
Full Polish

Dark Variant
Comes with the
Matt Carving



BON INARA MOCHA HG


HIGH GLOSS

600x1200mm


WALL & FLOOR TILES

Let the shine of your space startle the world with your bold choices. Presenting High Gloss Surface Collection each piece is designed to cheer the illuminating ambiance crafted with unmatched radiance.


-  WALL TILES
-  FLOOR TILES
-  HD HIGH DEFINITION
-  INTERIOR
-  HIGH GLOSS
-  RANDOM PRINT
-  NANO TECH



BON EZILDA CARAMEL HG




V4




BON INARA MARINE HG




V4




BON GALANA BLACK HG




V4




BON INARA MOCHA HG




V4




BON INARA AZUL HG




V4




BON JORDYN ALPINE HG




V4




BON VAMIKA NERO HG



V4



BON YANNA GALAXY HG



V4




BON YANNA GALAXY HG

Cheer the *De'light'*!

A collection that adds luxe and luminosity to your ambiance while setting up a new benchmark in strength and quality.







BON BAROLO WHITE FP



BON MUSCAT DECOR FP



BON MUSCAT IVORY FP



BON MUSCAT BROWN FP







BON EMOTION CREMA FP
BON EMOTION DECOR FP
BON EMOTION BRUNO FP

Cheer the *Brilliance*

Designs that reflect the pure shine of beauty. Designs that reflect your style. Adorn your classy abodes with the beauty and brilliance of Marvela.



BON EMOTION CREMA FP




V4




BON EMOTION DECOR FP




V1




BON EMOTION BRUNO FP




BON EMOTION GRIS FP



BON TORSTEIN SILVER FP




BON TORSTEIN KYANITE FP





BON TORSTEIN APATITE FP



V4

Designs that reflect the pure shine of beauty. Designs that reflect your style. Adorn your classy abodes with the beauty and brilliance of Marvela.




BON TORSTEIN APATITE FP

Cheer the *Radiance*

Let your floors command the highest praise and glances from the audience with the Somany Marvela FlorTuff collection.




BON ARNEIS GIALLO FP



V4



BON CARPANO BONE FP



V4



BON CARPANO GRIS FP



V4



BON BRUNELLO CREMA FP




V4




BON BRUNELLO CREMA DECOR FP



V1



BON BRUNELLO CHOCO FP



V4




BON BRUNELLO GREY FP
BON BRUNELLO GREY DECOR FP
BON BRUNELLO NERO FP

Cheer the *Grandeur*

A touch of subtle beauty to transform your favorite quarters into an enchanting ambiance admired by all.




BON BRUNELLO GREY FP




V4




BON BRUNELLO GREY DECOR FP



V1





BON BRUNELLO NERO FP





V4




BON INTENSO BAINCO FP



BON INTENSO OLIVE FP




BON RUFFINO CRYSTAL FP




DEBON FONTANA CREMA FP




DEBON FONTANA GREY FP




DEBON FONTANA NATURAL FP






DEBON FONTANA BROWN FP




V2




DEBON MESSINA NATURAL FP



V2



DEBON MESSINA OLIVE FP



V2



DEBON MESSINA NATURAL FP

Cheer the *Charisma*

Find the perfect reflection of your style and persona in Somany Marvela FlorTuff - a collection that has something to suit every sense of creativity.



The Inception of *Ingeniousness!*


Let your ingenious creativity come to the fore and take a desired shape. With the Full Polish collection, you are greeted with an ocean of design opportunities to paint your canvas.



DEBON RANALLO BEIGE FP



V2



DEBON STATUARIO OCEAN FP



V2



CARVING

600x1200mm

WALL & FLOOR TILES

Change the design game with the refreshing and vibrant concept of Carving Collection that allows you to explore your creativity to the next level.

- WALL TILES
- FLOOR TILES
- HIGH DEFINITION
- INTERIOR
- CARVING
- RANDOM PRINT
- NANO TECH


BON BERLIN OCHER CR



BON BERLIN GRIS CR



BON BERLIN OCHER CR




BON BERLIN SILVER CR





BON MIJARES GREY CR




V4




BON MIJARES LIGHT GREY CR



V4



BON VIVIANNA BIANCO CR



V4



BON VIVIANNA BIANCO CR


Cheer the *Shine*

Make your space sparkle and glow with the gleam of quality and strength. A touch of luxury and elegance for spaces that speak the language of splendor.




Get Floored By *The Flawlessness!*

Fewer joints, more beauty, indeed. Add a touch of perfection and beauty to your dream space.




BON MIJARES UMBER CR



V4



BON MIJARES TAN CR




V4

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles to resemble and look authentically identical to natural material (Stone, Wood, Fabric), and it has become increasingly difficult in many cases, to distinguish between two.

Recognising this situation, it is necessary to be informed on the grade of design & pattern variation that is expected from these products. As a general reference, the design & Pattern guide below classifies a scale of ranges according to the degree of variation.



V1 Uniform Appearance **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follow:

V1 Minimal Variation **V2** Slight Variation **V3** Random Variation **V4** Substantial Variation



High Definition Image

While laying the tiles please follow the arrow on the back of the tiles.

For removing the wax from the surface of the tiles please use the soft cotton cloth for rubbing with any boric/talk powder. And use with spacer to look good

Notes

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. “ Technical Specification” for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

PACKING DETAIL FOR UNIT-2 MARVELA TILES				
Nominal Size	Thickness (mm)	Av. Wt. per carton (Kg)	No. of Tiles per carton	Coverage area per carton
600X1200 mm	9	28.76	2	1.44 Sq.Mt/15.5 Sq.Ft.

TECHNICAL SPECIFICATION FOR UNIT-2 MARVELA TILES						
Characteristics		Requirement as per IS 15622 :2017 Table-08, W.A 0.08 < E < 3 Group B Ib	Requirement as per ISO 13006 Annex-H, 0.5 < E ≤ 3 Group B Ib	Our Value for 600x1200 tiles Marvela	Test Method	
A	Dimension & Surface Quality	Rectified			IS 13630	ISO 10545
I	Length & Width	±0.10%	±0.30%	± 0.10%	Part 1	Part 2
ii	Thickness	± 5.0 %	± 5.0%	± 4.0%	Part 1	Part 2
iii	Straightness of Side	± 0.10%	±0.3%	± 0.10%	Part 1	Part 2
iv	Rectangularity	± 0.10%	±0.3%	± 0.10%	Part 1	Part 2
V	Surface Flatness					
a	Center curvature (%) (max.Deviation)	± 0.5 %	±0.4%	± 0.20%	Part 1	Part 2
b	Edge curvature (%) (max.Deviation)	± 0.5 %	±0.4%	± 0.20%	Part 1	Part 2
c	Corner warpage (%) (max.Deviation)	± 0.5 %	±0.4%	± 0.2%	Part 1	Part 2
vi	Surface Quality	Min. 95 % of tiles will be free from visible defects	95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Part 1	Part 2
B	Physical Properties					
I	Water Absorption	Average 0.08 %<E<3.0 % , Individual Maximum 3.30	0.5<E 3.0, Individual max 3.3%	3% max	Part 2	Part 3
ii	Modulus of Rupture [N/mm2]	Av 30 , Individual 27 min	Av 30 , Individual 27 min	Min 30	Part 6	Part 4
iii	Breaking Strength in N	Min. 1100	Not less than 1100	Min. 1100	Part 6	Part 4
iv	Moisture Expansion in mm/m	0.02 Max	'Test Method Available	0.02 Max	Part 3	Part 10
v	Scratch Hardness of surface (Mohs)	Min 4	N.A	polished 3	Part 13	
vi	Resistance to Deep Abrasion of unglazed tiles	N.A	N.A	N.A	Part 12	Part 6
vii	Resistance to Abrasion of glazed tiles(Class I to V)	Commercial application Min IV, Home Application Min II	Report Abrasion Class & Cycle Passed	Depends on Glaze surface,PEI Glossy polish - III, Matt- IV, V.C-V	Part 11	Part 7
viii	Coefficient of linear thermal expansion from embiant temperature to 100° C	7 X 10 ⁻⁶ K ⁻¹ Max	Test Method Available	7 X10 ⁻⁶ K ⁻¹ max	Part 4	Part 8
ix	Thermal Shock Resistance	10 cycle min	Test Method Available	Passed 10 Cycle	Part 5	Part 9
x	Crazing Resistance	4 cycle @ 7.5bar min	Required	Passed 4 Cycle	Part 9	Part 11
xi	Forst resistance	Required , if agreed	Test Method Available	Resistance	Part 10	Part 12
xii	Bulk Density	N.A	N.A	N.A	Part 2	
xiii	Impact resistance	0.55 Min	Test Method Available	0.55 Min	Part 14	Part 5
C	Chemical Resistance (glazed Tiles)					
I	Stain Resistance	Min Class-1	Min Class-3	Min Class-1 & 2 For Polish	Part 8	Part 14
ii	Resistance to household chemicals	Min Class AA	Min Class B	Min Class AA	Part 8	Part 13
iii	Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Manufacturer to state classification	Min Class AA	Part 8	Part 13

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see physical sample before placing the order. 'Technical Specifications for Somany Wall & Floor Tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation, company will not entertain complaints, once the tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

SOMANY
Bathware

Our PORTFOLIO



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

SOMANY

Ezy Fix
TILE ADHESIVE



HIGH STRENGTH POLYMER MODIFIED TILE ADHESIVE



BENEFITS

- » READY AND EASY TO USE
- » EXCELLENT BONDING WITH ALL SURFACES
- » FAST SETTING
- » SELF-CURING

USES

- » FOR FIXING ALL TYPE OF TILES
- » FOR NEW FLOORING AND RENOVATION
- » CAN BE USED FOR TILE ON TILE