

UNIT 01 | MARVELA | RANGE | OCT 2026

CERAMICA

MARVELA

600x1200MM | GLAZED VITRIFIED TILES

SOMANY

SOMANY

CERAMICA

MARVELA

600X1200MM

GLAZED VITRIFIED TILES

Transform your space with Marvela 600x1200mm tiles, a timeless luxury

A perfect balance of elegance and endurance, the Marvela 600 1200mm tiles bring together the finesse of ceramic with the toughness of porcelain. Designed for versatile use across both walls and floors, this range offers enhanced strength without compromising on aesthetics. Available in refined full polish and contemporary matt carving finishes, Marvela tiles deliver large-format luxury with lasting performance-ideal for modern residential and commercial spaces.



MARVELA

GLAZED
VITRIFIED
TILES

Application Areas

- RESTAURANTS
- RETAIL MALLS
- SPA & WELLNESS
- RESIDENTIAL AREAS
- LIVING SPACES
- FITTED KITCHENS & BATHROOMS
- AIRPORTS
- HOTELS
- SHOPS
- OFFICES
- MUSEUMS
- SHOWROOMS

Technical Features

- SUITABLE FOR INDOORS & OUTDOORS
- HIGHLY UV RESISTANT
- FIRE & HEAT RESISTANT
- SCRATCH RESISTANT
- THERMAL SHOCK RESISTANT
- HYGIENIC SURFACE
- STAIN RESISTANT
- EASY TO CLEAN
- FROST RESISTANT
- CHEMICAL RESISTANT



Full polished tiles feature a gloss finish that enhances every space with exceptional shine, elegance, and lasting durability.

MARVELA

GLAZED VITRIFIED TILES





MARVELA
GLAZED VITRIFIED TILES







KBON ANTOLINI PEARL FP

Surface : Gloss



KBON ASTAZO GREY FP

Surface : Gloss











KBON AVEZANO OCEAN GOLD FP

Surface : Gloss

KBON AVEZANO VERDE GOLD FP

Surface : Gloss

MARVELA
GLAZED VITRIFIED TILES

NEW



NEW



KBON BATISTA BIANCO FP

Surface : Gloss



KBON BATISTA GREY FP

Surface : Gloss



KBON BRAXLEY GREY FP

FULL POLISHED | 600x1200 MM





KBON BRAXLEY GREY FP

Surface : Gloss

KBON CANILO CREMA FP

Surface : Gloss

KBON BRENTON SILVER FP

Surface : Gloss



KBON BRENTON GREY FP

Surface : Gloss

MARVELA
GLAZED VITRIFIED TILES



KBON CASPIAN BEIGE FP

Surface : Gloss



KBON CASPIAN BROWN FP

Surface : Gloss



KBON COTELLA CREMA FP

Surface : Gloss

KBON ELARA STATUARIO FP

Surface : Gloss

FULL POLISHED | 600x1200 MM

MARVELA
GLAZED VITRIFIED TILES



KBON DECLAN BIANCO FP

Surface : Gloss



KBON DECLAN GRIS FP

Surface : Gloss


PURPLE PEARL





KBON FILERA GREY FP

Surface : Gloss





KBON FILERA SILVER FP

Surface : Gloss

FULL POLISHED | 600x1200 MM

MARVELA
GLAZED VITRIFIED TILES

KBON FILERA BIANCO FP

Surface : Gloss





KBON FILERA BLUE FP

Surface : Gloss


Beijing
Seattle
London

NEW





KBON GRAZINO BEIGE DARK FP

Surface : Gloss

NEW



KBON GRAZINO BEIGE LIGHT FP

Surface : Gloss

MARVELA
GLAZED VITRIFIED TILES





KBON HALTON ROSO FP

Surface : Gloss





KBON HORIZON BLUE FP

Surface : Gloss





KBON KINZLEY CREMA FP

Surface : Gloss

KBON MARCIAL WHITE FP

Surface : Gloss

MARVELA
GLAZED VITRIFIED TILES





KBON OLERATO CREMA FP

Surface : Gloss





KBON ORMEA BIANCO FP

Surface : Gloss



KBON ORTIGA BEIGE FP

NEW





KBON ORTIGA BEIGE FP

Surface : Gloss

KBON ROBINERO IVORY FP

Surface : Gloss

MARVELA
GLAZED VITRIFIED TILES

KBON SILENZO GRIGIO DARK FP

Surface : Gloss





KBON SILENZO GRIGIO LIGHT FP

Surface : Gloss



KBON SALVINO OLIVE FP

MARVELA
GLAZED VITRIFIED TILES

FULL POLISHED | 600x1200 MM

NEW







KBON SALVINO OLIVE FP

Surface : Gloss



KBON VERCELI PEARL GOLD FP

Surface : Gloss





KBON TOROZO BEIGE FP

Surface : Gloss





KBON TOROZO BROWN FP

Surface : Gloss

MARVELA
GLAZED VITRIFIED TILES

KBON WELKIN PEARL FP

Surface : Gloss

NEW





KBON WHISLER CREMA FP

Surface : Gloss

MARVELA

GLAZED VITRIFIED TILES



Crafted with a premium mirror-like finish, these tiles offer exceptional shine and timeless elegance.





MARVELA
GLAZED VITRIFIED TILES





KBON CARAZON TEAL HG

Surface : High Gloss





KBON CABOX NERO HG

Surface : High Gloss





KBON NOCTI SMOKE HG

Surface : High Gloss





KBON FORBES BLACK HG

Surface : High Gloss

HIGH GLOSS | 600x1200 MM

MARVELA
GLAZED VITRIFIED TILES





KBON MONCAO BRONZE HG

Surface : High Gloss





Designed with beautifully carved patterns,
these tiles bring depth, dimension, and refined
sophistication to modern interiors.

MARVELA

GLAZED VITRIFIED TILES





MARVELA
GLAZED VITRIFIED TILES



KBON CORTEZA MULTY F1

Surface : Matt Carving



KBON CORTEZA MULTY F2

Surface : Matt Carving



KBON GRACIAN GREY, KBON GRACIAN SILVER & KBON GRACIAN SILVER DACORE CR



KBON GRACIAN GREY

Surface : Matt



KBON GRACIAN SILVER

Surface : Matt



KBON GRACIAN GREY DACORE CR

Surface : Matt Carving



KBON GRACIAN SILVER DACORE CR

Surface : Matt Carving



KBON NERINO IVORY, KBON NERINO BEIGE & KBON NERINO BEIGE DACORE CR

NEW



KBON NERINO BEIGE

Surface : Matt

NEW



KBON NERINO IVORY

Surface : Matt

NEW



KBON NERINO BEIGE DACORE CR

Surface : Matt Carving

NEW



KBON NERINO IVORY DACORE CR

Surface : Matt Carving



With a delicate satin finish, these tiles offer understated luxury and a sophisticated appearance. Perfect for creating warm, inviting, and stylish spaces.

MARVELA

GLAZED VITRIFIED TILES





KBON CRESENTO BEIGE ST

SATINO | 600x1200 MM

MARVELA
GLAZED VITRIFIED TILES

NEW



KBON CRESENTO BEIGE LIGHT ST

Surface : Satin Matt

NEW





KBON CRESENTO BEIGE ST

Surface : Satin Matt

NEW



KBON MELVON CREMA ST

Surface : Satin Matt

NEW





KBON PATRIZIO WHITE ST

Surface : Satin Matt

SATINO | 600x1200 MM

MARVELA
GLAZED VITRIFIED TILES

NEW



KBON CLAXTON PEARL WHITE ST

Surface : Satin Matt





MARVELA

GLAZED VITRIFIED TILES





NEW



KBON CALIBAN BEIGE GR

Surface : Sheen Matt

NEW





KBON CALIBAN BROWN GR

Surface : Sheen Matt

MARVELA
GLAZED VITRIFIED TILES

NEW





KBON CALIBAN GREY GR

Surface : Sheen Matt

NEW





KBON CALIBAN GREY LIGHT GR

Surface : Sheen Matt



NEW



KBON TERROVA BROWN GR

Surface : Sheen Matt

NEW



KBON TERROVA CREMA GR

Surface : Sheen Matt

GHR | 600x1200 MM

MARVELA
GLAZED VITRIFIED TILES

NEW



KBON TERROVA NERO GR

Surface : Sheen Matt

NEW



KBON TERROVA OLIVE GR

Surface : Sheen Matt



With their soft, natural finish, Matt finish tiles create warm, sophisticated spaces while providing excellent durability and easy maintenance.

MARVELA

GLAZED VITRIFIED TILES





KBON BOSKO ROBLE

MARVELA
GLAZED VITRIFIED TILES

MATT | 600x1200 MM



KBON BOSKO PINE

Surface : Matte



KBON BOSKO ROBLE

Surface : Matte



MARVELA
GLAZED VITRIFIED TILES









KBON CARSTEN CLASSIC WHITE

Surface : Matte

KBON CORTEZA TEAK

Surface : Matte

KBON CROSTIS SMOKE

Surface : Matte



KBON CROSTIS GRIS

Surface : Matte

MARVELA
GLAZED VITRIFIED TILES



KBON CROSTIS DECOR

Surface : Matte





KBON GIANO CREMA

Surface : Matte



KBON GIANO COTTO

Surface : Matte

MATT | 600x1200 MM

MARVELA
GLAZED VITRIFIED TILES



KBON GIANO DECOR

Surface : Matte



NEW



KBON MATERICO COFFEE

Surface : Matte

NEW



KBON MATERICO COFFEE LIGHT

Surface : Matte

MATT | 600x1200 MM

MARVELA

GLAZED VITRIFIED TILES

NEW



KBON MATERICO GREY

Surface : Matte

NEW



KBON MATERICO GREY LIGHT

Surface : Matte

NEW



KBON GRACIAN GREY

Surface : Matte

NEW



KBON GRACIAN SILVER

Surface : Matte

MARVELA
GLAZED VITRIFIED TILES

NEW



KBON NERINO BEIGE

Surface : Matte

NEW



KBON NERINO IVORY

Surface : Matte



KBON ROTECK GREY

MARVELA
GLAZED VITRIFIED TILES

MATT | 600x1200 MM





KBON ROTECK GREY

Surface : Matte

KBON ROTECK GREY LIGHT

Surface : Matte

PACKAGING FOR 600x1200MM MARVELA SERIES

Nominal Size(mm)	No of tiles/Box	Average Weight(Kg)	Coverage area per box
600X1200 mm Marvela	2.0	26.4	1.44 Square Meter / 15.50 Square Feet

TECHNICAL SPECIFICATION FOR 600x1200MM MARVELA SERIES

	Characteristics	Requirement as per IS 15622 :2017 $E \leq 0.08\%$ Group B I a	Requirement as per ISO 13006:2018 $E_v \leq 0.5\%$-Group B I a (Annex G)	Our Values	Test Method
A	**Dimension & Surface Quality**				
i	Length & Width	±0.10%	±0.30%	±0.10%	IS 13630 Part 1/ ISO 10545-2
ii	Thickness	±5.00%	±5.0%	±4.0%	
iii	Straightness of Side	±0.10%	±0.30%	±0.10%	
iv	Rectengularity	±0.10%	±0.30%	±0.10%	
v	Surface Flatness				
a	Center curvature (%) (max.Deviation)	±0.50%	±0.40%	±0.2%	
b	Edge curvature (%) (max.Deviation)	±0.50%	±0.40%	±0.2%	
c	Corner warpage (%)(max.Deviation)	±0.50%	±0.40%	±0.2%	
vi	Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B	**Physical Properties**				
i	Water Absorption	Av E ≤ 0.08 %, Individual 0.1 max	Av ≤0.5 %, Individual 0.6% max	Av 0.08 %	IS 13630 Part 2/ ISO 10545-3
ii	Modulus of Rupture [N/mm2]	Av 35, Individual 32 min	Av 35, Individual 32 min	Avg-38	IS 13630 Part 6/ISO 10545-4
iii	Breaking Strength in N	1300	1300	Min 1400	
iv	Moisture Expansion in mm/m	0.02	Test method available	Max 0.02	IS 13630 Part 3/ISO-10545-10
v	Scratch Hardness of surface (Mohs)	Min 5	N.A	4-6 (depends on surface)	IS 13630 Part 13
vi	Resistance to Abrasion of glazed tiles (Class I to V)	Min II	Report abrasion class and cycles passed	Class V (for VC), Class IV (for Non VC), Class III (For polished)	IS 13630 Part 11 /ISO 10545-7
vii	Coefficient of linear thermal expansion from embiant temperature to 100°C	6 X 10^{-6} K^{-1} max	Test method available	Max 5 X 10^{-6} K^{-1}	IS 13630 Part 4/ ISO 10545-8
viii	Thermal Shock Resistance	10 cycle min	Test method available	10 cycle passed	IS 13630 Part 5/ISO-10545-9
ix	Crazing Resistance	4 cycle @ 7.5bar min	Required	4 cycle passed	IS 13630 Part 9/ISO 10545-11
x	Imapct Resistance as Co-efficient of	0.55 min	Test method available	0.75-0.90	IS 13630 part 14/ISO 10545-5
xi	Bulk Density (gm/cc)	2.2	N.A	2.3	IS 13630 Part 2
xii	Coefficient of Friction	Where required manufacturer to declare value	Where required manufacturer to declare value	Depends upon Glazed surface	IS 18433 (part-1)/ISO 10545 (part-17)
xiii	Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12
C	**Chemical Resistance (glazed Tiles)**				
I	Stain Resistance	Min Class 1	Min Class 3	Min Class-1/ Class-3	IS 13630 Part 8 &ISO 10545-14
ii	Resistance to household chemicals	Min Class AA	Min Class B	Min Class AA	IS 13630 Part 8/ ISO 10545-13
iii	Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Manufacturer is to state classification	Min Class AA	

Note: ** Glazed Vitrified tiles have resistance to most of the stains and chemicals, but it is recommended to take care during laying and everyday maintenance.

SOMANY
French Collection

A NEW LANGUAGE OF
Luxury

www.somanyceramics.com | 1800-1030-004

Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

TILE VISUALISER

SOMANY



2D

DESIGN STUDIO

360°

PANORAMIC STUDIO

YOUR SPACE STUDIO

For detailed instructions scan the QR code

Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser to the immersive Panoramic-Studio Visualiser,** and even the AI-powered Your-Space-Studio Visualiser, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.

For detailed instructions scan the QR code

EASY TO USE

HIGH STRENGTH POLYMER FORTIFIED ADHESIVE

WIDE APPLICATION RANGE

HIGHLY FLEXIBLE

SUITABLE FOR WET WALL SURFACES

SELF - CURING ADHESIVE

SUITABLE FOR TILE ON TILE APPLICATION

To know more visit at **www.somanyceramics.com** or call on **Toll Free: 1800 103 0004**

RANGE OCT 2026

MARVELA UNIT 01

SOMANY

Somany Ceramics Limited
Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900
Ahmedabad Office: 601 - 606, 6th Floor, Aals Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.
Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customercare@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 AM - 6:30 pm; Mon - Fri)

MARVELA / 60x120 CM / OCT 2026