

RANGE VOL 1 | MARCH 2026

UNIT
06

SOMANY

Somany Ceramics Limited

Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph: 0120-4627900

Ahmedabad Office: 601 - 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad- 382481; Ph: 079-27661103 & 04.

Registered Office: 2, Red Cross Place, Kolkata- 700001; Ph: 033-22487406/5913
www.somanyceramics.com | E-mail: customer.care@somanyceramics.com

Toll Free No.: 1800-103-0004 (Timing: 10:00 am - 6:30 pm; Mon - Fri)


MARVELA / MOBON / CATALOGUE / MARCH 2026

MARVELA

MOBON
collection

600 x 1200mm

SOMANY



UNIT
06

RANGE VOL 1 | MARCH 2026

MOBON

collection

Not every stone carries a story. Marble does. Born of the earth's earliest silence, forged in the deep patience of millennia into something irreplaceable. The MOBON collection inherits it, carrying forward the veins, the tonal shifts, where geological rarity meets the precision of contemporary design.

Available in 600x1200mm, each format spans three distinct finishes. Full Polished renders veining with mirror-like clarity, light and shadow folding into luminous depth across every plane. Matt brings a velvety, understated presence, absorbent in tone, grounded in raw stillness, entirely without performance. Matt Carving restores sculpted dimension and carved relief, its textural tactility felt as much as seen.

MOBON is engineered to resist stains, repel the gradual accumulation of dirt, enduringly frost resistant and unmarked by the relentless wear of daily life. Whether enriching contemporary spaces or anchoring corporate atriums, adorning bathrooms or defining retail environments, elevating kitchens or transforming hospitality interiors, MOBON does not simply cover a surface. It defines it.



TECHNICAL FEATURES



HIGH GLOSS SURFACE

Our strong High-Gloss finish that elevates any space. The reflective surface amplifies light, creating a brighter and more luxurious ambience with Gloss Unit(GU): 95-100.



SUPERIOR MATT SURFACE

Our Matt finish surfaces feature a subtle, refined (low-reflection) finish that softens light and minimises glare. This makes them ideal for a variety of settings.



ABRASION RESISTANT FOR MODERATE TO HIGH TRAFFIC AREAS

Our tiles are designed to withstand the test of time, even in high-traffic areas. Their superior abrasion resistance of PEI (Polished - III, Matt - IV) ensures durability and maintains their pristine appearance for years.



EASY TO CLEAN

They are easy to clean and maintain, thanks to their non-porous surface that resists dirt and stains.



NON-REFLECTIVE



THERMAL RESISTANT



TEMPERATURE RESISTANT



FROST RESISTANT



CHEMICAL RESISTANT



WATER REPELLENT



ABRASION & WEAR RESISTANT



HYGIENIC SURFACE

APPLICATION AREAS



RESIDENTIAL AREAS



COMMERCIAL AREAS



HOSPITALS



SHOPS AND MALLS



HOTELS AND RESTAURANTS



SCHOOLS AND COLLEGES



OUTDOOR FURNITURE



PUBLIC PLACES

INDEX

FULL POLISHED

MOBON ALABASTRO GREY FP	10
MOBON ALABASTRO NERO FP	10
MOBON CARLING CREMA FP	10
MOBON CARLING ROSSO FP	11
MOBON CAVALI BEIGE FP	11
MOBON CAVALI BROWN FP	11
MOBON CELIO BIANCO FP	12
MOBON CELIO DARK GREY FP	12
MOBON DOLCE CALCATTA FP	12
MOBON EASTON STATURIO FP	13
MOBON FANTASY SATUTARIO FP	13
MOBON WHITE FP	13
MOBON MARLEY BROWN FP	16
MOBON MARLEY CREMA FP	16
MOBON MONET MARFIL FP	16
MOBON PICASO SILVER FP	17
MOBON RAVELLO LIGHT GREY FP	17

MATT | MATT CARVING

MOBON CLAVIO BIANCO	18
MOBON CLAVIO BROWN	18
MOBON CLAVIO CREMA	18
MOBON CLAVIO VARDE	19
MOBON MORRIS BIANCO	19
MOBON MORRIS NERO	19
MOBON MORRIS CREMA	22
MOBON MORRIS CHOCO	22
MOBON JOLINE BIANCO CR	23
MOBON JOLINE NREO CR	23
MOBON NICOLE BIANCO CR	24
MOBON NICOLE GREY CR	24
MOBON NICOLE SILVER CR	24





600x 1200mm

From the mirror-like depth of Full Polished to the grounded presence of Matt and the tactile relief of Matt Carving, MOBON carries the same material conviction across every space it enters. From the quiet calm of a private bathroom to the grand scale of hotel lobbies, corporate floors, and retail interiors, the surface changes, the character never does.



WALL
TILES



FLOOR
TILES



HIGH
DEFINITION



INTERIORS



RANDOM
PRINT



WALL: MOBON ALABASTRO GREY FP
FLOOR: MOBON ALABASTRO NERO FP



WALL: MOBON ALABASTRO GREY FP
FLOOR: MOBON ALABASTRO NERO FP



V4




MOBON ALABASTRO GREY FP


600x1200mm
FULL POLISHED



360° View



V4



MOBON CARLING ROSSO FP

600x1200mm
FULL POLISHED



360° View



V4



MOBON ALABASTRO NERO FP

600x1200mm
FULL POLISHED



360° View



V4




MOBON CAVALI BEIGE FP

600x1200mm
FULL POLISHED



360° View



V4



MOBON CARLING CREMA FP


600x1200mm
FULL POLISHED



360° View



V4




MOBON CAVALI BROWN FP

600x1200mm
FULL POLISHED



360° View




V4




MOBON CELIO BIANCO FP
600x1200mm
FULL POLISHED



360° View




V4




MOBON EASTON STATURIO FP
600x1200mm
FULL POLISHED



360° View




V4




MOBON CELIO DARK GREY FP
600x1200mm
FULL POLISHED



360° View




V4




MOBON FANTASY SATUTARIO FP
600x1200mm
FULL POLISHED



360° View




V4



MOBON DOLCE CALCATTA FP
600x1200mm
FULL POLISHED



360° View



V4



MOBON WHITE FP
600x1200mm
FULL POLISHED




360° View




WALL: MOBON CELIO DARK GREY FP | MOBON CELIO BIANCO FP
FLOOR: MOBON CELIO DARK GREY FP



WALL: MOBON CELIO DARK GREY FP | MOBON CELIO BIANCO FP
FLOOR: MOBON CELIO DARK GREY FP




MOBON MARLEY BROWN FP
600x1200mm
FULL POLISHED



V4



360° View



MOBON MARLEY CREMA FP
600x1200mm
FULL POLISHED



V4



360° View



MOBON MONET MARFIL FP
600x1200mm
FULL POLISHED




V4



360° View




MOBON PICASO SILVER FP
600x1200mm
FULL POLISHED




V4



360° View



MOBON RAVELLO LIGHT GREY FP
600x1200mm
FULL POLISHED



V4



360° View




V4




MOBON CLAVIO BIANCO
600x1200mm
MATT



360° View



V4



MOBON CLAVIO VARDE
600x1200mm
MATT



360° View




V4




MOBON CLAVIO BROWN
600x1200mm
MATT



360° View



V4




MOBON MORRIS BIANCO
600x1200mm
MATT



360° View




V4



MOBON CLAVIO CREMA
600x1200mm
MATT



360° View



V4



MOBON MORRIS NERO
600x1200mm
MATT




360° View



WALL: MOBON CLAVIO VARDE
FLOOR: MOBON CLAVIO VARDE



FLOOR: MOBON CLAVIO VARDE



MOBON MORRIS CREMA

600x1200mm
MATT



V4



360° View



MOBON JOLINE BIANCO CR

600x1200mm
MATT CARVING



V4



360° View



MOBON MORRIS CHOCO


600x1200mm
MATT



V4




360° View



MOBON JOLINE NREO CR

600x1200mm
MATT CARVING




V4



360° View


600x1200mm MATT CARVING

MARVELA
FLORIUFF



MOBON NICOLE BIANCO CR

600x1200mm
MATT CARVING



V4



360° View



MOBON NICOLE GREY CR

600x1200mm
MATT CARVING



V4



360° View



MOBON NICOLE SILVER CR

600x1200mm
MATT CARVING



V4



360° View




WALL: MOBON NICOLE SILVER CR
FLOOR: MOBON NICOLE SILVER CR

DESIGN, PATTERN & SHADE VARIATION GUIDE

Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.



V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

The classification is as follows:

V1 Minimal Variation **V2** Slight Variation **V3** Moderate Variation **V4** Substantial Variation

TECHNICAL SPECIFICATION

PACKAGING DETAIL FOR MOBON COLLECTION				
Nominal Size (mm)	Thickness (mm)	Avg. Wt. Per Carton (Kgs.)	No. of Tiles Per Carton	Coverage Area Per Carton
600x1200mm	8.8mm	28.5	2	1.44sq.mtr./15.50 sq.ft.

TECHNICAL SPECIFICATION FOR MOBON COLLECTION				
Characteristics	Requirement as per IS 15622 :2017 0.08 < E ≤ 3% Group B I b	Requirement as per ISO 13006:2018 0.5 ≤ E ≤ 3% Group B I b	Our Values	Test Method
A) Dimension & Surface Quality				
i) Length & Width	± 0.1 %	± 0.3 %	± 0.1 %	IS 13630 Part 1 / ISO 10545-2
ii) Thickness	± 5.0 %	± 5.0 %	± 4.0 %	
iii) Straightness of Side	± 0.1 %	± 0.3 %	± 0.1 %	
iv) Rectangularity	± 0.1 %	± 0.3 %	± 0.1 %	
v) Surface Flatness				
a) Center Curvature (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
b) Edge Curvature (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
c) Corner Warpage (%) (Max.Deviation)	± 0.5 %	± 0.4 %	± 0.2 %	
vi) Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	
B) Physical Properties				
i) Water Absorption	Avg. 0.08 < E ≤ 3%, Individual 3.3 Max	Avg. 0.5 < E ≤ 3%, Individual 3.3 Max	Avg. E ≤ 3.0 %	IS 13630 Part 2 / ISO 10545-3
ii) Modulus of Rupture [N/mm ²]	Avg. 30, Individual 27 Min	Avg. 30, Individual 27 Min	Avg. > 30	IS 13630 Part 6 / ISO 10545-4
iii) Breaking Strength in N	Min 1100	Min 1100	Min 1100	
iv) Moisture Expansion in mm/m	0.02	Test Method Available	0.02	IS 13630 Part 3 / ISO-10545-10
v) Scratch Hardness of Surface (Mohs)	Min 5	N/A	Min.5 (For Matt), Min.3 (For Polished)	IS 13630 Part 13
vi) Resistant to Abrasion of Glazed Tiles (Class I to V)	Min II	Abrasion Class & Cycle Passed	Class III (For Polished), Class IV (For Matt)	IS 13630 Part 11 / ISO 10545-7
vii) Coefficient of Linear Thermal Expansion From Ambient Temperature to 100° C	7 X 10 ⁻⁶ K ⁻¹ Max	Test Method Available	6 X 10 ⁻⁶ K ⁻¹ Max	IS 13630 Part 4 / ISO 10545-8
viii) Thermal Resistant	10 Cycle Min	Test Method Available	10 Cycle Passed	IS 13630 Part 5 / ISO-10545-9
ix) Crazeing Resistant	4 Cycle @ 7.5 Bar Min	Required	4 Cycle Passed	IS 13630 Part 9 / ISO 10545-11
x) Impact Resistant Coefficient of Restitution (COR)	0.55 Min	Test Method Available	0.55 Min	IS 13630 Part 14 / ISO 10545-5
xi) Frost Resistant	Required	Required	100 Cycle Passed	IS 13630 Part 10 / ISO 10545-12
C) Chemical Resistant (Glazed Tiles)				
i) Stain Resistant	Min Class 1	Min Class 3	Min Class 1 (For Matt), Min Class 2 (For Polished)	IS 13630 Part 8 / ISO 10545-14
ii) Resistant to Household Chemicals	Min Class AA	Min Class B	Min Class AA	
iii) Resistant to Acids and Alkalis (With Exception of Hydrofluoric Acid and its Compounds)	Required if Agreed	Declared Value'	Min Class AA	IS 13630 Part 8 / ISO 10545-13

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.

NOTE

TILE VISUALISER



Choosing the perfect tile for your dream home should be exciting, not overwhelming! With endless styles, colours, and finishes to explore, how do you ensure your choice truly brings your vision to life? That's where our Tile Visualiser transforms the experience. From the **intuitive 2D Studio Visualiser** to the **immersive Panoramic-Studio Visualiser**, and even the AI-powered **Your-Space-Studio Visualiser**, you get a seamless, real-world preview of your selections. Instantly see how different tiles look in your space and make confident design decisions—because what you see is exactly what you'll get.

Your dream tile? Just a click away.

Toll Free: 1800-103-0004 | www.somanyceramics.com

SOMANY[®] Ezy Fix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner

SOMANY[®] Bathware

SOMANY French Collection



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!
Experience the power of reliable tiling with Somany Ezy Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces – walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany Ezy Fix delivers a bond that's built to last.




For detailed instructions scan the QR code



Water Closet : Jazz Plus Wall Hung | Shower control : Elysees Single Lever Diverter and Wall Spout Chrome | Shower : Diamante Overhead Shower with arm Chrome
Allied Products : Grace Health Faucet and Giza Paper Holder Chrome | Tiles used - Wall & Floor Area : Lumiere Beige 180 Engravo MT | Shower Area : Colorato Bianco 180 Grit

- EASY TO USE
- HIGH STRENGTH
POLYMER FORTIFIED
ADHESIVE
- WIDE APPLICATION
RANGE
- HIGHLY
FLEXIBLE
- SUITABLE FOR
WET WALL
SURFACES
- SELF - CURING
ADHESIVE
- SUITABLE FOR
TILE ON TILE
APPLICATION

To know more visit at www.somanyceramics.com or call on Toll Free: 1800 103 0004



Water Closets | Basins | Faucets | Showers | Water Heaters | Accessories

Toll Free: 1800-103-0004 | www.somanyceramics.com