









600x1200mm 800x800mm | 600x600mm

SOMANÝ

Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph.: 0120-4627900

Ahmedabad Office: 601 to 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover,

S.G. Highway, Ahmedabad-382481; Ph.: 079-27661103 & 04

Registered Office: 2, Red Cross Place, Kolkata-700001; Ph.: 033-22487406/5913

www.somanyceramics.com | e-mail: customer.care@somanyceramics.com Toll Free No. 1800-103-0004 (Timing-10:00 am to 6:30 pm; Mon-Fri)

UNIT - 3 | FOR ALL INDIA



Elevate your space with our glossy tiles, where sophistication meets shine. Immerse yourself in the allure of polished surfaces that not only reflect light but also redefine your surroundings with a touch of contemporary elegance. Redefine your space, redefine your style.

SOMANY VITRO

BEAUTY UNEXPLORED



Nano Tech



Anti Stain



Highly Durable



Eco Friendly



Polish Finish

Engineered for durability and elegance, these tiles offer a robust surface with intricate designs. Ideal for high-traffic areas, they provide long-lasting performance and aesthetic appeal.



DOUBLE CHARGE **VITRIFIED TILES**

Introducing Double Charge Vitrified Tiles - the epitome of grace and sophistication for your living spaces.

Double Charge Vitrified Tiles are the pinnacle of architectural finesse. These tiles exude opulence and refinement with their exquisite craftsmanship and intricate detailing.



APPLICATION



RESIDENCES



SHOPS



OFFICES



HOTELS





AIRPORTS


PUBLIC PLACES



MALLS

SOMANY VITRO

CONTENT











E RVE

The Ultra Charge technology employed in the creation of these tiles further enhances their allure, infusing them with a radiant luminosity that adds depth and dimension to their already stunning designs.

600xl200mm

DOUBLE CHARGE VITRIFIED TILES
























Random Pattern









VERVE PERLATO GRAPHITE

Random Pattern



VERVE PERLATO BIANCO

Random Pattern



VERVE PERLATO BUTTER SCOTCH

Random Pattern



VERVE MOON WHITE

















VERVE RIVERA GREY





VERVE RIVERA WHITE

Random Pattern






VERVE RIVERA CREMA

Random Pattern






















VERVE IMPERIAL CHARCOAL

Random Pattern






VERVE IMPERIAL DENIM

Random Pattern





Random Pattern





VERVE IMPERIAL GREY

Random Pattern





VERVE IMPERIAL CREMA

Random Pattern



















VERVE MERCURY MUSTERD

VERVE MERCURY GALAXY




VERVE MERCURY WHITE



VERVE MERCURY GOLD



VERVE MERCURY ITALIAN



VERVE MERCURY ASH

















NEO SERPENGENTA NERO

RANDOM PATTERN





NEO DESERT GREY RANDOM PATTERN





NEO COLPI WHITE NEW





NEO STATUARIO PEARL RANDOM PATTERN



















NEO MAGNUS WHITE NEW



NEO MAGNUS SLATE GREY NEW





NEO MAGNUS IVORY NEW



NEO MAGNUS CHOCO



NEO ONYX PEARL







RANDOM PATTERN





















NEO PERLINO BEIGE

RANDOM PATTERN





NEO PERLINO GREY

RANDOM PATTERN





















VERVE IONTECH S&P WHITE



VERVE IONTECH S&P CREMA



VERVE IONTECH S&P NERO



VERVE IONTECH S&P GREY



VERVE IONTECH S&P GRIS



VERVE IONTECH S&P PEARL



















VERVE IONTECH S&P SAHARA



VERVE IONTECH S&P MENTA



VERVE IONTECH S&P ROJO
























NEO AMORE MINT RANDOM PATTERN

























NEO LUCA SKY BLACK RANDOM PATTERN



NEO LUCA SAND RANDOM PATTERN



NEO LUCA MINT RANDOM PATTERN



NEO LUCA CHERRY RANDOM PATTERN





Infused with breakthrough nanotech advancements. 800x800mm Double Charge tiles are stated with delicate, intricate patterns that provide an opulent and distinct marble look. Ideal for seamless designs and patterns.

800x800mm

DOUBLE CHARGE VITRIFIED TILES
























NEO CABRIO WHITE

NEO ESCALADE











NEO CABRIO BEIGE

NEO BERLINETTA WHITE






















NEO EUPHORIA GLACIER WHITE



RANDOM PATTERN



NEO MILTON BIANCO




NEO TUSCAN BEIGE





RANDOM PATTERN



NEO MILKY WHITE



NEO MIRAGE BEIGE



RANDOM PATTERN



RANDOM PATTERN











These tiles boast mesmerizing patterns with delicate precision, ensuring a captivating visual impact that exudes opulence and refinement. They effortlessly transform ordinary surfaces into extraordinary ones.

600x600mm

DOUBLE CHARGE VITRIFIED TILES

















NEO LUCA GREY

NEO LUCA WHITE















Also Available in 600x 1200mm









RANDOM PATTERN



NEO LUCA SKY BLACK



RANDOM PATTERN








RANDOM PATTERN













NEO AMORE BLACK

52



NEO AMORE GREY

RANDOM PATTERN



























NEO NUVARO BROWN

RANDOM PATTERN

NEO NUVARO CREMA






NEO NUVARO GREY

RANDOM PATTERN

NEO NUVARO MOCHA

RANDOM PATTERN





























NEO IONTECH BEIGE









NEO IONTECH BLACK PEARL

NEO IONTECH CREMA









NEO IONTECH CHOCO NEO IONTECH GREY





NEO IONTECH NERO

































NEO DACIA GREY

NEO DACIA PEARL






















NEO MICRA BROWN

NEO S&P-GREY









SOVRANO AQUA

SOVRANO GOLD

Nanovated

Nanovated

SOVRANO BIANCO

Nanovated
















SOVRANO SILVER



SOVRANO FROST

SOVRANO NERO














SOVRANO IG BEIGE







Nanovated















SOVRANO LEMON


























ASTONIA GOLD

ASTONIA GREY













67







ASTONIA CHERRY



Random Pattern Nanovated













ASTONIA AMBER







IGNIS GOLD NEW











ALEXA ASH Nanovated





















IGNIS BEIGE

IGNIS BIANCO









IGNIS CHOCO

IGNIS GOLD
















PACKING DETAIL FOR 600X600MM POLISHED VITRIFIED TILES						
Thickness	Avg. Weight per Carton (Kgs)	No. of Tiles Per Carton	Coverage Area Per Carton			
8.4 mm	26.90	2	1.44sq.mtr./15.50sq.ft.			
8.2 mm	26.50	2	1.44sq.mtr./15.50sq.ft.			
8.2 mm	35.50	3	1.92sq.mtr./20.67sq.ft.			
8.2 mm	25.70	4	1.44sq.mtr./15.50sq.ft.			
8.2 mm	25.70	4	1.44sq.mtr./15.50sq.ft.			
8.2 mm	25.70	4	1.44sq.mtr./15.50sq.ft.			
7.8 mm	24.30	4	1.44sq.mtr./15.50sq.ft.			
	8.4 mm 8.2 mm 8.2 mm 8.2 mm 8.2 mm 8.2 mm	Thickness Carton (Kgs) 8.4 mm 26.90 8.2 mm 26.50 8.2 mm 35.50 8.2 mm 25.70 8.2 mm 25.70 8.2 mm 25.70	Thickness Carton (Kgs) Per Carton 8.4 mm 26.90 2 8.2 mm 26.50 2 8.2 mm 35.50 3 8.2 mm 25.70 4 8.2 mm 25.70 4 8.2 mm 25.70 4 8.2 mm 25.70 4			

The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. "Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed. Complaints will not be entertained for Borders, Highlighters & Motifs.

TECHNICAL SPECIFICATION FOR POLISHED VITRIFIED TILES						
Characteristics	Requirement as per IS 15622 :2017 E ≤ 0.08 Group B I a	Requirement as per ISO 13006:2018 ≤ 0.5% Group B I a	Our Values	Test Method		
Dimension & Surface Quality						
Length & Width %	± 0.10%	± 0.5%	± 0.10%			
Thickness %	± 5.00%	± 5.00%	± 4.0%			
Straightness of Side %	± 0.10%	± 0.50%	± 0.10%			
Rectengularity %	± 0.10%	± 0.60%	± 0.10%			
Surface Flatness	Surface Flatness					
Center curvature (%) (Max.Deviation)	± 0.50%	± 0.50%	± 0.2 %			
Edge curvature (%) (Max.Deviation)	± 0.50%	± 0.50%	± 0.2 %			
Corner warpage (%)(Max.Deviation)	± 0.50%	± 0.50%	± 0.2 %			
Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects			
Physical Properties						
Water Absorption	Average ≤ 0.08%, Individual Max.0.1%	Av ≤ 0.5 %, Individual 0.6% max	<0.08%, Individual Max 0.1%	IS 13630 Part 2/ ISO 10545-3		
Modulus of Rupture [N/mm²]	Avr 35, Individual 32 Min	Avr 35, Individual 32 Min	Avr. > 35, Individual 32	IS 13630 Part 6/ISO 10545-4		
Breaking Strength in N	1300	Min 1300	Min 1300			
Moisture Expansion in mm/m	0.02	Test method available	0.02	IS 13630 Part 3/ISO-10545-10		
Scratch Hardness of surface (Mohs)	Min 5	N.A	Min 5	IS 13630 Part 13		
Coefficient of Linear Thermal Expansion from Ambient Temperature to 100 0 C	6 X 10 ⁻⁶ K ⁻¹ max	Test method available	6 X 10 ⁻⁶ K ⁻¹ max	IS 13630 Part 4/ ISO 10545-8		
Thermal Shock Resistance	10 cycle Min	Required	10 cycle passed	IS 13630 Part 5/ISO-10545-9		
Crazing Resistance	4 cycle @ 7.5bar min	Not Applicable	Not Applicable	IS 13630 Part 9/ISO 10545-11		
Impact Resistance as Co-efficient of Restitution (COR)	0.55 min	Test method available	0.55 Min	IS 13630 Part 14/ISO 10545-5		
Deep Abrasion Resistance [in mm³]	140 Max	Max 175	Max 140	IS 13630 PART 12/ISO 10454-6		
Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12		
Stain & Chemical Resistance (Un-glazed Tiles)						
Stain Resistance	Min Class 2	Manufacturer to state the class	Min Class 2	IS 13630 Part 7/ISO 10545-14		
Resistance to Household Chemicals	Min Class AA	Min Class UB	Class UA	IS 13630 Part 7/ISO 10545-13		
Resistance to Acids and Alkalis (with exception of hydrofluoric acid and its compounds)	Required if agreed	Test method available	Class ULB (Low Conc) Class UHB (High Conc)			

SOMANY EzyFix

Tile Adhesive | Epoxy Grout | Cement Polymer Grout | PU Adhesive | Grout Admix | Tile Cleaner



SOMANY French Collection



Lasting Bonds Made Ezy

Behind Every Stunning Tile, there's a Stronger Bond!

Experience the power of reliable tiling with Somany EZY Fix. From ceramic and porcelain tiles to natural stone and marble, our adhesives work on all surfaces — walls, floors, indoors, outdoors, and facades. Available in cement-based and PU-based options, they offer strong adhesion across all sizes and materials. Complementing this, our cement and epoxy grouts ensure tight, durable joints that last. No matter the project, Somany EZY Fix delivers a bond that's built to last.



















SUITABLE FOR APPLICATION









