



Corporate Office: F-36, Sector-6, Noida-201301, Uttar Pradesh; Ph.: 0120-4627900

Ahmedabad Office: 601 to 606, 6th Floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S.G. Highway, Ahmedabad-382481; Ph.: 079-27661103 & 04

Registered Office: 2, Red Cross Place, Kolkata-700001; Ph.: 033-22487406/5913

www.somanyceramics.com I e-mail: customer.care@somanyceramics.com

Toll Free No. 1800-103-0004 (Timing-10:00 am to 6:30 pm; Mon-Fri)






Shine with LUX Soothe with QUILLTOUCH

Regalia 2.0 collection, is where artistry and nature intertwine to create breathtaking masterpieces. The LUX surface exudes opulence with its glossy finish, reminiscent of dewdrops glistening in bright light. The lustrous surface invites admiration, much like the enchanting allure of a starlit sky, evoking a sense of wonder and sophistication.

QuillTouch surface features a non-reflective and smooth appearance that whispers serenity. Its feather-like velvety texture draws inspiration from the tranquil beauty of nature, mirroring the gentle caress of a soft breeze through a sun-dappled forest, this surface infuses a touch of luxury into any environment. QuillTouch thrives in busy environments and daily applications, delivering outstanding abrasion resistance and exceptional slip resistance.

Whether you embrace the elegance of LUX or the subtle refinement of QuillTouch, it's time to delve into our exclusive and unmatched collection.



1200x2400mm

LUX QUILLTOUCH surface



Beige

LUX



1200x1800mm

Slate

LUX QUILLTOUCH surface







TECHNICAL FEATURES

LUX



SUPERIOR GLOSS SURFACE

A stunning, high-gloss finish that elevates any space. The reflective surface amplifies light, creating a brighter and more luxurious ambiance.

EASY TO CLEAN

They are easy to clean and maintain, thanks to their non-porous surface that resists dirt and stains.







ABRASION RESISTANCE FOR MODERATE TO HIGH TRAFFIC AREAS

Our tiles are designed to withstand the test of time, even in high-traffic areas. Their superior abrasion resistance of PEI-4 ensures durability and maintains their pristine appearance for years.

REFLECTIVE GLOSS INDEX <8

Our tiles feature a subtle, low-reflection finish, reducing glare and creating a more comfortable visual experience. This makes them ideal for various settings, including spaces with significant natural light



APPLICATION AREAS





Residential Commercial



Hospital



Shops



Hotels &



Schools



Outdoor



07

Public





1200x2400mm

LUX Surface: Gleaming with Gloss, Polished to Perfection







QUILLTOUCH Surface: **Experience Ultra Matte, with a Velvety Touch**









BURBURRY CREMA

SIZE | SURFACE | THICKNESS 1200x2400mm | LUX / QUILLTOUCH | 9mm

Surface: LUX



0 0 VIEW

Available in same design LUX (POLISHED) - 1200X1800MM QUILLTOUCH (MATT) - 1200X1800MM

Surface: QUILLTOUCH




9mm

BURBURRY CREMA 180 BURBURRY CREMA 180 QUILL



15 BURBURRY CREMA 180









WALL: BURBURRY CREMA 240 QUILL SIZE: 1200X2400MM | SURFACE: QUILLTOUCH

FLOOR: BURBURRY CREMA 240 QUILL SIZE: 1200X2400MM | SURFACE: QUILLTOUCH



ESSENCE BEIGE

1200x2400mm | LUX / QUILLTOUCH

SURFACE | THICKNESS

Surface: LUX





Available in same design LUX (POLISHED) - 1200X1800MM QUILLTOUCH (MATT) - 1200X1800MM


Surface: QUILLTOUCH




ESSENCE BEIGE 180 ESSENCE BEIGE 180 9mm



15 ESSENCE BEIGE 180










WALL: ESSENCE BEIGE 240 QUILL SIZE: 1200X2400MM | SURFACE: QUILLTOUCH

FLOOR: **ESSENCE BEIGE 240 QUILL** SIZE: **1200X2400MM** | SURFACE: **QUILLTOUCH**

FREESTANDING BASIN: **STELLA COCOA 26 MATT**SIZE: **800X2600MM** | SURFACE: **MATT**



ESSENCE SLATE

1200x2400mm | LUX / QUILLTOUCH

SURFACE | THICKNESS

Surface: LUX



Available in same design LUX (POLISHED) - 1200X1800MM QUILLTOUCH (MATT) - 1200X1800MM

Surface: QUILLTOUCH



ESSENCE SLATE 180 9mm ESSENCE SLATE 180 QUILL Thickness



20







WALL: ESSENCE SLATE 240 QUILL SIZE: 1200X2400MM | SURFACE: QUILLTOUCH

FLOOR: **ESSENCE SLATE 240 QUILL**SIZE: **1200X2400MM** | SURFACE: **QUILLTOUCH**

21

TABLE: NEBULA COCOA 26 POLISHED SIZE: 800X2600MM | SURFACE: POLISHED






Surface: LUX





Available in same design LUX (POLISHED) - 1200X1800MM



NUVOLA GREY 180 9mm Thickness









WALL & FLOOR: NUVOLA GREY 240 SIZE: 1200X2400MM | SURFACE: LUX

HIGHLIGHTER TABLE: 15 LEIA BERLY 180 SIZE: 1200X1800MM | SURFACE: POLISHED




SIZE | SURFACE | THICKNESS 1200x2400mm

LUX



Surface: LUX











WALL: SONATA GREY 240 SIZE: 1200X2400MM | SURFACE: LUX

FLOOR: **SONATA GREY 240** SIZE: **1200X2400MM** | SURFACE: **LUX**



SIZE | SURFACE | THICKNESS 1200x2400mm LUX




Icy allure brings a Breath of Fresh Air

The soft, icy tones of Onice Ice offer a refreshing and tranquil ambiance, reminiscent of pristine ice formations. Versatile in nature, pairs beautifully with a wide array of colour palettes, enhancing both contemporary and traditional settings. It embodies purity and simplicity, resulting in



Surface: LUX











WALL: ONICE ICE BM 240 A & B SIZE: 1200x2400mm | SURFACE: LUX

FLOOR: **IONICE ICE BM 240 A & B** SIZE: **1200X2400MM** | SURFACE: **LUX**

TABLE: STELLA BRICK RED 26 POLISHED SIZE: 800X2600MM | SURFACE: POLISHED

33









Surface: LUX




Available in same design LUX (POLISHED) - 1200X1800MM









9mm Thickness

WALL: PULPIS TAUPE 240 SIZE: 1200X2400MM | SURFACE: LUX

FLOOR: **PULPIS TAUPE 240** SIZE: **1200X2400MM** | SURFACE: **LUX**

37

TABLE: **15 LEIA CREMA 180** SIZE: **1200X1800MM** | SURFACE: **POLISH**





LUX



Reveal the essence of Pietra Roma, rendered in the exquisite gloss of LUX Surface, epitomising lasting elegance and enduring strength. The high-gloss sheen enhances its natural beauty, amplifying its striking depth and complexity. The luminous finish highlights every subtle tonal variation, creating a radiant ambiance that breathes life into the stone-inspired hue. The result is a bold aesthetic that blends classical charm with contemporary luxury, transforming any space into a sanctuary of grandeur and timeless allure.

Surface: LUX





Available in same design LUX (POLISHED) - 1200x2400 & 1200X1800MM QUILLTOUCH (MATT) - 1200X1800MM







15 PIETRA ROMA 180

PIETRA ROMA 180 9mm PIETRA ROMA 180 QUILL Thickness









WALL & FLOOR: PIETRA ROMA 240 SIZE: 1200X2400MM | SURFACE: LUX

FLOOR: **PULPIS TAUPE 180** SIZE: **1200X1800MM** | SURFACE: **LUX**

41





1200x1800mm

LUX Surface: **Gleaming with Gloss, Polished to Perfection**






QUILLTOUCH Surface:

Experience Ultra Matt, with a Velvety Touch

















360 VIEW

Surface: QUILLTOUCH

Available in same design LUX (POLISHED) - 1200X2400MM & 1200x1800MM QUILLTOUCH (MATT) - 1200X2400MM & 1200x1800MM




BURBURRY CREMA 240 BURBURRY CREMA 240



9mm Thickness

15 BURBURRY CREMA 180







9mm Thickness

WALL: BURBURRY CREMA 180 QUILL SIZE: 1200X1800MM | SURFACE: QUILLTOUCH

FLOOR: BURBURRY CREMA 180 QUILL SIZE: 1200X1800MM | SURFACE: QUILLTOUCH

47

HIGHLIGHTER TABLE: 15 LEIA BERLY 180 SIZE: 1200X1800MM | SURFACE: POLISHED













Surface: QUILLTOUCH



V3









WALL: FANTACY CREMA 180 QUILL SIZE: 1200X1800MM | SURFACE: QUILLTOUCH


FLOOR: **FANTACY CREMA 180 QUILL**SIZE: **1200X1800MM** | SURFACE: **QUILLTOUCH**

TABLE: NEBULA BRICK RED 26 POLISHED SIZE: 800X2600MM | SURFACE: POLISHED

51



SURFACE | THICKNESS 1200x1800mm | LUX / QUILLTOUCH



Introducing Essence Beige, that serves as a neutral backdrop, perfectly complementing a wide range of palettes. The allure of Essence Beige is its remarkable versatility. It seamlessly blends with an array of colours, whether you're incorporating cool tones like grey or blue, or accents such as terracotta, gold, or deep brown It combines a subtle texture and gentle veining, resulting in a stunning depth and dimension.

This design comes in two distinctive surfaces:







360 VIEW

Surface: QUILLTOUCH



Available in same design LUX (POLISHED) - 1200X2400MM & 1200x1800MM QUILLTOUCH (MATT) - 1200X2400MM & 1200x1800MM




ESSENCE BEIGE 240 ESSENCE BEIGE 240 QUILL

9mm Thickness



15mm Thickness

15 ESSENCE BEIGE 180









WALL: ESSENCE BEIGE 180 QUILL SIZE: 1200X1800MM | SURFACE: QUILLTOUCH


FLOOR: **ESSENCE BEIGE 180 QUILL** SIZE: **1200X1800MM** | SURFACE: **QUILLTOUCH**

55

TABLE& COUNTER: **15 PEARL WHITE 180** SIZE: **1200X1800MM** | SURFACE: **POLISH**







Surface: LUX



360 VIEW

Surface: QUILLTOUCH



V/2

Available in same design LUX (POLISHED) - 1200X2400MM & 1200x1800MM QUILLTOUCH (MATT) - 1200X2400MM & 1200x1800MM



ESSENCE SLATE 240 ESSENCE SLATE 240 QUILL

9mm Thickness









WALL: ESSENCE SLATE 180 QUILL SIZE: 1200X1800MM | SURFACE: QUILLTOUCH

FLOOR: ESSENCE SLATE 180 QUILL SIZE: 1200X1800MM | SURFACE: QUILLTOUCH





1200x1800mm | LUX / QUILLTOUCH

SURFACE | THICKNESS



Immerse yourself in the warm, muted tones of Pietra Roma, that vividly embodies grounding stability and evokes the beauty of natural stone. Typically features neutral tone, showcasing subtle differences in intensity. Whether you're creating a sleek, minimalist environment or a cosy, rustic retreat, its timeless allure ensures it fits beautifully in contemporary and earthy settings.

This design comes in two distinctive surfaces: LUX and QUILLTOUCH







Available in same design LUX (POLISHED) - 1200X2400MM & 1200X1800MM QUILLTOUCH (MATT) - 1200X1800MM



PIETRA ROMA 240 9mm Thickness








15 PIETRA ROMA 180

15mm Thickness









WALL: PIETRA ROMA 180 SIZE: 1200X1800MM | SURFACE: LUX

FLOOR: **PIETRA ROMA 180** SIZE: **1200X1800MM** | SURFACE: **LUX**

HIGHLIGHTER TABLE: 15 PEARL WHITE 180 SIZE: 1200X1800MM | SURFACE: POLISHED

63




Nuvola Grey, a distinguished offering from the LUX surface, epitomises sophisticated elegance through its soft, muted tones. This luxurious colour not only enhances glossy finish but also elevates the reflective quality of polished surfaces, making them truly captivating. Its subtle warmth establishes a tranquil backdrop, infusing any space with depth and refinement.






Available in same design LUX (POLISHED) - 1200X2400MM




NUVOLA GREY 240

9mm Thickness



66








WALL: NUVOLA GREY 180 SIZE: 1200X1800MM | SURFACE: LUX

FLOOR: **PIETRA ROMA 240** SIZE: **1200X2400MM** | SURFACE: **LUX**

TABLE: STRIO VALOR PEROBA WOOD WENGE SIZE: 200X1200MM | SURFACE: MATT




Statuario Eminence stands out as a premier choice in the LUX surface, embodying an unparalleled level of sophistication that echoes classic marble elegance. This exquisite option is perfect for upscale interiors, bringing a timeless allure that remains relevant across design trends. Inspired by the breathtaking beauty, it establishes a deep connection with nature, infusing a magnificent spirit into every environment where it is used.





Available in same design LUX (POLISHED) - 1200X1800MM





70







WALL: STATUARIO EMINENCE 180 SIZE: 1200x1800mm | SURFACE: LUX

FLOOR: **STATUARIO EMINENCE 180** SIZE: **1200X1800MM** | SURFACE: **LUX**

TABLE & STAIRS: FANTACY CREMA 180 QUILL SIZE: 1200X1800MM | SURFACE: QUILLTOUCH









Available in same design LUX (POLISHED) - 1200X1800MM











WALL: LASA BIANCO 180 SIZE: 1200X1800MM | SURFACE: LUX

FLOOR: **LASA BIANCO 180** SIZE: **1200X1800MM** | SURFACE: **LUX**

ONYX PEARL

SIZE | SURFACE | THICKNESS 1200x1800mm

LUX

Enhancing Harmony and Depth

Onyx Pearl exudes sophistication and luxury, making it the perfect choice for the glossy LUX surface. Its rich undertones paired with pearlescent highlights bring depth and dimension to any space, captivating attention and enhancing visual appeal. This luxurious shade combines a classic and contemporary aesthetic, effortlessly adapting to diverse design styles from modern to traditional. Versatile and striking, it pairs beautifully with a spectrum of colours and materials, elevating both bold and subtle palettes and enhancing the elegance of any glossy surface.







78









WALL: ONYX PEARL 180 SIZE: 1200X1800MM | SURFACE: LUX

FLOOR: **ONYX PEARL 180** SIZE: **1200X1800MM** | SURFACE: **LUX**

BATHROOM WALL: **NECTAR GREEN LUCIDO & NECTAR BREEN OPACO** SIZE: **75X300MM** | SURFACE: **RANDOM PUNCH** (GLOSSY / MATT)



Atlantic Silver, characterised by its soft grey tones and subtle metallic undertones, radiates sophistication, tranquillity, and resilience. The ultra-reflective, high-shine surface enhances the depth and richness of the Atlantic Silver shade, creating a strikingly luxurious atmosphere that captivates attention from every angle.













WALL: ATLANTIC SILVER 180 SIZE: 1200X1800MM | SURFACE: LUX

FLOOR: **ATLANTIC SILVER 180** SIZE: **1200X1800MM** | SURFACE: **LUX**



Introducing Calacatta Prestige, a soft white base elegantly highlighted by bold, dramatic veins of Calacatta Marble. This blend of intricate patterns, graceful tones, and a superior gloss results in a stunning aesthetic that redefines grandeur and makes a powerful statement of style.













WALL: CALACATTA PRESTIGE 180 SIZE: 1200X1800MM | SURFACE: LUX


FLOOR: **CALACATTA PRESTIGE 180** SIZE: **1200X1800MM** | SURFACE: **LUX**



Ottimo Crema, a warm beige shade with creamy undertones, is inspired by natural stone. It provides a classic yet contemporary look that seamlessly fits into a wide range of design styles, from modern minimalism to traditional opulence. The reflective quality of the surface beautifully bounces light, creating an open, airy ambiance that is ideal for both residential and commercial













WALL & FLOOR: **OTTIMO CREMA 180** SIZE: **1200X1800MM** | SURFACE: **LUX**

WALL: **VENEZUELA GREY 180** SIZE: **1200X1800MM** | SURFACE: **LUX**

FANTACY GREY



SIZE | SURFACE | THICKNESS
Omm | LUX | 9mm















WALL: **FANTACY GREY 180** SIZE: **1200X1800MM** | SURFACE: **LUX**


FLOOR: **FANTACY GREY 180** SIZE: **1200X1800MM** | SURFACE: **LUX**

TABLE: STELLA COCOA 26 MATT SIZE: 800X2600MM | SURFACE: MATT


ESSENCE GRIGE

1200x1800mm


SIZE | SURFACE | THICKNESS LUX



Introducing Essence Grige, that transforms glossy environments into sophisticated havens. Its warm undertones create a striking contrast with high-shine finishes, adding depth and elegance to any space. Ideal for modern interiors, it reflects light beautifully, crafting a bright and inviting atmosphere. This versatile shade melds effortlessly with various design elements, making it a timeless choice for upscale settings.











9mm Thickness

WALL: ESSENCE GRIGE 180 SIZE: 1200X1800MM | SURFACE: LUX

FLOOR: **ESSENCE GRIGE 180** SIZE: **1200X1800MM** | SURFACE: **LUX**

TABLE: STELLA CREMA 26 POLISHED SIZE: 800X2600MM | SURFACE: POLISHED




Venezuela Grey is a rich and profound shade that embodies the essence of natural stone. Its reflective qualities enhance both natural and artificial light, creating a luminous ambiance that expands and elevates the perception of space. The earthy undertones, combined with a mirror-like sheen, add warmth and vitality to interiors.





V2










WALL & FLOOR: **VENEZUELA GREY 180** SIZE: **1200X1800MM** | SURFACE: **LUX**

HIGHLIGHTER TABLE: 15 PEARL WHITE 180 SIZE: 1200X1800MM | SURFACE: POLISH

103











V3

Available in same design LUX (POLISHED) - 1200X2400MM




PULPIS TAUPE 240

9mm Thickness

Subtlety to Glossy Brilliance









WALL: PULPIS TAUPE 180 SIZE: 1200X1800MM | SURFACE: LUX

FLOOR: PULPIS TAUPE 180 SIZE: 1200X1800MM | SURFACE: LUX

107



Canyon Ash presents a distinguished palette Featuring rich, earthy tones like beige, taupe, and gentle greys, evoking the serene beauty of rocky canyons and desert landscapes. Reminiscent of weathered stone and ash, it offers a sophisticated and tranquil ambiance.



360 VIEW









WALL & FLOOR: **CANYON ASH 180** SIZE: **1200X1800MM** | SURFACE: **LUX**

FLOOR: **CALACATTA PRESTIGE 180** SIZE: **1200X1800MM** | SURFACE: **LUX**

HIGHLIGHTER TABLE: 15 LEIA BERLY 180 SIZE: 1200X1800MM | SURFACE: POLISHED


111


TECHNICAL SPECIFICATION


DESIGN, PATTERN & SHADE VARIATION GUIDE


Current development efforts have made ceramic tiles resemble and look authentically like natural materials (Stone, Wood, Fabric).

Recognising this situation, it is necessary to be informed of the grade of design & pattern variation that is expected from these products. As a general guide, the design & pattern guide given below classifies the range according to the degree of variation.









V1 Minimal Variation

V2 Slight Variation

V3 Moderate Variation

V4 Substantial Variation

The classification is as follow:

| /1 | Minimal | Variation | V |
|----|-----------|-----------|---|
| | iviimimai | variation | _ |

Slight Variation

Moderate Variation

Substantial Variation

| PACKAGING DETAIL FOR REGALIA 2.0 COLLECTION | | | | | | |
|---|---------------|-----------------------------|-------------------------|--------------------------|--|--|
| Nominal Size(mm) | Thickness(mm) | Avg. weight per carton(Kgs) | No. of tiles per carton | Coverage area per carton | | |
| 1200x2400 | 9.0 | 61.0 | 1 | 2.88sq.mtr./31.00sq.ft. | | |
| 1200x1800 | 9.0 | 93.0 | 2 | 4.32sq.mtr./46.50sq.ft. | | |

| PACKAGING DETAIL FOR REGALIA 2.0 COLLECTION | | | | | | | |
|---|--|--|--|--------------------------------|--|--|--|
| Characteristics | Requirement as per IS 15622:2017 E≤ 0.08 Group B I a | Requirement as per ISO 13006:2018 ≤ 0.5% Group B I a | Our Values | Test Method | | | |
| Dimension & Surface Quality | | | | | | | |
| Length & Width | ±0.1% | ±0.3% | ±0.1% | | | | |
| Thickness | ±5.0% | ±5.0% | ±4.0% | | | | |
| Straightness of Side | ±0.1% | ±0.3% | ±0.1% | | | | |
| Rectengularity | ±0.1% | ±0.3% | ±0.1% | | | | |
| Surface Flatness | | | | IS 13630 Part 1/ ISO 10545-2 | | | |
| Center Curvature (Max.Deviation) | ±0.5% | ±0.4% | ±0.2% | | | | |
| Edge Curvature (Max.Deviation) | ±0.5% | ±0.4% | ±0.2% | | | | |
| Corner Warpage (Max.Deviation) | ±0.5% | ±0.4% | ±0.2% | | | | |
| Surface Quality | Min. 95% of tiles will be free from visible defects | Min. 95% of tiles will be free from visible defects | Min. 95% of tiles will be free from visible defects | 1 | | | |
| Physical Properties | | | | | | | |
| Water Absorption | Avr. E ≤ 0.08%, Individual 0.1% Max | Av ≤ 0.5%, Individual 0.6% Max | Avg.≤0.08% | IS 13630 Part 2/ISO 10545-3 | | | |
| Modulus of Rupture (N/mm²) | Avg. 35, Individual 32 Min | Avg. 35, Individual 32 Min | Avg. > 35 | IS 13630 Part 6/ISO 10545-4 | | | |
| Breaking Strength in N | 1300 N | 1300 N | Min, 1800 N | | | | |
| Moisture Expansion in mm/m | 0.02 | Test Method Available | 0.02 | IS 13630 Part 3/ISO-10545-10 | | | |
| Scratch Hardness of Surface (Mohs) | Min 5 | N.A. | Min.5 (for Quill), Min.3 (for Polished) | IS 13630 Part 13 | | | |
| Resistance to Abrasion of Glazed Tiles (Class I to V) | Min II | Abrasion Class & Cycle passed | Gr IV (for Quill), Gr III (for Polished) | IS 13630 Part 11/ISO 10545-7 | | | |
| Coefficient of Linear Thermal Expansion From Ambient Temperature to 100°C | 6 X 10 ⁻⁶ K ⁻¹ Max | Test Method Available | Max 6 X 10 ⁻⁸ K ⁻¹ Max | IS 13630 Part 4/ISO 10545-8 | | | |
| Thermal Shock Resistance | 10 cycle min | Test Method Available | 10 cycle passed | IS 13630 Part 5/ISO-10545-9 | | | |
| Crazing Resistance | 4 cycle @ 7.5bar min | Required | 4 cycle passed | IS 13630 Part 9/ISO-10545-11 | | | |
| Impact Resistance as Co-efficient of Restitution (COR) | 0.55 min | Test Method Available | Min 0.55 | IS 13630 Part 14/ISO-10545-5 | | | |
| Frost Resistance | Required | Required | 100 Cycle Passed | IS 13630 Part 10/ISO 10545-12 | | | |
| Chemical Resistance (Glazed Tiles) | | | | | | | |
| Stain Resistance | Min Class-1 | Min Class 3 | Min Class-1 (For Quill), Min Class-2 (For Polished) | IS 13630 Part 8 & ISO 10545-14 | | | |
| Resistance to Household Chemicals | Min Class AA | Min B | Min Class AA | IS 13630 Part 8/ISO 10545-13 | | | |
| Resistance to Acids and Alkalis (with exception of Hydrofluoric Acid and its compounds) | Required if agreed | Declared Value' | Min Class AA | | | | |

The tiles in this catalogue are reproduced using four-colour printing, and the tiles may not be displayed in accurate sizes. Therefore, we strongly recommend customers to check the physical samples before placing an order. The "Technical Specification" applies exclusively to premium-quality Somany wall and floor tiles. Please inspect the tiles thoroughly before installation, as we don't accept any complaints once the tiles have been applied or fixed. Additionally, complaints regarding borders, highlighters, or motifs will not be entertained after purchase.





RECOMMENDED FOR LARGE FORMAT TILES & SLABS



INDIA'S FASTEST GROWING ADHESIVE BRAND





