

**SOMANY**  
Bathware

**CORPORATE OFFICE**  
F-36, Sector-6, Noida - 201301, Uttar Pradesh  
**REGISTERED OFFICE**  
2, Red Cross Place, Kolkata - 700001

**Website:** [www.somanyceramics.com](http://www.somanyceramics.com)  
**Email:** [customer.support@somanyceramics.com](mailto:customer.support@somanyceramics.com)  
**Customer Care/Toll-Free No.: 1800-103-0004**  
(Time: 9:30 a.m. to 6:30 p.m.: Monday-Saturday)



Scan QR to Register Complaints,  
Chat on WhatsApp & More(24x7  
Available)



[www.facebook.com/SomanyBathware](https://www.facebook.com/SomanyBathware)  
[www.instagram.com/SomanyBathware](https://www.instagram.com/SomanyBathware)



Scan QR Code to  
Download the Catalogue

**SOMANY**  
Bathware

Where  
**warmth**  
resides



**comfort follows.**



Choose from  
widest range of

# water heaters

You deserve more than just a well-equipped bathroom. You deserve a bathroom that becomes your place of solace. Which is why through innovation and research, we at SOMANY have designed geysers that are the epitome of cutting-edge technology and engineering. So when you bring home a SOMANY product, you're bringing home the absolute best of craftsmanship and quality.



A 5 star rated product, which means less energy consumption, more savings.



Our water heaters are splash proof with IPX4 rating, giving it one more reason to serve you longer.



Our water heater can with stand pressure up to 8 bars, which makes it the perfect match for your high rise apartment.



A pair of connecting pipes is provided with the box for easy & hassle free installation.



Compact & premium design that brings art to your modern bathing space.



**SOMANY**  
Bathware

# Heat.

## Reimagined with Design

Somany brings its legacy of design into the world of intelligent heating. From Champagne Gold accents to minimalist digital panels, our water heaters reflect the same attention to detail that defines a well-crafted space. Inside, advanced heating systems deliver consistent, safe, and energy-efficient warmth. Outside, it's a statement in style.





# Worry-Free Protection



Advanced Thermostat &  
Thermal Cut-Out Mechanism  
for dual overheat protection



5-in-1 Multi-function Safety  
Valve: Prevents excessive  
pressure, vacuum  
formation & reverse water  
flow



Multi-layer protection  
against corrosion & scaling



Extra thick Magnesium Anode  
for added tank protection



High Grade ABS  
non-corrosive premium  
outer body



Advanced Vitreous  
Enamel Coating protects  
the inner tank, suitable for  
hard water usage





# Future-Ready Performance



BEE 5-Star Rated for high energy efficiency



Extra thick & high-density CFC-free PUF insulation for superior heat retention



Single weld line high-grade mild steel tank – 66% prevents Leakage



Sustained 2kW Copper Heating Element for consistent performance



Withstands up to 8-bar pressure – ideal for high-rise buildings & pressure pump applications





# Bold Design.

## Everyday Comfort





# Elise Aura

## Design-Led Comfort

Where warmth meets aesthetics, the Elise Aura water heater is crafted for those who value both performance and visual harmony. With soft curves, premium finishes like Champagne Gold and Platinum Grey, and a compact, wall-hugging form, it blends effortlessly into today's thoughtfully designed bathrooms. Behind its elegant exterior lies intelligent safety, reliable heating, and energy efficiency — making Elise Aura not just a beautiful addition, but a smart one too.



**SOMANY**  
Bathware





ELISE AURA CHAMPAGNE GOLD  
AND PLATINUM GREY

available in

10<sup>Ltr</sup> | 15<sup>Ltr</sup> | 25<sup>Ltr</sup>  
MRP ₹ 12990    MRP ₹ 14990    MRP ₹ 15990



Copper Heating  
Element



Smart Guard  
Magnesium Fluoride



ABS Rust Proof  
Outer Body



Energy Saving  
PUF Insulation



Hi-Tech  
Thermometer



LED Temperature  
Display

SOMANY<sup>®</sup>  
Bathware

elise  
aura







**SOMANY**  
Bathware

# Picardy Digi

## Precision Heating, Digital Intelligence


Experience precision heating with the Picardy Digi, a smart water heater designed for effortless control and all-round performance. With a stylish LED display and feather-touch temperature adjustment, it offers personalized comfort at your fingertips. Built for long-lasting use, it features a vitreous enamel-coated tank, magnesium anode, and 2KW copper heating element—making it ideal for hard water conditions. The PUF insulation ensures 5-star energy efficiency with excellent heat retention. Advanced safety features like dual overheat protection, a 5-in-1 multi-function valve, and 8 bar pressure handling make it perfect for high-rise buildings and pressure pump applications. Available in both vertical and horizontal models, Picardy Digi adapts to modern spaces with ease and style.

Picardy Digi — where intelligence meets everyday comfort.



SOMANY<sup>®</sup>  
Bathware

picardy



digi

PICARDY DIGI H (Horizontal)

available in

50<sup>Ltr</sup> | 70<sup>Ltr</sup> | 100<sup>Ltr</sup>  
MRP ₹19990/-    MRP ₹24990/-    MRP ₹28990/-

- Blue Sapphire Enamel Coating
- Smart Guard Aluminum Anode
- Up To 8 Bar High Working Pressure
- Enameled Inlet/Outlet
- PUF Insulation
- 5 In 1 Multi Functional valve
- LED Temperature Display
- Whirl Flow Technology
- Corrosion Resistant Cabinet
- Thermal Cutout
- External Temperature Control Knob





PICARDY DIGI V (Vertical)

available in

|                   |  |                   |  |                   |  |                   |
|-------------------|--|-------------------|--|-------------------|--|-------------------|
| 10 <sup>Ltr</sup> |  | 15 <sup>Ltr</sup> |  | 25 <sup>Ltr</sup> |  | 50 <sup>Ltr</sup> |
| MRP ₹11990/-      |  | MRP ₹12990/-      |  | MRP ₹13990/-      |  | MRP ₹19490/-      |

- |                                     |                                      |                                          |                              |                                          |                                      |
|-------------------------------------|--------------------------------------|------------------------------------------|------------------------------|------------------------------------------|--------------------------------------|
| <br>Blue Sapphire<br>Enamel Coating | <br>Smart Guard<br>Aluminum<br>Anode | <br>Up To 8 Bar High<br>Working Pressure | <br>Enameled<br>Inlet/Outlet | <br>PUF<br>Insulation                    | <br>5 In 1 Multi<br>Functional valve |
| <br>LED Temperature<br>Display      | <br>Whirl Flow<br>Technology         | <br>Corrosion<br>Resistant Cabinet       | <br>Thermal<br>Cutout        | <br>External Temperature<br>Control Knob |                                      |





**SOMANY**  
Bathware



# Elise Insta Prime

Instant Heat.  
Uncompromised Safety.

For those who don't like to wait, Elise Insta brings you instant hot water with absolute safety. This compact and powerful heater is ideal for kitchens or quick-use bathrooms, delivering on-demand heating with a sleek, modern design. Equipped with a durable copper heating element, multi-layer safety systems, and corrosion-resistant ABS body, Elise Insta combines reliability with speed. Its SS304 inlet/outlet pipes, safety valve, and thermal cut-out ensure every drop is pressure-safe and pure. Built for efficiency, designed for speed — Elise Insta is your everyday instant upgrade.





elise



insta  
prime

SOMANY<sup>®</sup>  
Bathware



ELISE INSTA PRIME

available in

3<sup>Ltr</sup> | 5.5<sup>Ltr</sup>  
MRP ₹4290/-    MRP ₹6290/-

- Blue Sapphire Enamel Coating
- Smart Guard Aluminum Anode
- UpTo 8 Bar High Working Pressure
- Enameled Inlet/Outlet
- PUF insulation
- 5 In 1 Multi Functional valve
- LED Temperature Display
- Whirl Flow Technology
- Corrosion Resistant Cabinet
- Thermal Outout
- External Temperature Control Knob





Energy Saving ★★★★★  
**ELISE-ULTRA**  
2000W

available in  
**25<sup>ltr</sup>**  
₹18,990

- Blue Sapphire Enamel Coating
- Smart Guard Aluminium Anode
- UpTo 8 Bar High Working Pressure
- Enameled Inlet/Outlet
- PUF Insulation
- 5 In 1 Multi Functional valve
- LED Temperature Display
- Whirl Flow Technology
- Corrosion Resistant Cabinet
- Thermal Cutout
- Remote Control operated



Energy Saving ★★★★★  
**ELISE-NEO**  
2000W

available in  
**10,15,25<sup>ltr</sup>**  
₹11,990 (10 Ltr.), ₹13,490 (15 Ltr.)  
₹14,990 (25 Ltr.)

- Blue Sapphire Enamel Coating
- Smart Guard Aluminium Anode
- Single Weld Line
- UpTo 8.5 Bar High Working Pressure
- Enameled Inlet/Outlet
- PUF Insulation
- 5 In 1 Multi Functional valve
- LED Temperature Display
- Whirl Flow Technology
- Corrosion Resistant Cabinet
- Thermal Cutout



**ELISE - Optimus Insta**  
3000W

available in  
**03<sup>ltr</sup>**  
₹4,290

- Stainless Steel Inner Tank
- Smart Guard Aluminium Anode
- UpTo 8 Bar High Working Pressure
- 5 In 1 Multi Functional valve
- LED Temperature Display
- Whirl Flow Technology
- Corrosion Resistant Cabinet
- Thermal Cutout



Energy Saving ★★★★★  
**PICARDY-NEO**  
(VERTICAL) 2000W

available in  
**10,15,25,35,50<sup>ltr</sup>**  
₹10,990 (10 Ltr.), ₹11,990 (15 Ltr.)  
₹12,990 (25 Ltr.), ₹14,990 (35 Ltr.)  
₹17,490 (50 Ltr.)

- Blue Sapphire Enamel Coating
- Smart Guard Aluminium Anode
- UpTo 8 Bar High Working Pressure
- Enameled Inlet/Outlet
- PUF Insulation
- 5 In 1 Multi Functional valve
- LED Temperature Display
- Whirl Flow Technology
- Corrosion Resistant Cabinet
- Thermal Cutout
- External Temperature Control Knob



Energy Saving ★★★★★  
**ELISE-U**  
2000W

available in  
**06<sup>ltr</sup>**  
₹10,450

- Blue Sapphire Enamel Coating
- Smart Guard Aluminium Anode
- UpTo 8 Bar High Working Pressure
- Enameled Inlet/Outlet
- PUF Insulation
- 5 In 1 Multi Functional valve
- LED Temperature Display
- Whirl Flow Technology
- Corrosion Resistant Cabinet
- Thermal Cutout
- External Temperature Control Knob



**ELISE (GAS GEYSER)**  
M-LPG & M-PNG

available in  
**(12KW for 06 Ltr.)**  
₹8,990

- Advance Copper Heat Exchanger Technology
- Security Lock
- 3 - Row Smart Burners
- Protection from Over Heating
- Summer / Winter Selection
- Mesh On Water Inlet, Gas Inlet and Chimney
- Multiple Pressure Compatibility



Energy Saving ★★★★★  
**PICARDY-ACE**  
2000W

available in  
**15,25<sup>ltr</sup>**  
₹10,490 (15 Ltr.)  
₹11,490 (25 Ltr.)

- Blue Sapphire Enamel Coating
- Smart Guard Aluminium Anode
- UpTo 8 Bar High Working Pressure
- Enameled Inlet/Outlet
- PUF Insulation
- 5 In 1 Multi Functional valve
- LED Temperature Display
- Whirl Flow Technology
- Corrosion Resistant Cabinet
- Thermal Cutout
- External Temperature Control Knob



Energy Saving ★★★★★  
**PICARDY-NEO**  
(HORIZONTAL) 2000W

available in  
**50,70,100<sup>ltr</sup>**  
₹17,990 (50 Ltr.)  
₹24,990 (70 Ltr.)  
₹28,990 (100 Ltr.)

- Blue Sapphire Enamel Coating
- Smart Guard Aluminium Anode
- UpTo 8 Bar High Working Pressure
- Enameled Inlet/Outlet
- PUF Insulation
- 5 In 1 Multi Functional valve
- LED Temperature Display
- Whirl Flow Technology
- Corrosion Resistant Cabinet
- Thermal Cutout
- External Temperature Control Knob



|                     |                                                                                   |                                                                                    |                                                                                     |
|---------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Products            |  |  |  |
|                     | Elise Insta Prime 3L                                                              | Elise Insta Prime 5.5L                                                             | Picardy Digi V10 Ultra                                                              |
| Dimensions          | 175X 185X 315MM                                                                   | 200X 225 X410MM                                                                    | 290X 315 X465MM                                                                     |
| SKU Type            | Instant WH                                                                        | Instant WH                                                                         | Storage WH                                                                          |
| Key Features        | 3 kW copper heating element, LED indicators                                       | 3 kW copper heating element, LED indicators                                        | 5-Star BEE rating, energy efficiency, safety valve, anode rod                       |
| Capacity            | 3L                                                                                | 5.5L                                                                               | 10L                                                                                 |
| Mounting Type       | Vertical                                                                          | Vertical                                                                           | Vertical                                                                            |
| Energy Rating       | –                                                                                 | –                                                                                  | 5 Star                                                                              |
| Digital Display     | ✗                                                                                 | ✗                                                                                  | ✓                                                                                   |
| Smart Timer / Clock | ✗                                                                                 | ✗                                                                                  | ✓                                                                                   |
| Safety Valve        | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   |
| Magnesium Anode     | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   |
| Power (kW)          | 3                                                                                 | 3                                                                                  | 2                                                                                   |
| Material            | ABS                                                                               | ABS                                                                                | PCM                                                                                 |
| Heating Element     | Copper                                                                            | Copper                                                                             | Copper                                                                              |
| Connection Pipe     |                                                                                   |                                                                                    | ✓                                                                                   |
| ISI                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   |
| Warranty            | Two Year Comprehensive Warranty                                                   |                                                                                    | +<br>4 Year heating element and 8 Year on Tank                                      |

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |
| Picardy Digi V15 Ultra                                                              | Picardy Digi V25 Ultra                                                              | Picardy Digi V50 Ultra                                                              | Picardy Smart H50 Digi                                                              |
| 330X 352 X480MM                                                                     | 370X 392X 570MM                                                                     | 460X 485X 680MM                                                                     | 898X 460X 395MM                                                                     |
| Storage WH                                                                          | Storage WH                                                                          | Storage WH                                                                          | Storage WH                                                                          |
| 5-Star BEE rating, energy efficiency, safety valve, anode rod                       | 5-Star BEE rating, energy efficiency, safety valve, anode rod                       | 5-Star BEE rating, energy efficiency, safety valve, anode rod                       | 5-Star BEE rating, energy efficiency, safety valve, anode rod                       |
| 15L                                                                                 | 25L                                                                                 | 50L                                                                                 | 50L                                                                                 |
| Vertical                                                                            | Vertical                                                                            | Vertical                                                                            | Horizontal                                                                          |
| 5 Star                                                                              | 5 Star                                                                              | 5 Star                                                                              | 5 Star                                                                              |
| ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
| ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
| ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
| ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
| 2                                                                                   | 2                                                                                   | 3                                                                                   | 3                                                                                   |
| PCM                                                                                 | PCM                                                                                 | PCM                                                                                 | PCM                                                                                 |
| Copper                                                                              | Copper                                                                              | Copper                                                                              | Copper                                                                              |
| ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
| ✓                                                                                   | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
| Two Year Comprehensive, 4 Year heating element and 8 Year on Tank                   |                                                                                     |                                                                                     |                                                                                     |



|                                                                   |                                                                                   |                                                                                     |
|-------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Products                                                          |  |  |
|                                                                   | Picardy Smart H70 Digi                                                            | Picardy Smart H100 Digi                                                             |
| Dimensions                                                        | 830X 460X 487MM                                                                   | 1014X 460X 487MM                                                                    |
| SKU Type                                                          | Storage WH                                                                        | Storage WH                                                                          |
| Key Features                                                      | 5-Star BEE rating, energy efficiency, safety valve, anode rod                     | 5-Star BEE rating, energy efficiency, safety valve, anode rod                       |
| Capacity                                                          | 70L                                                                               | 100L                                                                                |
| Mounting Type                                                     | Horizontal                                                                        | Horizontal                                                                          |
| Energy Rating                                                     | 5 Star                                                                            | 5 Star                                                                              |
| Digital Display                                                   | ✓                                                                                 | ✓                                                                                   |
| Smart Timer / Clock                                               | ✓                                                                                 | ✓                                                                                   |
| Safety Valve                                                      | ✓                                                                                 | ✓                                                                                   |
| Magnesium Anode                                                   | ✓                                                                                 | ✓                                                                                   |
| Power (kW)                                                        | 3                                                                                 | 3                                                                                   |
| Material                                                          | PCM                                                                               | PCM                                                                                 |
| Heating Element                                                   | Copper                                                                            | Copper                                                                              |
| Connection Pipe                                                   | ✓                                                                                 | ✓                                                                                   |
| ISI                                                               | ✓                                                                                 | ✓                                                                                   |
| Two Year Comprehensive, 4 Year heating element and 8 Year on Tank |                                                                                   |                                                                                     |

|                                                                                     |                                                                                     |                                                                                     |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |
| ELISE AURA 10<br>CHAMPAGNE GOLD/ PLATINUM GREY                                      | ELISE AURA 15<br>CHAMPAGNE GOLD/ PLATINUM GREY                                      | ELISE AURA 25<br>CHAMPAGNE GOLD/ PLATINUM GREY                                      |
| 380X 320 X420MM                                                                     | 410X 375 X440MM                                                                     | 480X 400X 520MM                                                                     |
| Storage WH                                                                          | Storage WH                                                                          | Storage WH                                                                          |
| 5-Star BEE rating, energy efficiency, safety valve, anode rod                       | 5-Star BEE rating, energy efficiency, safety valve, anode rod                       | 5-Star BEE rating, energy efficiency, safety valve, anode rod                       |
| 10L                                                                                 | 15L                                                                                 | 25L                                                                                 |
| Vertical                                                                            | Vertical                                                                            | Vertical                                                                            |
| 5 Star                                                                              | 5 Star                                                                              | 5 Star                                                                              |
| ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
|                                                                                     |                                                                                     |                                                                                     |
| ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
| ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
| 2                                                                                   | 2                                                                                   | 2                                                                                   |
| PCM                                                                                 | PCM                                                                                 | PCM                                                                                 |
| Copper                                                                              | Copper                                                                              | Copper                                                                              |
| ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
| ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
| Two Year Comprehensive, 4 Year heating element and 8 Year on Tank                   |                                                                                     |                                                                                     |