















Somany Ceramics Limited: Noida: F-36, Sector-6; Ph.: 0120-4627900.

Ahmedabad: 601 to 606, 6th floor, Aalps Euphoria, Opp. Adani CNG Pump, B/s. Gota Flyover, S. G, Highway, Ahmedabad- 382481, Ph.: 079-27661103 & 04

Registered office: 2, Red Cross Place, Kolkata - 700001; Ph.(033) 22487406/5913 www.somanyceramics.com | e-mail marketing@somanyceramics.com

**Toll Free No. 1800-103-0004** (Timing-10:00am to 6:30pm; Mon-Fri)



























Each tile finish has a reason and with the choices you have - you have no reason to say no! Revealing the different size options and polished, matt as well as punch Matt finishes for different application areas.

# Flexible & extensive application possibilities

Emergence of exciting possibilities of our full body vitrified tiles for various application areas that suit your spaces. Tough, strong yet beautiful is what we have in store for you!





# CONTENT





# 800x1600mm FULL BODY VITRIFIED TILES

FB DAZEL DARK GREY MATT	
FB DAZEL LIGHT GREY POLISH/MATT	
FB VEGA BUTTER POLISH/MATT	
FB VEGA DOVE POLISH/MATT	
FB VEGA WHITE POLISH/MATT	
GROS STONE GREY POLISH	
GROS STONE SUPER WHITE POLISH	
GDOS STONE EDEEZE WHITE DOLISH	



# 600x1200mm FULL BODY VITRIFIED TILES

TONES EARTH	27
TONES EARTH BAR	27
TONES EARTH CABINA	27
TONES EARTH TRIO	27
TONES COAL	29
TONES COAL BAR	29
TONES COAL CABINA	29
TONES COAL TRIO	29
TONES INDIGO BLUE	31
TONES INDIGO BLUE BAR	3
TONES INDIGO BLUE CABINA	31
TONES INDIGO BLUE TRIO	31



ONES CITRON	33
ONES CITRON BAR	33
ONES CITRON CABINA	33
ONES CITRON TRIO	33
ONES LILAC	35
ONES LILAC BAR	35
ONES LILAC CABINA	35
ONES LILAC TRIO	35
ONES SKY BLUE	37
ONES SKY BLUE BAR	37
ONES SKY BLUE CABINA	37
ONES SKY BLUE TRIO	37
ONES OCHRE	39
ONES OCHRE BAR	39
ONES OCHRE CABINA	39
ONES OCHRE TRIO	39
ONES ROSEATE	41
ONES ROSEATE BAR	41
ONES ROSEATE CABINA	41
ONES ROSEATE TRIO	41
ONES BASIL	43
ONES BASIL BAR	43
ONES BASIL CABINA	43
ONES BASIL TRIO	43
RENTO BROWN POLISH/MATT	45
RENTO CREMA POLISH/MATT	47
RENTO GALAXY BLACK POLISH/MATT	49
RENTO GREY POLISH/MATT	51
RENTO NERO POLISH/MATT	53
RENTO SUPER WHITE POLISH/MATT	55
B DAZEL KOTA GREEN POLISH/MATT/STONE	57
B DAZEL DARK GREY MATT/STONE	59
D DAZEL DI ACK MATTICTONE	61



FB DAZEL LIGHT GREY POLISH/MATT	6
FB DAZEL SUPER WHITE MATT/STONE	6
ED VEGA BUTTER BOUGHT IN LATE OF ONE	
FB VEGA BUTTER POLISH/MATT/STONE	
FB VEGA CREMA POLISH/MATT	6
FB VEGA COCO MATT	6
FB VEGA DOVE POLISH/MATT/STONE	
FB VEGA NERO MATT/STONE	
FB VEGA WHITE POLISH/MATT	
GROS STONE GREY POLISH/MATT	
GROS STONE SUPER WHITE POLISH/MATT	




# 600x600mm FULL BODY VITRIFIED TILES

FB DAZEL KOTA GREEN POLISH/MATT/STONE	83
FB DAZEL DARK GREY MATT/STONE	85
FB DAZEL BLACK MATT/STONE	87
FB DAZEL LIGHT GREY POLISH/MATT	89
FB DAZEL SUPER WHITE MATT	91
FB VEGA BUTTER POLISH/MATT/STONE	93
FB VEGA COPPER POLISH/MATT/STONE	95
FB VEGA CREMA POLISH/MATT	97
FB VEGA DOVE POLISH/MATT/STONE	99
FB VEGA NERO MATT/STONE	101
FB VEGA WHITE POLISH/MATT	103



#### REFLECTIVE OF THE FLOW

Continuously delivering unmatched designs to be your perfect tile companion.





# Classical Wave

800x 1600mm

A delightful tide of designs in the classic size of 800x1600mm. A range of design that delight the senses



# VITRO

# **FULL BODY** VITRIFIED TILES COLLECTION ••••







Highly Durable



Eco Friendly



Polish Finish













Tiles Shown: FB DAZEL KOTA GREEN MATT













Available design in

Size: 600x1200 mm Finish: Matt & Stone Size: 600x600 mm Finish: Matt & Stone



ZOOM VIEW

NANO TECH











#### 800x1600mm

Tiles Shown: FB DAZEL LIGHT GREY POLISH






FB DAZEL LIGHT GREY MATT










Available design in

Size: 600x1200 mm Finish: Matt & Polish Size: 600x600 mm Finish: Matt & Polish















Tiles Shown: FB VEGA BUTTER POLISH















Available design in

Size: 600x1200 mm Finish: Matt, Polish & Stone Size: **600x600 mm** Finish: Matt, Polish & Stone

FB VEGA BUTTER MATT

























ZOOM VIEW



Size: 600x1200 mm Finish: Matt, Polish & Stone Size: **600x600 mm** Finish: Matt, Polish & Stone

FB VEGA DOVE MATT














Tiles Shown: FB VEGA WHITE MATT











FB VEGA WHITE POLISH



Available design in

Size: **600x1200 mm** Finish: Matt, Polish Size: 600x600 mm Finish: Matt, Polish

ZOOM VIEW












Tiles Shown: GROS STONE SUPER WHITE POLISH














Available design in

Size: 600x1200 mm Finish: Matt, Polish

















Tiles Shown: GROS STONE FREEZE WHITE POLISH















# Compact Curves

600x 1200mm

An alluring design range in compact size of 600x1200mm vitrified full body is here. Be ready to have small sized happiness everyday.











Highly Durable



Eco Friendly



Polish Finish















Tiles Shown: TONES EARTH




























# **TONES** SERIES


#### 600x1200mm


Tiles Shown: TONES COAL & TONES COAL BAR































# **TONES** SERIES


#### 600x1200mm






























Tiles Shown: TONES CITRON & TONES CITRON CABINA































Tiles Shown: TONES LILAC & TONES LILAC BAR
































# **TONES** SERIES


#### 600x1200mm


Tiles Shown: TONES SKY BLUE & TONES SKY BLUE BAR































Tiles Shown: TONES OCHRE





























Tiles Shown: TONES ROSEATE & TONES ROSEATE TRIO
































Tiles Shown: TONES BASIL & TONES BASIL TRIO


\_\_\_





























Tiles Shown: TRENTO BROWN POLISH/MATT





























# TRENTO SERIES

#### 600x1200mm












ZOOM VIEW



















Tiles Shown: TRENTO GALAXY BLACK MATT




























































Tiles Shown: TRENTO NERO MATT




























# TRENTO SERIES

#### 600x1200mm


Tiles Shown: TRENTO SUPER WHITE POLISH
















OOM VIEW



TRENTO SUPER WHITE MATT



ZOOM VIEW

















Tiles Shown: FB DAZEL KOTA GREEN MATT FB DAZEL LIGHT GREY MATT































Tiles Shown: FB DAZEL DARK GREY STONE

































Tiles Shown: FB DAZEL BLACK MATT






























Tiles Shown: FB DAZEL LIGHT GREY POLISH


























# **DAZEL** SERIES

#### 600x1200mm


Tiles Shown: FB DAZEL SUPER WHITE MATT












Available design in	
Size: 600x600 mm Finish: Matt & P	o


















Tiles Shown: FB VEGA BUTTER POLISH































Tiles Shown: FB VEGA CREMA MATT































### **VEGA** SERIES


#### 600x1200mm


Tiles Shown: FB VEGA DOVE POLISH



























# **VEGA** SERIES


## 600x1200mm


Tiles Shown: FB VEGA NERO MATT






























# **VEGA** SERIES


## 600x1200mm

Tiles Shown: FB VEGA WHITE MATT


















ZOOM VIEW



Size: 800x1600 mm Finish: Matt & Polish
Size: 600x600 mm Finish: Matt & Polish



75













# **GROS STONE** SERIES

## 600x1200mm


Tiles Shown: GROS STONE GREY POLISH


































#### 600x1200mm

Tiles Shown: GROS STONE SUPER WHITE MATT GROS STONE GREY MATT




















# Surf the High

600x 600mm

A highly impactful full body vitrified tiles in 600x600mm size gives a specific tile application solution. Get the best with even











Highly Durable



Eco Friendly



Polish Finish



NANO TECH










# **DAZEL** SERIES


## 600x600mm

Tiles Shown: FB DAZEL KOTA GREEN STONE & FB VEGA COPPER MATT










FB DAZEL KOTA GREEN POLISH



FB DAZEL KOTA GREEN MATT





FB DAZEL KOTA GREEN STONE
Punch



VITRO









# **DAZEL** SERIES


## 600x600mm

Tiles Shown: FB DAZEL DARK GREY STONE & FB VEGA WHITE MATT











FB DAZEL DARK GREY MATT



FB DAZEL DARK GREY STONE
Punch




















Tiles Shown: FB DAZEL BLACK MATT












FB DAZEL BLACK MATT



FB DAZEL BLACK STONE Punch




















Tiles Shown: FB DAZEL LIGHT GREY POLISH











FB DAZEL LIGHT GREY POLISH



FB DAZEL LIGHT GREY MATT



















Tiles Shown: FB DAZEL SUPER WHITE MATT










FB DAZEL SUPER WHITE MATT



Size: 600x1200 mm Finish: Matt & Stone





NANO TECH











## 600x600mm

Tiles Shown: FB VEGA BUTTER STONE









FB VEGA BUTTER POLISH



FB VEGA BUTTER MATT







FB VEGA BUTTER STONE
Punch


























Punch




FB VEGA COPPER POLISH



FB VEGA COPPER MATT




















Tiles Shown: FB VEGA CREMA POLISH











FB VEGA CREMA POLISH



FB VEGA CREMA MATT




















Tiles Shown: FB VEGA DOVE STONE










FB VEGA DOVE POLISH



FB VEGA DOVE MATT





FB VEGA DOVE STONE
Punch



VITRO













Tiles Shown: FB VEGA NERO STONE











FB VEGA NERO MATT



FB VEGA NERO STONE
Punch



















Tiles Shown: FB VEGA WHITE MATT










FB VEGA WHITE POLISH



FB VEGA WHITE MATT







#### TECHNICAL SPECIFICATION

FULL BODY VITRIFIED TILES

#### PACKAGING DETAIL FOR FULL BODY VITRIFIED TILES

Nominal Size (mm)	Thickness	Avg.weight per carton(Kgs)	No. Of Tiles per carton	Coverage area per carton
800X1600mm (Polished)	9.0 mm	51.50 Kgs. / Box (Appx)	2 Pcs.	2.56 Sq. Mtr / 27.55 Sq. Ft.
800X1600mm (Matt)	9.2 mm	53.0 Kgs. / Box (Appx)	2 Pcs.	2.56 Sq. Mtr / 27.55 Sq. Ft.
600X1200mm (Polished)	8.2 mm	28.0 Kgs. / Box (Appx)	2 Pcs.	1.44 Sq. Mtr / 15.50 Sq. Ft.
600X1200mm (Matt)	8.5 mm	28.5 Kgs. / Box (Appx)	2 Pcs.	1.44 Sq. Mtr / 15.50 Sq. Ft.
600X600mm (Polished)	8.2 mm	28.0 Kgs. / Box (Appx)	4 Pcs.	1.44 Sq. Mtr / 15.50 Sq. Ft.
600X600mm (Matt)	8.5 mm	28.5 Kgs. / Box (Appx)	4 Pcs.	1.44 Sq. Mtr / 15.50 Sq. Ft.


The reproduction of tiles in this catalogue is restricted to four color printing only and tiles are not in relative sizes, therefore customers are advised to see the physical sample before placing the order. "Technical Specification" for Somany wall & floor tiles are applicable only for premium quality tiles. Please inspect all tiles prior to installation. Company will not entertain complaints once tiles are laid/fixed.

Complaints will not be entertained for Borders, Highlighters & Motifs.



#### TECHNICAL SPECIFICATION FOR FULL BODY VITRIFIED TILES

Characteristics	Requirement as per IS 15622 :2017 E ≤ 0.08 Group B I a	Requirement as per ISO 13006:2018 ≤ 0.5% Group B I a	Our Values	Test Method	
Dimension & Surface Quality					
Length & Width %	± 0.10%	± 0.5%	± 0.10%		
Thickness %	± 5.00%	± 5.00% ± 0.50% ± 0.60%	± 4.0% ± 0.10% ± 0.10%		
Straightness of Side %	± 0.10%				
Rectengularity %	± 0.10%				
Surface Flatness	IS 13630 Part 1/ ISO 10545-2				
Center Curvature (%) ( Max. Dev.)	± 0.50%	± 0.50%	± 0.2 %		
Edge Curvature (%) ( Max. Dev.)	± 0.50%	± 0.50%	± 0.2 %		
Corner Warpage (%)( Max. Dev.)	± 0.50%	± 0.50%	± 0.2 %		
Surface Quality	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects	Min. 95 % of tiles will be free from visible defects		
Physical Properties					
Water Absorption	Average≤0.08%, Individual Max.0.1%	Av ≤ 0.5 %, Individual 0.6% max	<0.08%, Individual Max 0.1%	IS 13630 Part 2/ ISO 10545-3	
Modulus of Rupture [N/mm2]	Av 35, Individual 32 min	Av 35, Individual 32 min	Avr. > 35, Individual 32	IS 13630 Part 6/ISO 10545-4	
Breaking Strength in N	1300	Min.1300	Min 1300		
Moisture Expansion in mm/m	0.02	Test method available	0.02	IS 13630 Part 3/ISO-10545-10	
Scratch Hardness of Surface (Mohs)	Min 5	N.A	Min 5	IS 13630 Part 13	
Coefficient of Linear Thermal Expansion from Embiant Temperature to 100° C	6 X 10 <sup>-6</sup> K <sup>-1</sup> Max	Test Method Available	Max 6 X 10 <sup>-6</sup> K <sup>-1</sup> Max	IS 13630 Part 4/ ISO 10545-8	
Thermal Shock Resistance	10 Cycle Min	Required	10 Cycle Passed	IS 13630 Part 5/ISO-10545-9	
Crazing Resistance	4 Cycle @ 7.5 bar Min	Not Applicable	Not Applicable	IS 13630 Part 9/ISO 10545-11	
Imapct Resistance as Co-efficient of Restitution (COR)	0.55 Min	Test Method Available	0.55 Min	IS 13630 Part 14/ISO 10545-5	
Deep Abrastion Resistance	140,Max	Max.175	Max.140	IS 13630 PART 12/ISO 10454-6	
Frost Resistance	Required	Required	100 Cycle Passed	IS 13630 Part 10/ISO 10545-12	
Stain & Chemical Resistance (Un-glazed	Tiles)				
Stain Resistance	Min Class 2	Manufacturer to State The Class	Min Class 2	IS 13630 Part 8/ISO 10545-14	
Resistance to Household chemicals	Min Class AA	Min Class UB	Min Class UA		
Resistance to acids and alkalis (with exception of hydrofluoric acid and its compounds)	Required if Agreed	Test Method Available	Class ULA (Low Conc) Class UHA (High Conc)	IS 13630 Part 7/ISO 10545-13	









## HIGH STRENGTH POLYMER MODIFIED TILE ADHESIVE

#### **BENEFITS**

- READY AND EASY TO USE
- EXCELLENT BONDING WITH ALL SURFACES
- FAST SETTING
- SELF-CURING

#### **USES**

- FOR FIXING ALL TYPE OF TILES
- FOR NEW FLOORING AND RENOVATION
- CAN BE USED FOR TILE ON TILE